

Data Dictionary and XML Schema Implementation Guide Healthy Start Screening Tool 4: Prenatal

Version 2.3

Version Date: March 7, 2017

Submitted to:



Health Resources and Services Administration
Maternal and Child Health Bureau
5600 Fishers Lane
Rockville, MD 20857

Submitted by:



DSFederal, Inc.

11900 Parklawn Drive, Suite #406
Rockville, MD 20852

DISCLOSURE LEGEND

This document includes data that shall not be disclosed outside the government and shall not be duplicated, used, or disclosed in whole or in part for any purpose other than for which it was intended. The restriction does not limit the Government's right to use information contained in these data if they are obtained from another source without restriction. The data subject to this restriction are contained in sheets marked as restricted.

Element Index

Element name: AdminDate	7
Element name: WeekPregnantCount.....	7
Element name: MonthPregnantCount	8
Element name: WeekMonthPregnantCountDRId	8
Element name: BabyDueDate	8
Element name: BabyDueDateDRId.....	9
Element name: TryToPregnantId.....	9
Element name: PregnantFeelingId	9
Element name: FeedMethodId.....	10
Element name: DeliveryPlacelId.....	10
Element name: DeliveryPlaceOther	10
Element name: FirstVisitWeeks.....	11
Element name: FirstVisitMonth	11
Element name: FirstVisitDRId	11
Element name: DifficultGetPrenatalCareId.....	12
Element name: PrenatalCareDifficultReasonList	13
Element name: NumWeeksAdvance	14
Element name: OtherDifficultReason.....	14
Element name: HaveHealthProfessionalId.....	14
Element name: HaveSickCarePlacelId	15
Element name: SickCarePlacelId	15
Element name: HealthInsuranceTypesList	16
Element name: HealthInsuranceTypesOther	16
Element name: FUEnrolledInMedicaidInfoList.....	17
Element name: FUEnrolledInMedicaidInfoDate	17
Element name: FUEnrolledInMedicaidProvided	17
Element name: FUEnrolledInMedicaidProvidedDate	18
Element name: FUEnrolledInMedicaidReferredList.....	18
Element name: FUEnrolledInMedicaidReferredDate.....	18
Element name: MaritalstatusId.....	19
Element name: EmploymentStatusId.....	19
Element name: HouseholdIncomelId	20
Element name: NumAdultsSupported	20
Element name: NumChildrenSupported	20
Element name: IncomeSupportedDRId.....	21
Element name: FoodAffordabilityId	21
Element name: Zipcode.....	21
Element name: ZipcodeDRId	22
Element name: HousingStatusId	22
Element name: HousingStatusOther	22
Element name: IsRegularHomelId.....	23
Element name: HasHousingarrangementId	23
Element name: HasHousingarrangementOther.....	23
Element name: HasHousingConcernId	24
Element name: ConcernHousingList	24
Element name: OtherLeaseViolation	25

Element name: OtherHousingConcern	25
Element name: ServiceChildcareVoucherId	25
Element name: ServiceElderlyDisableChildrenId	26
Element name: ServiceFoodStampsId	26
Element name: ServiceHeatingAssistancelId	26
Element name: ServiceImmigrationId	27
Element name: ServiceLegalId	27
Element name: ServicePublicHousingId	27
Element name: ServiceSection8VoucherId	28
Element name: ServiceSSDIId	28
Element name: ServiceSSIId	28
Element name: ServiceTAFDCId	29
Element name: ServiceTANFId	29
Element name: ServiceTribalHousingId	29
Element name: ServiceUtilityAssistancelId	30
Element name: ServiceWICId	30
Element name: ServiceOtherId	31
Element name: ServiceOtherSpecifying	31
Element name: HasOpenCaseChildProtectiveServicesId	31
Element name: FUServiceInfoGivenList	32
Element name: FUServiceInfoGivenOther	32
Element name: FUServiceInfoGivenDate	33
Element name: FUServiceReferredList	33
Element name: FUServiceReferredOther	34
Element name: FUServiceReferredDate	34
Element name: NeighborsHelpId	34
Element name: NeighborsWatchChildrenId	35
Element name: CommunityFeelSafeld	35
Element name: ParticipateCommunityActivitiesId	36
Element name: NeighborsGatheringId	36
Element name: PhysicalHealthStatusId	37
Element name: MentalHealthStatusId	37
Element name: HeightFeetMeasure	38
Element name: HeightInchesMeasure	38
Element name: HeightFeetInchesMeasureDRId	38
Element name: WeightMeasureBeforePreg	39
Element name: WeightMeasureBeforePregDRId	39
Element name: WeightMeasure	39
Element name: WeightMeasureDRId	40
Element name: DetectedAsthmalId	40
Element name: HaveAsthmalId	40
Element name: DetectedAutoimmuneDiseaseld	41
Element name: HaveAutoimmuneDiseaseld	41
Element name: DetectedCancerId	42
Element name: HasCancerId	42
Element name: DetectedCardiovascularDiseaseld	43
Element name: HaveCardiovascularDiseaseld	43
Element name: DetectedMentalHealthConditionsId	44

Element name: HaveMentalHealthConditionsId.....	44
Element name: DetectedDiabetesId	45
Element name: HaveDiabetesId	45
Element name: DetectedGestationalDiabetesId	45
Element name: HaveGestationalDiabetesId	46
Element name: DetectedEatingDisordersId	46
Element name: HaveEatingDisordersId	47
Element name: DetectedHighBloodPressureId	47
Element name: HaveHighBloodPressureId	48
Element name: DetectedAnemia	48
Element name: HaveAnemia	49
Element name: DetectedPKUId	49
Element name: HavePKUId.....	50
Element name: DetectedRenalDiseaseId	50
Element name: HaveRenalDiseaseId	50
Element name: DetectedEpilepsyId	51
Element name: HaveEpilepsyId	51
Element name: DetectedSickleCellId	52
Element name: HaveSickleCellId	52
Element name: DetectedThrombophiliaId	52
Element name: HaveThrombophiliaId	53
Element name: DetectedThyroidDiseaseId	53
Element name: HaveThyroidDiseaseId.....	54
Element name: OtherMedicalConditions	54
Element name: HaveOtherMedicalConditionsId.....	54
Element name: MedicalConditionsPast6MonthsList	55
Element name: HavingPainId	55
Element name: AreTakingPainMedicationsId	56
Element name: AreTakingBloodThinnersId.....	56
Element name: AreTakingMaleHormonesId	56
Element name: AreTakingAntibioticsId	57
Element name: AreTakingEpilepsyMedicationsId	57
Element name: AreTakingAcneMedicationsId	57
Element name: AreTakingHighBloodPressureMedicationsId	58
Element name: AreTakingHighCholesterolMedicationsId	58
Element name: AreTakingAntidepressantsId	59
Element name: ProviderKnowMedicationsId.....	59
Element name: VitaminPerWeekId	60
Element name: LastTestedChlamydiaId	60
Element name: LastTestedGonorrheaId	61
Element name: LastTestedHerpesSimplexId	61
Element name: LastTestedHivId	62
Element name: LastTestedSyphilisId	62
Element name: LastTestedStdOtherId	63
Element name: LastTestedStdOtherSpecifying	63
Element name: DiagnosedToxoplasmosisId	63
Element name: DiagnosedTuberculosisId	64
Element name: DiagnosedCytomegalovirusId	64

Element name: DiagnosedHepatitisBCId.....	64
Element name: DiagnosedZikaId.....	65
Element name: DiagnosedChlamydiaId.....	65
Element name: DiagnosedGonorrheaId.....	65
Element name: DiagnosedHerpesSimplexId.....	66
Element name: DiagnosedHIVId.....	66
Element name: DiagnosedSyphilisId.....	66
Element name: DiagnosedOtherId.....	67
Element name: DiagnosedOtherSpecifying.....	67
Element name: LastTeethCleaningId.....	67
Element name: WearSeatbeltFreqId.....	68
Element name: FUHealthInfoList.....	68
Element name: FUHealthInfoDate.....	69
Element name: FUHealthProvidedList.....	69
Element name: FUHealthaProvidedOther.....	69
Element name: FUHealthaProvidedDate.....	70
Element name: FUHealthReferredList.....	70
Element name: FUHealthReferredOther.....	70
Element name: FUHealthReferredDate.....	71
Element name: LittleInterest.....	71
Element name: Depressed.....	71
Element name: FUDepressionInfoList.....	72
Element name: FUDepressionInfoDate.....	72
Element name: FUDepressionProvidedList.....	73
Element name: FUDepressionProvidedDate.....	73
Element name: FUDepressionReferredList.....	73
Element name: FUDepressionReferredOther.....	74
Element name: FUDepressionReferredDate.....	74
Element name: SubstanceUseAlcoholId.....	74
Element name: SubstanceUseTobaccoId.....	75
Element name: SubstanceUseMoodAlteringId.....	75
Element name: SubstanceUsePrescriptionDrugsForNonMedicalId.....	76
Element name: SubstanceUseIllegalDrugsId.....	76
Element name: CurrentSmokeId.....	76
Element name: HouseholdSmokingRuleId.....	77
Element name: AlcoholConsumptionId.....	77
Element name: FUSubstanceUseInfoList.....	78
Element name: FUSubstanceUseInfoDate.....	78
Element name: FUSubstanceUseProvidedTNPLList.....	79
Element name: FUSubstanceUseProvidedDate.....	79
Element name: FUSubstanceUseReferredList.....	80
Element name: FUSubstanceUseReferredOther.....	80
Element name: FUSubstanceUseReferredDate.....	80
Element name: PersonalSafetySpouseThreatenId.....	81
Element name: PersonalSafetySpouseAngerId.....	81
Element name: PersonalSafetySpouseControlId.....	81
Element name: PersonalSafetySpousePhysicalAbusedId.....	82
Element name: PersonalSafetySpouseForceSexId.....	82

Element name: PersonalSafetySpousePhysicalAnyId.....	82
Element name: HaveGunId.....	83
Element name: FUPersonalSafetyInfoList	83
Element name: FUPersonalSafetyInfoDate	83
Element name: FUPersonalSafetyReferred.....	84
Element name: FUPersonalSafetyReferredProgram	84
Element name: FUPersonalSafetyReferredDate	84
Element name: StressFactorFamilySickId.....	85
Element name: StressFactorDivorcedId	85
Element name: StressFactorRelocationId	85
Element name: StressFactorHomelessId.....	86
Element name: StressFactorSpouseLostJobId.....	86
Element name: StressFactorLostJobId	86
Element name: StressFactorPayoutId.....	87
Element name: StressFactorSpouseApartId.....	87
Element name: StressFactorSpouseArgued	87
Element name: StressFactorSpouseAgainstPregnancyId	88
Element name: StressFactorBillsId	88
Element name: StressFactorJailedId	88
Element name: StressFactorRelativesDrinkingId	89
Element name: StressFactorRelativeDieId	89
Element name: DiscriminationTreatedLessCourtesylId	89
Element name: DiscriminationReceivedPoorServiceId	90
Element name: DiscriminationOtherThinkNotSmartId	90
Element name: DiscriminationOtherAfraidId.....	91
Element name: DiscriminationOtherThreatenId.....	91
Element name: DiscriminationReasonsForTreatmentId	92
Element name: DiscriminationOtherReasonsForTreatment.....	92
Element name: FUSTressInfo	93
Element name: FUSTressInfoDate	93
Element name: FUSTressProvided	93
Element name: FUSTressProvidedDate	94
Element name: FUSTressReferredList.....	94
Element name: FUSTressReferredOther	94
Element name: FUSTressReferredDate.....	95
Element name: SupportTemporaryFinancialId	95
Element name: SupportEnjoyableActivitiesId	95
Element name: SupportHelpChoresId	96
Element name: SupportWhenSickId.....	96
Element name: SupportHelpPersonalIssuesId	97
Element name: FatherInvolvementId.....	97
Element name: FatherRoleList	98
Element name: FatherRoleOtherSpecifying.....	98
Element name: FUSupportInfo	98
Element name: FUSupportInfoDate	99
Element name: FUSupportReferredList	99
Element name: FUSupportReferredOther.....	99
Element name: FUSupportReferredDate	100

Element name: PlanHaveChildrenId.....	100
Element name: PlanHaveChildrenCount	100
Element name: PlanHaveChildrenDRId	101
Element name: WaitTimePregnantId	101
Element name: UseBirthControlsId	101
Element name: AbleToUseBirthControllId	102
Element name: FUBirthControllInfo.....	102
Element name: FUBirthControllInfoDate	102
Element name: FUBirthControlProvidedList	103
Element name: FUBirthControlProvidedDate	103
Element name: FUBirthControlReferredId	103
Element name: FUOtherBirthControl.....	104
Element name: FUBirthControlReferredDate	104

Element name: [AdminDate](#)

Field	Description
Definition	Date of Administration (F4)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<AdminDate>4/6/2017</AdminDate>

Element name: [WeekPregnantCount](#)

Field	Description
Definition	The value provided by the client for weeks in response to the question "How many weeks or months pregnant are you?" (F4.1)
Required field	No
Lookup table if available	N/A
Allowed values	An integer with value between 0-45
Allow multiple values	No
Occurrence	0-1 per client
XML example	<WeekPregnantCount>12</WeekPregnantCount>

Element name: [MonthPregnantCount](#)

Field	Description
Definition	The value provided by the client for months in response to the question "How many weeks or months pregnant are you?" (F4.1)
Required field	No
Lookup table if available	N/A
Allowed values	An integer with value between 0-11
Allow multiple values	No
Occurrence	0-1 per client
XML example	<MonthPregnantCount>1</MonthPregnantCount>

Element name: [WeekMonthPregnantCountDRId](#)

Field	Description
Definition	Client's answer to the question "How many weeks or months pregnant are you?" if Don't Know or Declined to Answer were selected as the response. (F4.1)
Required field	No
Lookup table if available	DontknowRefused_Lkup
Allowed values	1 = Don't Know 2 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<WeekMonthPregnantCountDRId>2</WeekMonthPregnantCountDRId>

Element name: [BabyDueDate](#)

Field	Description
Definition	Client's answer to the question "What is your baby's due date?" (F4.2)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<BabyDueDate>1/15/2017</BabyDueDate>

Element name: [BabyDueDateDRId](#)

Field	Description
Definition	Client's answer to the question "What is your baby's due date?" if Don't Know or Declined to Answer were selected as the response. (F4.2)
Required field	No
Lookup table if available	DontknowRefused_Lkup
Allowed values	1 = Don't Know 2 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<BabyDueDateDRId>2</BabyDueDateDRId>

Element name: [TryToPregnantId](#)

Field	Description
Definition	Client's answer to the question "When you got pregnant with this baby, were you trying to get pregnant?" (F4.3)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<TryToPregnantId>1</TryToPregnantId>

Element name: [PregnantFeelingId](#)

Field	Description
Definition	Client's answer to the question "How do you feel about being pregnant?" (F4.4)
Required field	No
Lookup table if available	PregnantFeeling_Lkup
Allowed values	1 = Very unhappy to be pregnant 2 = Unhappy to be pregnant 3 = Not sure 4 = Happy to be pregnant 5 = Very happy to be pregnant 6 = Don't know 7 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<PregnantFeelingId>2</PregnantFeelingId>

Element name: [FeedMethodId](#)

Field	Description
Definition	Client's answer to the question "What method do you plan to use to feed your new baby in the first few weeks?" (F4.5)
Required field	No
Lookup table if available	FeedMethod_Lkup
Allowed values	1 = Breastfeed only (baby will not be given formula) 2 = Formula feed only 3 = Both breast and formula feed 4 = Don't know yet 5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<FeedMethodId>2</FeedMethodId>

Element name: [DeliveryPlaceId](#)

Field	Description
Definition	Client's answer to the question "Where are you planning to deliver your baby?" (F4.6)
Required field	No
Lookup table if available	ChildBirthPlace_Lkup
Allowed values	1 = Hospital 2 = Birthing center 3 = Home 4 = Other Place 5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<DeliveryPlaceId>2</DeliveryPlaceId>

Element name: [DeliveryPlaceOther](#)

Field	Description
Definition	For clients who selected "Other" in answer to the question: "Where are you planning to deliver your baby?", the response provided to specify the type of "Other" place. (F4.6)
Required field	No
Lookup table if available	N/A
Allowed values	Text string that allows a maximum of 250 characters
Allow multiple values	No
Occurrence	0-1 per client
XML example	<DeliveryPlaceOther>In transit to hospital</DeliveryPlaceOther>

Element name: [FirstVisitWeeks](#)

Field	Description
Definition	The value provided by the client for weeks in response to the question "How many weeks or months pregnant were you when you had your first visit for prenatal care?" (F4.7)
Required field	No
Lookup table if available	N/A
Allowed values	An integer with value between 0-45
Allow multiple values	No
Occurrence	0-1 per client
XML example	<FirstVisitWeeks>4</FirstVisitWeeks>

Element name: [FirstVisitMonth](#)

Field	Description
Definition	The value provided by the client for months in response to the question "How many weeks or months pregnant were you when you had your first visit for prenatal care?" (F4.7)
Required field	No
Lookup table if available	N/A
Allowed values	An integer with value between 0-11
Allow multiple values	No
Occurrence	0-1 per client
XML example	<FirstVisitMonth>1</FirstVisitMonth>

Element name: [FirstVisitDRId](#)

Field	Description
Definition	Client's answer to the question "How many weeks or months pregnant were you when you had your first visit for prenatal care?" if Don't Know, Declined to Answer, or I didn't go for prenatal care were selected as the response. (F4.7)
Required field	No
Lookup table if available	PregnantFirstVisit_Lkup
Allowed values	1 = Don't know 2 = Declined to answer 3 = I didn't go for prenatal care
Allow multiple values	No
Occurrence	0-1 per client
XML example	<FirstVisitDRId>1</FirstVisitDRId>

Element name: [DifficultGetPrenatalCareId](#)

Field	Description
Definition	Client's answer to the question "Have you had any difficulty getting the prenatal care you want or need?" (F4.8)
Required field	No
Lookup table if available	YesNoDeclined_Lkup
Allowed values	1 = Yes 2 = No 3 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<DifficultGetPrenatalCareId>3</DifficultGetPrenatalCareId>

Element name: [PrenatalCareDifficultReasonList](#)

Field	Description
Definition	Client's answer to the question "Please tell me the reasons it has been difficult to get prenatal care?" (F4.8.1)
Required field	No
Lookup table if available	PrenatalCareDifficultReasonType_Lkup
Allowed values	1 = OB provider won't schedule an appointment until the end of the first trimester 2 = OB provider refused to schedule an appointment because my pregnancy is advanced 3 = I couldn't get an appointment when I wanted one 4 = I couldn't find a doctor or clinic that accepted Medicaid 5 = It is hard to communicate with the doctor or clinic staff 6 = It is hard to understand the information the doctor or clinic gives me 7 = I haven't had enough money or insurance to pay for my visits 8 = I didn't have my Medicaid (or state Medicaid name) card 9 = I didn't have any transportation to get to the clinic or doctor's office 10 = I couldn't take time off work 11 = I had no one to take care of my children 12 = I have had too many other things going on in my life 13 = I didn't know I was pregnant 14 = I didn't want anyone to know I was pregnant 15 = I didn't want prenatal care 16 = Other
Allow multiple values	Yes
Occurrence	0-1 per client
XML example	<pre> <PrenatalCareDifficultReasonList> <PrenatalCareDifficultReason> <PrenatalCareDifficultReasonTypeId>2</PrenatalCareDifficultReasonTypeId> </PrenatalCareDifficultReason> <PrenatalCareDifficultReason> <PrenatalCareDifficultReasonTypeId>14</PrenatalCareDifficultReasonTypeId> </PrenatalCareDifficultReason> </PrenatalCareDifficultReasonList> </pre>

Element name: [NumWeeksAdvance](#)

Field	Description
Definition	Client response to specify "# of Weeks" when "OB provider refused to schedule an appointment because my pregnancy is advanced" was selected as a response to the question "Please tell me the reasons it has been difficult to get prenatal care?" (F4.8.1)
Required field	No
Lookup table if available	N/A
Allowed values	An integer with value between 0-45
Allow multiple values	No
Occurrence	0-1 per client
XML example	<NumWeeksAdvance>1</NumWeeksAdvance>

Element name: [OtherDifficultReason](#)

Field	Description
Definition	Client response to specify "Other" when "Other" was selected as a response to the question "Please tell me the reasons it has been difficult to get prenatal care?" (F4.8.1)
Required field	No
Lookup table if available	N/A
Allowed values	Text string that allows a maximum of 250 characters
Allow multiple values	No
Occurrence	0-1 per client
XML example	<OtherDifficultReason>Distance</OtherDifficultReason>

Element name: [HaveHealthProfessionalId](#)

Field	Description
Definition	Client's answer to the question "Do you have one or more persons you think of as your personal doctor or nurse?" (F4.9)
Required field	No
Lookup table if available	YesNoPerson_Lkup
Allowed values	1 = Yes, one person 2 = Yes, more than one person 3 = No 4 = Don't know 5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<HaveHealthProfessionalId>3</HaveHealthProfessionalId>

Element name: [HaveSickCarePlaceId](#)

Field	Description
Definition	Client's answer to the question "Is there a place that you USUALLY go for care when you are sick or need advice about your health?" (F4.10)
Required field	No
Lookup table if available	YesNoPlace_Lkup
Allowed values	1 = Yes 2 = No 3 = There is more than one place 4 = Don't know 5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<HaveSickCarePlaceId>3</HaveSickCarePlaceId>

Element name: [SickCarePlaceId](#)

Field	Description
Definition	Client's answer to the question "What kind of place do you go to most often when you are sick or you need advice about your health?" (F4.10.1)
Required field	No
Lookup table if available	HealthCareFacility_Lkup
Allowed values	1 = Doctor's Office 2 = Hospital Emergency Room 3 = Hospital Outpatient Department 4 = Clinic or Health Center 5 = Retail Store Clinic or Minute Clinic 6 = School (Nurse's Office, Athletic Trainer's Office) 7 = Some other place 8 = Don't know 9 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<SickCarePlaceId>7</SickCarePlaceId>

Element name: [HealthInsuranceTypesList](#)

Field	Description
Definition	Client's answer to the question "Please tell me what kind of health insurance you have:" (F4.11)
Required field	No
Lookup table if available	HealthInsuranceTypes_Lkup
Allowed values	1 = Private insurance through my job, or the job of my husband, partner or parents 2 = Insurance purchased directly from an insurance company 3 = Medicaid, Medical Assistance, or any kind of government assistance plan for those with low incomes or a disability 4 = TRICARE or other military health care 5 = Indian Health Service 6 = Other 7 = No insurance 8 = Don't know 9 = Declined to answer
Allow multiple values	Yes
Occurrence	0-1 per client
XML example	<pre><HealthInsuranceTypesList> <HealthInsuranceTypes> <HealthInsuranceTypesId>1</HealthInsuranceTypesId> </HealthInsuranceTypes> </HealthInsuranceTypesList></pre>

Element name: [HealthInsuranceTypesOther](#)

Field	Description
Definition	Client response to specify "Other" when "Other" was selected as a response to the question "Please tell me what kind of health insurance you have:" (F4.11)
Required field	No
Lookup table if available	N/A
Allowed values	Text string that allows a maximum of 250 characters
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><HealthInsuranceTypesOther>Obamacare</HealthInsuranceTypesOther></pre>

Element name: [FUEnrolledInMedicaidInfoList](#)

Field	Description
Definition	Staff selection in the Follow Up Section indicating the types of prenatal care information/education that was provided to the client. (F4.11)
Required field	No
Lookup table if available	MedicalInfo_Lkup
Allowed values	1 = Importance of regular prenatal care 2 = Importance of having a regular provider/medical home 3 = Medicaid eligibility 4 = Birth spacing 5 = Breastfeeding 6 = Feeding your newborn 7 = Labor and delivery, including premature labor, preparation for C-section
Allow multiple values	Yes
Occurrence	0-1 per client
XML example	<FUEnrolledInMedicaidInfoList> <FUEnrolledInMedicaidInfo> <MedicalInfoId>1</MedicalInfoId> </FUEnrolledInMedicaidInfo> </FUEnrolledInMedicaidInfoList>

Element name: [FUEnrolledInMedicaidInfoDate](#)

Field	Description
Definition	Date on which information/education about prenatal care was provided, if any.
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<FUEnrolledInMedicaidInfoDate>1/1/2016</FUEnrolledInMedicaidInfoDate>

Element name: [FUEnrolledInMedicaidProvided](#)

Field	Description
Definition	Staff selection in the Follow Up section indicating whether the staff enrolled the client in Medicaid.
Required field	No
Lookup table if available	N/A
Allowed values	true, false OR 1, 0
Allow multiple values	No
Occurrence	0-1 per client
XML example	<FUEnrolledInMedicaidProvided>true</FUEnrolledInMedicaidProvided>

Element name: [FUEnrolledInMedicaidProvidedDate](#)

Field	Description
Definition	Date on which staff enrolled the client in Medicaid, if any.
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<FUEnrolledInMedicaidProvidedDate>1/1/2016</FUEnrolledInMedicaidProvidedDate>

Element name: [FUEnrolledInMedicaidReferredList](#)

Field	Description
Definition	Staff selection in the Follow Up Section indicating the types of services the client was referred for, if any.
Required field	No
Lookup table if available	PrenatalMedicalReferred_Lkup
Allowed values	1 = Medicaid enrollment 2 = OB/GYN provider 3 = Primary Care Provider 4 = Prenatal classes
Allow multiple values	Yes
Occurrence	0-1 per client
XML example	<FUEnrolledInMedicaidReferredList> <FUEnrolledInMedicaidReferred> <PrenatalMedicalReferredId>4</PrenatalMedicalReferredId> </FUEnrolledInMedicaidReferred> </FUEnrolledInMedicaidReferredList>

Element name: [FUEnrolledInMedicaidReferredDate](#)

Field	Description
Definition	Date on which staff referred the client for services.
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<FUEnrolledInMedicaidReferredDate>1/1/2016</FUEnrolledInMedicaidReferredDate>

Element name: [MaritalStatusId](#)

Field	Description
Definition	Client's answer to the question "Are you currently married or living with a partner, separated, divorced, widowed, or were you never married?" (F4.12)
Required field	No
Lookup table if available	MaritalStatus_Lkup
Allowed values	1 = Married or living with partner 2 = Separated 3 = Divorced 4 = Widowed 5 = Never married 6 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<MaritalStatusId>3</MaritalStatusId>

Element name: [EmploymentStatusId](#)

Field	Description
Definition	Client's selection for employment status (F4.13)
Required field	No
Lookup table if available	EmploymentStatus_Lkup
Allowed values	1 = Employed for wages 2 = Self-employed 3 = Out of work for 1 year or more 4 = Out of work for less than 1 year 5 = A Homemaker 6 = A Student 7 = Retired 8 = Unable to work 9 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<EmploymentStatusId>2</EmploymentStatusId>

Element name: [HouseholdIncomeId](#)

Field	Description
Definition	Client's answer to the question "What is your yearly total household income before taxes?" (F4.14)
Required field	No
Lookup table if available	HouseholdIncome_Lkup
Allowed values	1 = Less than \$10,000 2 = \$10,000 to less than \$15,000 3 = \$15,000 to less than \$20,000 4 = \$20,000 to less than \$25,000 5 = \$25,000 to less than \$35,000 6 = \$35,000 to less than \$50,000 7 = \$50,000 or more 8 = Don't know 9 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<HouseholdIncomeId>2</HouseholdIncomeId>

Element name: [NumAdultsSupported](#)

Field	Description
Definition	Client's answer to the question "How many people are supported by this income?" for the category of Adults age 18 or older. (F4.15)
Required field	No
Lookup table if available	N/A
Allowed values	An integer with value between 0-99
Allow multiple values	No
Occurrence	0-1 per client
XML example	<NumAdultsSupported>2</NumAdultsSupported>

Element name: [NumChildrenSupported](#)

Field	Description
Definition	Client's answer to the question "How many people are supported by this income?" for the category of children age 17 or younger. (F4.15)
Required field	No
Lookup table if available	N/A
Allowed values	An integer with value between 0-99
Allow multiple values	No
Occurrence	0-1 per client
XML example	<NumChildrenSupported>2</NumChildrenSupported>

Element name: [IncomeSupportedDRId](#)

Field	Description
Definition	Client's answer to the question "How many people are supported by this income?" if Don't Know or Declined to Answer were selected as the response. (F4.15)
Required field	No
Lookup table if available	DontknowRefused_Lkup
Allowed values	1=Don't know 2=Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<IncomeSupportedDRId>2</IncomeSupportedDRId>

Element name: [FoodAffordabilityId](#)

Field	Description
Definition	Client's answer to the question "Which of these statements best describes the food situation in your household IN THE PAST 12 MONTHS?" (F4.16)
Required field	No
Lookup table if available	FoodAffordability_Lkup
Allowed values	1 = We could always afford to eat good nutritious meals 2 = We could always afford enough to eat but not always the kinds of food we should eat 3 = Sometimes we could not afford enough to eat 4 = Often we could not afford enough to eat 5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<FoodAffordabilityId>3</FoodAffordabilityId>

Element name: [Zipcode](#)

Field	Description
Definition	Client's answer to the question "What is the Zip Code where you live?" (F4.17)
Required field	No
Lookup table if available	N/A
Allowed values	A 5-digit integer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<Zipcode>00000</Zipcode>

Element name: [ZipcodeDRId](#)

Field	Description
Definition	Client's answer to the question "What is the Zip Code where you live?" if "Don't Know" or "Declined to Answer" were selected. (F4.17)
Required field	No
Lookup table if available	DontknowRefused_Lkup
Allowed values	1=Don't know 2=Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<ZipcodeDRId>2</ZipcodeDRId>

Element name: [HousingStatusId](#)

Field	Description
Definition	Client's answer to the question "Do you own a place, rent a place, live in public housing, stay with a family member, or are you homeless?" (F4.18)
Required field	No
Lookup table if available	HousingStatus_Lkup
Allowed values	1 = Owns or shares own home, condominium or apartment 2 = Rents or shares own home or apartment 3 = Lives in public housing (receives rental assistance, such as Section 8) 4 = Lives with parent or family member 5 = Homeless 6 = Some other arrangement 7 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<HousingStatusId>5</HousingStatusId>

Element name: [HousingStatusOther](#)

Field	Description
Definition	For clients who selected "Other" in answer to the question: "Do you own a place, rent a place, live in public housing, stay with a family member, or are you homeless?" the response provided to specify the type of "Some other arrangement" housing status. (F4.18)
Required field	No
Lookup table if available	N/A
Allowed values	Text string that allows a maximum of 250 characters
Allow multiple values	No
Occurrence	0-1 per client
XML example	<HousingStatusOther>seasonal</HousingStatusOther>

Element name: [IsRegularHomeld](#)

Field	Description
Definition	Client's answer to the question "Is this place a regular place to stay?" (F4.18.1)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<IsRegularHomeld>1</IsRegularHomeld>

Element name: [HasHousingarrangementId](#)

Field	Description
Definition	Client's answer to the question "Do you share housing with someone, live in an emergency or transition shelter, or have some other living arrangement?" (F4.18.2)
Required field	No
Lookup table if available	HasHousingArrangement_Lkup
Allowed values	1 = Homeless and shares housing with someone 2 = Lives in an emergency or transition shelter 3 = Some other arrangement 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<HasHousingarrangementId>4</HasHousingarrangementId>

Element name: [HasHousingarrangementOther](#)

Field	Description
Definition	For clients who selected "Some other arrangement" in answer to the question: "Do you share housing with someone, live in an emergency or transition shelter, or have some other living arrangement?" the response provided to specify the type of other housing
Required field	No
Lookup table if available	N/A
Allowed values	Text string that allows a maximum of 250 characters
Allow multiple values	No
Occurrence	0-1 per client
XML example	<HasHousingarrangementOther>a</HasHousingarrangementOther>

Element name: [HasHousingConcernId](#)

Field	Description
Definition	Client's answer to the question "Do you have any housing concerns?" (F4.19)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<HasHousingConcernId>2</HasHousingConcernId>

Element name: [ConcernHousingList](#)

Field	Description
Definition	Client's answer to the question "What issues concern you about your housing situation?" (F4.19.1)
Required field	No
Lookup table if available	ConcernHousingSituation_Lkup
Allowed values	1 = Received an eviction notice 2 = Non-payment of rent or past due rent 3 = Unable to pay future rent because lost housing subsidy, job, or other income source 4 = Non-payment of utilities or utility shut-off 5 = Housekeeping concerns (failure to maintain cleanliness of the unit) 6 = Housing is or will be condemned 7 = Friend or family member being evicted or threatened with eviction 8 = Threat of abuse by partner, family member, or other 9 = Being discharged or service is being terminated 10 = Personal conflict with others 11 = Other health or safety concerns 12 = Other lease violation(s) 13 = Other 14 = Don't know 15 = Declined to answer
Allow multiple values	Yes
Occurrence	0-1 per client
XML example	<ConcernHousingList> <ConcernHousing> <ConcernHousingSituationId>11</ConcernHousingSituationId> </ConcernHousing> </ConcernHousingList>

Element name: [OtherLeaseViolation](#)

Field	Description
Definition	For clients who selected "Other lease violation(s)" in answer to the question: "What issues concern you about your housing situation?" the response provided to specify the type of lease violation. (F4.19.1)
Required field	No
Lookup table if available	N/A
Allowed values	Text string that allows a maximum of 250 characters
Allow multiple values	No
Occurrence	0-1 per client
XML example	<OtherLeaseViolation>Have unauthorized pet</OtherLeaseViolation>

Element name: [OtherHousingConcern](#)

Field	Description
Definition	For clients who selected "Other" in answer to the question: "What issues concern you about your housing situation?" the response provided to specify the other housing issue. (F4.19.1)
Required field	No
Lookup table if available	N/A
Allowed values	Text string that allows a maximum of 250 characters
Allow multiple values	No
Occurrence	0-1 per client
XML example	<OtherHousingConcern>a</OtherHousingConcern>

Element name: [ServiceChildcareVoucherId](#)

Field	Description
Definition	Response selected by the client in the table of services for the service "Childcare voucher." (F4.20)
Required field	No
Lookup table if available	ServiceStatus_Lkup
Allowed values	1 = Receiving 2 = Have applied for 3 = Need 4 = Not applicable 5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<ServiceChildcareVoucherId>3</ServiceChildcareVoucherId>

Element name: [ServiceElderlyDisableChildrenId](#)

Field	Description
Definition	Response selected by the client in the table of services for the service "Emergency Aid to the Elderly, Disabled, and Children (EAEDC)." (F4.20)
Required field	No
Lookup table if available	ServiceStatus_Lkup
Allowed values	1 = Receiving 2 = Have applied for 3 = Need 4 = Not applicable 5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<ServiceElderlyDisableChildrenId>5</ServiceElderlyDisableChildrenId>

Element name: [ServiceFoodStampsId](#)

Field	Description
Definition	Response selected by the client in the table of services for the service "Food stamps/SNAP." (F4.20)
Required field	No
Lookup table if available	ServiceStatus_Lkup
Allowed values	1 = Receiving 2 = Have applied for 3 = Need 4 = Not applicable 5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<ServiceFoodStampsId>3</ServiceFoodStampsId>

Element name: [ServiceHeatingAssistanceId](#)

Field	Description
Definition	Response selected by the client in the table of services for the service "Heating assistance." (F4.20)
Required field	No
Lookup table if available	ServiceStatus_Lkup
Allowed values	1 = Receiving 2 = Have applied for 3 = Need 4 = Not applicable 5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<ServiceHeatingAssistanceId>5</ServiceHeatingAssistanceId>

Element name: [ServiceImmigrationId](#)

Field	Description
Definition	Response selected by the client in the table of services for the service "Immigration services." (F4.20)
Required field	No
Lookup table if available	ServiceStatus_Lkup
Allowed values	1 = Receiving 2 = Have applied for 3 = Need 4 = Not applicable 5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<ServiceImmigrationId>2</ServiceImmigrationId>

Element name: [ServiceLegalId](#)

Field	Description
Definition	Response selected by the client in the table of services for the service "Legal Services." (F4.20)
Required field	No
Lookup table if available	ServiceStatus_Lkup
Allowed values	1 = Receiving 2 = Have applied for 3 = Need 4 = Not applicable 5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<ServiceLegalId>3</ServiceLegalId>

Element name: [ServicePublicHousingId](#)

Field	Description
Definition	Response selected by the client in the table of services for the service "Public housing." (F4.20)
Required field	No
Lookup table if available	ServiceStatus_Lkup
Allowed values	1 = Receiving 2 = Have applied for 3 = Need 4 = Not applicable 5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<ServicePublicHousingId>5</ServicePublicHousingId>

Element name: [ServiceSection8VoucherId](#)

Field	Description
Definition	Response selected by the client in the table of services for the service "Section 8 voucher." (F4.20)
Required field	No
Lookup table if available	ServiceStatus_Lkup
Allowed values	1 = Receiving 2 = Have applied for 3 = Need 4 = Not applicable 5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<ServiceSection8VoucherId>2</ServiceSection8VoucherId>

Element name: [ServiceSSDIId](#)

Field	Description
Definition	Response selected by the client in the table of services for the service "Social Security Disability Insurance (SSDI)." (F4.20)
Required field	No
Lookup table if available	ServiceStatus_Lkup
Allowed values	1 = Receiving 2 = Have applied for 3 = Need 4 = Not applicable 5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<ServiceSSDIId>5</ServiceSSDIId>

Element name: [ServiceSSIId](#)

Field	Description
Definition	Response selected by the client in the table of services for the service "Social Security Income (SSI)." (F4.20)
Required field	No
Lookup table if available	ServiceStatus_Lkup
Allowed values	1 = Receiving 2 = Have applied for 3 = Need 4 = Not applicable 5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<ServiceSSIId>2</ServiceSSIId>

Element name: [ServiceTAFDCId](#)

Field	Description
Definition	Response selected by the client in the table of services for the service "Transitional Aid to Families with Dependent Children (TAFDC)." (F4.20)
Required field	No
Lookup table if available	ServiceStatus_Lkup
Allowed values	1 = Receiving 2 = Have applied for 3 = Need 4 = Not applicable 5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<ServiceTAFDCId>6</ServiceTAFDCId>

Element name: [ServiceTANFId](#)

Field	Description
Definition	Response selected by the client in the table of services for the service "Temporary Aid to Needy Families (TANF)." (F4.20)
Required field	No
Lookup table if available	ServiceStatus_Lkup
Allowed values	1 = Receiving 2 = Have applied for 3 = Need 4 = Not applicable 5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<ServiceTANFId>1</ServiceTANFId>

Element name: [ServiceTribalHousingId](#)

Field	Description
Definition	Response selected by the client in the table of services for the service "Tribal housing." (F4.20)
Required field	No
Lookup table if available	ServiceStatus_Lkup
Allowed values	1 = Receiving 2 = Have applied for 3 = Need 4 = Not applicable 5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<ServiceTribalHousingId>4</ServiceTribalHousingId>

Element name: [ServiceUtilityAssistanceId](#)

Field	Description
Definition	Response selected by the client in the table of services for the service "Utility assistance." (F4.20)
Required field	No
Lookup table if available	ServiceStatus_Lkup
Allowed values	1 = Receiving 2 = Have applied for 3 = Need 4 = Not applicable 5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<ServiceUtilityAssistanceId>1</ServiceUtilityAssistanceId>

Element name: [ServiceWICId](#)

Field	Description
Definition	Response selected by the client in the table of services for the service "Nutritional supplementation program for Women, Infants and Children (WIC)." (F4.20)
Required field	No
Lookup table if available	ServiceStatus_Lkup
Allowed values	1 = Receiving 2 = Have applied for 3 = Need 4 = Not applicable 5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<ServiceWICId>2</ServiceWICId>

Element name: [ServiceOtherId](#)

Field	Description
Definition	Response indicated by the client in the table of services for "Other - Please specify." (F4.20)
Required field	No
Lookup table if available	ServiceStatus_Lkup
Allowed values	1 = Receiving 2 = Have applied for 3 = Need 4 = Not applicable 5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<ServiceOtherId>1</ServiceOtherId>

Element name: [ServiceOtherSpecifying](#)

Field	Description
Definition	Response indicated by the client in the table of services for "Other - Please specify." (F4.20)
Required field	No
Lookup table if available	N/A
Allowed values	Text string that allows a maximum of 250 characters
Allow multiple values	No
Occurrence	0-1 per client
XML example	<ServiceOtherSpecifying>string</ServiceOtherSpecifying>

Element name: [HasOpenCaseChildProtectiveServicesId](#)

Field	Description
Definition	Client's answer to the question "Do you currently have an open case with Child Protective Services?" (F4.21)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<HasOpenCaseChildProtectiveServicesId>2</HasOpenCaseChildProtectiveServicesId>

Element name: [FUServiceInfoGivenList](#)

Field	Description
Definition	Staff selection indicating which listed services the client was given information and/or education about. (F4.21)
Required field	No
Lookup table if available	ServiceType_Lkup
Allowed values	1 = Childcare voucher 2 = Emergency Aid to the Elderly, Disabled, and Children (EAEDC) 3 = Food stamps/SNAP 4 = Heating assistance 5 = Immigration services 6 = Legal services 7 = Public housing 8 = Section 8 Voucher 9 = Social Security Disability Insurance (SSDI) 10 = Social Security Income (SSI) 11 = Transitional Aid to Families with Dependent Children (TAFDC) 12 = Temporary Assistance to Needy Families (TANF) 13 = Tribal Housing 14 = Utility Assistance 15 = Nutrition Supplemental Program for Women Infants and Children (WIC) 16 = Other
Allow multiple values	Yes
Occurrence	0-1 per client
XML example	<pre><FUServiceInfoGivenList> <FUServiceInfoGiven> <ServiceTypeId>14</ServiceTypeId> </FUServiceInfoGiven> </FUServiceInfoGivenList></pre>

Element name: [FUServiceInfoGivenOther](#)

Field	Description
Definition	Entry provided for "Please Specify" when "Other" was checked in the list of services about which information and/or education was provided (F4.21)
Required field	No
Lookup table if available	N/A
Allowed values	Text string that allows a maximum of 250 characters
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><FUServiceInfoGivenOther> Local low-cost/subsidized childcare options </FUServiceInfoGivenOther></pre>

Element name: [FUServiceInfoGivenDate](#)

Field	Description
Definition	Date on which information and/or education was provided to the client for services checked in F4.21 follow-up column 1.
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<FUServiceInfoGivenDate>1/1/2016</FUServiceInfoGivenDate>

Element name: [FUServiceReferredList](#)

Field	Description
Definition	Staff selection indicating which listed services the client was given a referral for. (F4.21)
Required field	No
Lookup table if available	ServiceType_Lkup
Allowed values	1 = Childcare voucher 2 = Emergency Aid to the Elderly, Disabled, and Children (EAEDC) 3 = Food stamps/SNAP 4 = Heating assistance 5 = Immigration services 6 = Legal services 7 = Public housing 8 = Section 8 Voucher 9 = Social Security Disability Insurance (SSDI) 10 = Social Security Income (SSI) 11 = Transitional Aid to Families with Dependent Children (TAFDC) 12 = Temporary Assistance to Needy Families (TANF) 13 = Tribal Housing 14 = Utility Assistance 15 = Nutrition Supplemental Program for Women Infants and Children (WIC) 16 = Other
Allow multiple values	Yes
Occurrence	0-1 per client
XML example	<pre> <FUServiceReferredList> <FUServiceReferred> <ServiceTypeId>14</ServiceTypeId> </FUServiceReferred> </FUServiceReferredList> </pre>

Element name: [FUServiceReferredOther](#)

Field	Description
Definition	Entry provided for "Please Specify" when "Other" was checked in the list of services about which information and/or education was provided (F4.21)
Required field	No
Lookup table if available	N/A
Allowed values	Text string that allows a maximum of 250 characters
Allow multiple values	No
Occurrence	0-1 per client
XML example	<FUServiceReferredOther> Local low-cost, subsidized childcare program </FUServiceReferredOther>

Element name: [FUServiceReferredDate](#)

Field	Description
Definition	Date on which a referral was given to the client for services checked in F4.21 Column 2.
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<FUServiceReferredDate>1/1/2016</FUServiceReferredDate>

Element name: [NeighborsHelpId](#)

Field	Description
Definition	Client's response indicating degree of agreement or disagreement with the statement: "People in this neighborhood or community help each other out." (F4.22.1)
Required field	No
Lookup table if available	Consensus_Lkup
Allowed values	1 = Agree 2 = Disagree 3 = Don't know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<NeighborsHelpId>3</NeighborsHelpId>

Element name: [NeighborsWatchChildrenId](#)

Field	Description
Definition	Client's response indicating degree of agreement or disagreement with the statement: "We watch out for each other's children in this neighborhood or community." (F4.22.2)
Required field	No
Lookup table if available	Consensus_Lkup
Allowed values	1 = Agree 2 = Disagree 3 = Don't know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<NeighborsWatchChildrenId>3</NeighborsWatchChildrenId>

Element name: [CommunityFeelSafeld](#)

Field	Description
Definition	Client's answer to the question "How often do you feel safe in your community or neighborhood?" (F4.23)
Required field	No
Lookup table if available	FrequencyNsua_Lkup
Allowed values	1 = Never 2 = Sometimes 3 = Usually 4 = Always 5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<CommunityFeelSafeld>5</CommunityFeelSafeld>

Element name: [ParticipateCommunityActivitiesId](#)

Field	Description
Definition	Client's answer to the question "How often do you participate in school, community, or neighborhood activities?" (F4.24)
Required field	No
Lookup table if available	FrequencyDwmln_Lkup
Allowed values	1 = Daily 2 = Weekly 3 = Monthly 4 = A few times a year 5 = Less than once a year 6 = Never 7 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<ParticipateCommunityActivitiesId>5</ParticipateCommunityActivitiesId>

Element name: [NeighborsGatheringId](#)

Field	Description
Definition	Client's answer to the question "How often do you get together or talk with family, friends or neighbors?" (F4.25)
Required field	No
Lookup table if available	FrequencyDwmln_Lkup
Allowed values	1 = Daily 2 = Weekly 3 = Monthly 4 = A few times a year 5 = Less than once a year 6 = Never 7 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<NeighborsGatheringId>4</NeighborsGatheringId>

Element name: [PhysicalHealthStatusId](#)

Field	Description
Definition	Client's answer to the question "In general, would you say that your overall health is excellent, very good, good, fair, or poor?" (F4.26)
Required field	No
Lookup table if available	HealthStatus_Lkup
Allowed values	1 = Excellent 2 = Very good 3 = Good 4 = Fair 5 = Poor 6 = Don't know 7 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<PhysicalHealthStatusId>5</PhysicalHealthStatusId>

Element name: [MentalHealthStatusId](#)

Field	Description
Definition	Client's answer to the question "In general, would you say that your mental and emotional health is excellent, very good, good, fair, or poor?" (F4.27)
Required field	No
Lookup table if available	HealthStatus_Lkup
Allowed values	1 = Excellent 2 = Very good 3 = Good 4 = Fair 5 = Poor 6 = Don't know 7 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<MentalHealthStatusId>1</MentalHealthStatusId>

Element name: [HeightFeetMeasure](#)

Field	Description
Definition	Client's answer to the question: "How tall are you without shoes?" (Value provided for feet) (F4.28.1)
Required field	No
Lookup table if available	N/A
Allowed values	An integer with value between 1-9
Allow multiple values	No
Occurrence	0-1 per client
XML example	<HeightFeetMeasure>5</HeightFeetMeasure>

Element name: [HeightInchesMeasure](#)

Field	Description
Definition	Client's answer to the question: "How tall are you without shoes?" (Value provided for inches) (F4.28.1)
Required field	No
Lookup table if available	N/A
Allowed values	An integer with value between 0-99
Allow multiple values	No
Occurrence	0-1 per client
XML example	<HeightInchesMeasure>4</HeightInchesMeasure>

Element name: [HeightFeetInchesMeasureDRId](#)

Field	Description
Definition	When the client selected either "Don't Know" or "Declined to Answer" in response to Question 28.1, the value in this field indicates which of those responses (Don't Know or Declined to Answer) was selected. (F4.28.1)
Required field	No
Lookup table if available	DontknowRefused_Lkup
Allowed values	1 = Don't Know 2 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<HeightFeetInchesMeasureDRId>2</HeightFeetInchesMeasureDRId>

Element name: [WeightMeasureBeforePreg](#)

Field	Description
Definition	Client's answer to the question "Just before you got pregnant, how much did you weigh?" (F4.28.2)
Required field	No
Lookup table if available	N/A
Allowed values	A decimal value from 0-999.99
Allow multiple values	No
Occurrence	0-1 per client
XML example	<WeightMeasureBeforePreg>135</WeightMeasureBeforePreg>

Element name: [WeightMeasureBeforePregDRId](#)

Field	Description
Definition	When the client selected either "Don't Know" or "Declined to Answer" in response to Question 28.2, the value in this field indicates which of those responses (Don't Know or Declined to Answer) was selected. (F4.28.2)
Required field	No
Lookup table if available	DontknowRefused_Lkup
Allowed values	1 = Don't Know 2 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<WeightMeasureBeforePregDRId>1</WeightMeasureBeforePregDRId>

Element name: [WeightMeasure](#)

Field	Description
Definition	Client's answer to the question "How much do you weigh now?" (F4.28.3)
Required field	No
Lookup table if available	N/A
Allowed values	A decimal value from 0-999.99
Allow multiple values	No
Occurrence	0-1 per client
XML example	<WeightMeasure>145</WeightMeasure>

Element name: [WeightMeasureDRId](#)

Field	Description
Definition	When the client selected either "Don't Know" or "Declined to Answer" in response to Question 28.3, the value in this field indicates which of those responses (Don't Know or Declined to Answer) was selected. (F4.28.3)
Required field	No
Lookup table if available	DontknowRefused_Lkup
Allowed values	1 = Don't Know 2 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<WeightMeasureDRId>1</WeightMeasureDRId>

Element name: [DetectedAsthmaId](#)

Field	Description
Definition	In response to the question "Has a healthcare provider ever told you that you have any of the following medical conditions?" this field indicates the response selected by the client for "asthma." (F4.29)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<DetectedAsthmaId>4</DetectedAsthmaId>

Element name: [HaveAsthmaId](#)

Field	Description
Definition	Client's answer to the question: "Is this something you have currently?" This question is asked if the client selected "Yes" for asthma. (F4.29)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<HaveAsthmaId>3</HaveAsthmaId>

Element name: [DetectedAutoimmuneDiseaseId](#)

Field	Description
Definition	In response to the question "Has a healthcare provider ever told you that you have any of the following medical conditions?" this field indicates the response selected by the client for "autoimmune disease." (F4.29)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<DetectedAutoimmuneDiseaseId>2</DetectedAutoimmuneDiseaseId>

Element name: [HaveAutoimmuneDiseaseId](#)

Field	Description
Definition	Client's answer to the question: "Is this something you have currently?" This question is asked if the client selected "Yes" for autoimmune disease. (F4.29)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<HaveAutoimmuneDiseaseId>3</HaveAutoimmuneDiseaseId>

Element name: [DetectedCancerId](#)

Field	Description
Definition	In response to the question "Has a healthcare provider ever told you that you have any of the following medical conditions?" this field indicates the response selected by the client for "cancer." (F4.29)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<DetectedCancerId>4</DetectedCancerId>

Element name: [HasCancerId](#)

Field	Description
Definition	Client's answer to the question: "Is this something you have currently?" This question is asked if the client selected "Yes" for cancer. (F4.29)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<HasCancerId>1</HasCancerId>

Element name: [DetectedCardiovascularDiseaseId](#)

Field	Description
Definition	In response to the question "Has a healthcare provider ever told you that you have any of the following medical conditions?" this field indicates the response selected by the client for "cardiovascular disease." (F4.29)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<DetectedCardiovascularDiseaseId>1</DetectedCardiovascularDiseaseId>

Element name: [HaveCardiovascularDiseaseId](#)

Field	Description
Definition	Client's answer to the question: "Is this something you have currently?" This question is asked if the client selected "Yes" for cardiovascular disease. (F4.29)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<HaveCardiovascularDiseaseId>3</HaveCardiovascularDiseaseId>

Element name: [DetectedMentalHealthConditionsId](#)

Field	Description
Definition	In response to the question "Has a healthcare provider ever told you that you have any of the following medical conditions?" this field indicates the response selected by the client for "depression or other mental health conditions." (F4.29)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<DetectedMentalHealthConditionsId>4</DetectedMentalHealthConditionsId>

Element name: [HaveMentalHealthConditionsId](#)

Field	Description
Definition	Client's answer to the question: "Is this something you have currently?" This question is asked if the client selected "Yes" for depression or other mental health conditions. (F4.29)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<HaveMentalHealthConditionsId>1</HaveMentalHealthConditionsId>

Element name: [DetectedDiabetesId](#)

Field	Description
Definition	In response to the question "Has a healthcare provider ever told you that you have any of the following medical conditions?" this field indicates the response selected by the client for "diabetes." (F4.29)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<DetectedDiabetesId>3</DetectedDiabetesId>

Element name: [HaveDiabetesId](#)

Field	Description
Definition	Client's answer to the question: "Is this something you have currently?" This question is asked if the client selected "Yes" for diabetes. (F4.29)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<HaveDiabetesId>2</HaveDiabetesId>

Element name: [DetectedGestationalDiabetesId](#)

Field	Description
Definition	In response to the question "Has a healthcare provider ever told you that you have any of the following medical conditions?" this field indicates the response selected by the client for "gestational diabetes." (F4.29)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<DetectedGestationalDiabetesId>2</DetectedGestationalDiabetesId>

Element name: [HaveGestationalDiabetesId](#)

Field	Description
Definition	Client's answer to the question: "Is this something you have currently?" This question is asked if the client selected "Yes" for gestational diabetes. (F4.29)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<HaveGestationalDiabetesId>1</HaveGestationalDiabetesId>

Element name: [DetectedEatingDisordersId](#)

Field	Description
Definition	In response to the question "Has a healthcare provider ever told you that you have any of the following medical conditions?" this field indicates the response selected by the client for "eating disorders." (F4.29)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<DetectedEatingDisordersId>2</DetectedEatingDisordersId>

Element name: [HaveEatingDisordersId](#)

Field	Description
Definition	Client's answer to the question: "Is this something you have currently?" This question is asked if the client selected "Yes" for eating disorders. (F4.29)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<HaveEatingDisordersId>1</HaveEatingDisordersId>

Element name: [DetectedHighBloodPressureId](#)

Field	Description
Definition	In response to the question "Has a healthcare provider ever told you that you have any of the following medical conditions?" this field indicates the response selected by the client for "high blood pressure." (F4.29)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<DetectedHighBloodPressureId>4</DetectedHighBloodPressureId>

Element name: [HaveHighBloodPressureId](#)

Field	Description
Definition	Client's answer to the question: "Is this something you have currently?" This question is asked if the client selected "Yes" for high blood pressure. (F4.29)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<HaveHighBloodPressureId>4</HaveHighBloodPressureId>

Element name: [DetectedAnemia](#)

Field	Description
Definition	In response to the question "Has a healthcare provider ever told you that you have any of the following medical conditions?" this field indicates the response selected by the client for "Iron Deficiency Anemia." (F4.29)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<DetectedAnemiaId>3</DetectedAnemiaId>

Element name: [HaveAnemia](#)

Field	Description
Definition	Client's answer to the question: "Is this something you have currently?" This question is asked if the client selected "Yes" for Iron Deficiency Anemia. (F4.29)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<HaveAnemiaId>3</HaveAnemiaId>

Element name: [DetectedPKUID](#)

Field	Description
Definition	In response to the question "Has a healthcare provider ever told you that you have any of the following medical conditions?" this field indicates the response selected by the client for "PKU (phenylketonuria)." (F4.29)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<DetectedPKUID>4</DetectedPKUID>

Element name: [HavePKUID](#)

Field	Description
Definition	Client's answer to the question: "Is this something you have currently?" This question is asked if the client selected "Yes" for PKU (phenylketonuria). (F4.29)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<HavePKUID>3</HavePKUID>

Element name: [DetectedRenalDiseaseId](#)

Field	Description
Definition	In response to the question "Has a healthcare provider ever told you that you have any of the following medical conditions?" this field indicates the response selected by the client for "renal disease." (F4.29)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<DetectedRenalDiseaseId>4</DetectedRenalDiseaseId>

Element name: [HaveRenalDiseaseId](#)

Field	Description
Definition	Client's answer to the question: "Is this something you have currently?" This question is asked if the client selected "Yes" for renal disease. (F4.29)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<HaveRenalDiseaseId>1</HaveRenalDiseaseId>

Element name: [DetectedEpilepsyId](#)

Field	Description
Definition	In response to the question "Has a healthcare provider ever told you that you have any of the following medical conditions?" this field indicates the response selected by the client for "Seizure disorders (epilepsy)." (F4.29)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<DetectedEpilepsyId>3</DetectedEpilepsyId>

Element name: [HaveEpilepsyId](#)

Field	Description
Definition	Client's answer to the question: "Is this something you have currently?" This question is asked if the client selected "Yes" for seizure disorders (epilepsy). (F4.29)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<HaveEpilepsyId>4</HaveEpilepsyId>

Element name: [DetectedSickleCellId](#)

Field	Description
Definition	In response to the question "Has a healthcare provider ever told you that you have any of the following medical conditions?" this field indicates the response selected by the client for "sickle cell." (F4.29)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<DetectedSickleCellId>1</DetectedSickleCellId>

Element name: [HaveSickleCellId](#)

Field	Description
Definition	Client's answer to the question: "Is this something you have currently?" This question is asked if the client selected "Yes" for sickle cell. (F4.29)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<HaveSickleCellId>3</HaveSickleCellId>

Element name: [DetectedThrombophiliaId](#)

Field	Description
Definition	In response to the question "Has a healthcare provider ever told you that you have any of the following medical conditions?" this field indicates the response selected by the client for "Thrombophilia (blood clots)." (F4.29)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<DetectedThrombophiliaId>3</DetectedThrombophiliaId>

Element name: [HaveThrombophiliaId](#)

Field	Description
Definition	Client's answer to the question: "Is this something you have currently?" This question is asked if the client selected "Yes" for thrombophilia (blood clots). (F4.29)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<HaveThrombophiliaId>3</HaveThrombophiliaId>

Element name: [DetectedThyroidDiseaseId](#)

Field	Description
Definition	In response to the question "Has a healthcare provider ever told you that you have any of the following medical conditions?" this field indicates the response selected by the client for "Thyroid disease." (F4.29)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<DetectedThyroidDiseaseId>4</DetectedThyroidDiseaseId>

Element name: [HaveThyroidDiseaseId](#)

Field	Description
Definition	Client's answer to the question: "Is this something you have currently?" This question is asked if the client selected "Yes" for thyroid disease. (F4.29)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<HaveThyroidDiseaseId>3</HaveThyroidDiseaseId>

Element name: [OtherMedicalConditions](#)

Field	Description
Definition	In response to the question "Has a healthcare provider ever told you that you have any of the following medical conditions?" this field indicates the response provided by the client for "Other." (F4.29)
Required field	No
Lookup table if available	N/A
Allowed values	Text string that allows a maximum of 250 characters
Allow multiple values	No
Occurrence	0-1 per client
XML example	<OtherMedicalConditions>Gastric Reflux</OtherMedicalConditions>

Element name: [HaveOtherMedicalConditionsId](#)

Field	Description
Definition	Client's answer to the question: "Is this something you have currently?" This question is asked if the client indicated other medical conditions. (F4.29)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<HaveOtherMedicalConditionsId>1</HaveOtherMedicalConditionsId>

Element name: [MedicalConditionsPast6MonthsList](#)

Field	Description
Definition	Client's selection in response to the question "Please tell me which condition or conditions you were seen for by a healthcare provider in the past 6 months." (F4.29.1)
Required field	No
Lookup table if available	MedCondPast6Months_Lkup
Allowed values	1 = Asthma (Breathing problems/wheezing) 2 = Autoimmune disease (such as lupus (SLE), Rheumatoid Arthritis (RA)) 3 = Cancer 4 = Cardiovascular disease (Heart problems) 5 = Depression or other mental health conditions (anxiety, bipolar) 6 = Diabetes (High blood sugar) 7 = Eating disorders (Anorexia/bulimia) 8 = High Blood Pressure 9 = Iron Deficiency Anemia 10 = PKU (phenylketonuria) 11 = Renal disease (Kidney problems) 12 = Seizure disorders (Epilepsy) 13 = Sickle Cell 14 = Thrombophilia (Blood Clots) 15 = Thyroid disease - (Hypo/hyper-overactive or underactive thyroid)
Allow multiple values	Yes
Occurrence	0-1 per client
XML example	<pre><MedicalConditionsPast6MonthsList> <MedicalConditionsPast6Months> <MedCondPast6MonthsId>16</MedCondPast6MonthsId> </MedicalConditionsPast6Months> </MedicalConditionsPast6MonthsList></pre>

Element name: [HavingPainId](#)

Field	Description
Definition	Client's answer to the question "Are you currently having any pain?" (F4.30)
Required field	No
Lookup table if available	YesNoDeclined_Lkup
Allowed values	1=Yes 2 No 3 Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<pre><HavingPainId>3</HavingPainId></pre>

Element name: [AreTakingPainMedicationsId](#)

Field	Description
Definition	In response to the question "Are you taking any of the following medications?" this field indicates the response selected by the client for "pain medications." (F4.31)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<AreTakingPainMedicationsId>2</AreTakingPainMedicationsId>

Element name: [AreTakingBloodThinnersId](#)

Field	Description
Definition	In response to the question "Are you taking any of the following medications?" this field indicates the response selected by the client for "blood thinners." (F4.31)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<AreTakingBloodThinnersId>1</AreTakingBloodThinnersId>

Element name: [AreTakingMaleHormonesId](#)

Field	Description
Definition	In response to the question "Are you taking any of the following medications?" this field indicates the response selected by the client for "male hormones." (F4.31)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<AreTakingMaleHormonesId>3</AreTakingMaleHormonesId>

Element name: [AreTakingAntibioticsId](#)

Field	Description
Definition	In response to the question "Are you taking any of the following medications?" this field indicates the response selected by the client for "antibiotics." (F4.31)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<AreTakingAntibioticsId>1</AreTakingAntibioticsId>

Element name: [AreTakingEpilepsyMedicationsId](#)

Field	Description
Definition	In response to the question "Are you taking any of the following medications?" this field indicates the response selected by the client for "seizure or epilepsy medications." (F4.31)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<AreTakingEpilepsyMedicationsId>3</AreTakingEpilepsyMedicationsId>

Element name: [AreTakingAcneMedicationsId](#)

Field	Description
Definition	In response to the question "Are you taking any of the following medications?" this field indicates the response selected by the client for "acne medications." (F4.31)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<AreTakingAcneMedicationsId>1</AreTakingAcneMedicationsId>

Element name: [AreTakingHighBloodPressureMedicationsId](#)

Field	Description
Definition	In response to the question "Are you taking any of the following medications?" this field indicates the response selected by the client for "high blood pressure medications." (F4.31)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<AreTakingHighBloodPressureMedicationsId>2</AreTakingHighBloodPressureMedicationsId>

Element name: [AreTakingHighCholesterolMedicationsId](#)

Field	Description
Definition	In response to the question "Are you taking any of the following medications?" this field indicates the response selected by the client for "high cholesterol medications." (F4.31)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<AreTakingHighCholesterolMedicationsId>3</AreTakingHighCholesterolMedicationsId>

Element name: [AreTakingAntidepressantsId](#)

Field	Description
Definition	In response to the question "Are you taking any of the following medications?" this field indicates the response selected by the client for "antidepressants." (F4.31)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<AreTakingAntidepressantsId>3</AreTakingAntidepressantsId>

Element name: [ProviderKnowMedicationsId](#)

Field	Description
Definition	Client's answer to the question "Does your provider know all the medications that you are taking?" (F4.32)
Required field	No
Lookup table if available	YesNoMedication_Lkup
Allowed values	1 = Yes 2 = No 3 = Not taking any medications 4 = Don't Know 5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<ProviderKnowMedicationsId>4</ProviderKnowMedicationsId>

Element name: [VitaminPerWeekId](#)

Field	Description
Definition	Client's answer to the question "During the past month, how many times a week did you take a multivitamin, a prenatal vitamin, or a folic acid vitamin?" (F4.33)
Required field	No
Lookup table if available	VitaminPerWeek_Lkup
Allowed values	1 = I did not take a multivitamin, prenatal vitamin or folic acid vitamin at all 2 = 1 to 3 times a week 3 = 4 to 6 times a week 4 = Every day of the week 5 = Don't know 6 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<VitaminPerWeekId>6</VitaminPerWeekId>

Element name: [LastTestedChlamydiaId](#)

Field	Description
Definition	Client's answer to the question "When was the last time you were tested for sexually transmitted diseases or sexually transmitted infections" for the category of "Chlamydia." (F4.34)
Required field	No
Lookup table if available	SixMonthIntrv_Lkup
Allowed values	1 = Less than 6 months ago 2 = 6 months to 1 year ago 3 = More than 1 year ago 4 = Never 5 = Don't know 6 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<LastTestedChlamydiaId>6</LastTestedChlamydiaId>

Element name: [LastTestedGonorrheald](#)

Field	Description
Definition	Client's answer to the question "When was the last time you were tested for sexually transmitted diseases or sexually transmitted infections" for the category of "Gonorrhea." (F4.34)
Required field	No
Lookup table if available	SixMonthIntrv_Lkup
Allowed values	1 = Less than 6 months ago 2 = 6 months to 1 year ago 3 = More than 1 year ago 4 = Never 5 = Don't know 6 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<LastTestedGonorrheald>4</LastTestedGonorrheald>

Element name: [LastTestedHerpesSimplexId](#)

Field	Description
Definition	Client's answer to the question "When was the last time you were tested for sexually transmitted diseases or sexually transmitted infections" for the category of "Herpes Simplex." (F4.34)
Required field	No
Lookup table if available	SixMonthIntrv_Lkup
Allowed values	1 = Less than 6 months ago 2 = 6 months to 1 year ago 3 = More than 1 year ago 4 = Never 5 = Don't know 6 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<LastTestedHerpesSimplexId>2</LastTestedHerpesSimplexId>

Element name: [LastTestedHivId](#)

Field	Description
Definition	Client's answer to the question "When was the last time you were tested for sexually transmitted diseases or sexually transmitted infections" for the category of "HIV." (F4.34)
Required field	No
Lookup table if available	SixMonthIntrv_Lkup
Allowed values	1 = Less than 6 months ago 2 = 6 months to 1 year ago 3 = More than 1 year ago 4 = Never 5 = Don't know 6 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<LastTestedHivId>4</LastTestedHivId>

Element name: [LastTestedSyphilisId](#)

Field	Description
Definition	Client's answer to the question "When was the last time you were tested for sexually transmitted diseases or sexually transmitted infections" for the category of "Syphilis." (F4.34)
Required field	No
Lookup table if available	SixMonthIntrv_Lkup
Allowed values	1 = Less than 6 months ago 2 = 6 months to 1 year ago 3 = More than 1 year ago 4 = Never 5 = Don't know 6 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<LastTestedSyphilisId>2</LastTestedSyphilisId>

Element name: [LastTestedStdOtherId](#)

Field	Description
Definition	Client's answer to the question "When was the last time you were tested for sexually transmitted diseases or sexually transmitted infections" for the category of "Other." (F4.34)
Required field	No
Lookup table if available	SixMonthIntrv_Lkup
Allowed values	1 = Less than 6 months ago 2 = 6 months to 1 year ago 3 = More than 1 year ago 4 = Never 5 = Don't know 6 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<LastTestedStdOtherId>3</LastTestedStdOtherId>

Element name: [LastTestedStdOtherSpecifying](#)

Field	Description
Definition	Client's answer to the question "When was the last time you were tested for sexually transmitted diseases or sexually transmitted infections?" for the category of "Other." (F4.34)
Required field	No
Lookup table if available	N/A
Allowed values	Text string that allows a maximum of 250 characters
Allow multiple values	No
Occurrence	0-1 per client
XML example	<LastTestedStdOtherSpecifying>HPV</LastTestedStdOtherSpecifying>

Element name: [DiagnosedToxoplasmosisId](#)

Field	Description
Definition	Client's answer to the question "Have you ever been diagnosed with any of the following infectious diseases?" for the category of "Toxoplasmosis ." (F4.35)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<DiagnosedToxoplasmosisId>4</DiagnosedToxoplasmosisId>

Element name: [DiagnosedTuberculosisId](#)

Field	Description
Definition	Client's answer to the question "Have you ever been diagnosed with any of the following infectious diseases?" for the category of "Tuberculosis." (F4.35)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<DiagnosedTuberculosisId>1</DiagnosedTuberculosisId>

Element name: [DiagnosedCytomegalovirusId](#)

Field	Description
Definition	Client's answer to the question "Have you ever been diagnosed with any of the following infectious diseases?" for the category of "Cytomegalovirus." (F4.35)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<DiagnosedCytomegalovirusId>4</DiagnosedCytomegalovirusId>

Element name: [DiagnosedHepatitisBCId](#)

Field	Description
Definition	Client's answer to the question "Have you ever been diagnosed with any of the following infectious diseases?" for the category of "Hepatitis B or C." (F4.35)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<DiagnosedHepatitisBCId>2</DiagnosedHepatitisBCId>

Element name: [DiagnosedZikaId](#)

Field	Description
Definition	Client's answer to the question "Have you ever been diagnosed with any of the following infectious diseases?" for the category of "Zika." (F4.35)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<DiagnosedZikaId>4</DiagnosedZikaId>

Element name: [DiagnosedChlamydiaId](#)

Field	Description
Definition	Client's answer to the question "Have you ever been diagnosed with any of the following infectious diseases?" for the category of "Chlamydia." (F4.35)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<DiagnosedChlamydiaId>4</DiagnosedChlamydiaId>

Element name: [DiagnosedGonorrheaId](#)

Field	Description
Definition	Client's answer to the question "Have you ever been diagnosed with any of the following infectious diseases?" for the category of "Gonorrhea." (F4.35)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<DiagnosedGonorrheaId>2</DiagnosedGonorrheaId>

Element name: [DiagnosedHerpesSimplexId](#)

Field	Description
Definition	Client's answer to the question "Have you ever been diagnosed with any of the following infectious diseases?" for the category of "Herpes Simplex." (F4.35)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<DiagnosedHerpesSimplexId>2</DiagnosedHerpesSimplexId>

Element name: [DiagnosedHIVId](#)

Field	Description
Definition	Client's answer to the question "Have you ever been diagnosed with any of the following infectious diseases?" for the category of "HIV." (F4.35)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<DiagnosedHIVId>2</DiagnosedHIVId>

Element name: [DiagnosedSyphilisId](#)

Field	Description
Definition	Client's answer to the question "Have you ever been diagnosed with any of the following infectious diseases?" for the category of "Syphilis." (F4.35)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<DiagnosedSyphilisId>4</DiagnosedSyphilisId>

Element name: [DiagnosedOtherId](#)

Field	Description
Definition	Client's answer to the question "Have you ever been diagnosed with any of the following infectious diseases?" for the category of "Other." (F4.35)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<DiagnosedOtherId>1</DiagnosedOtherId>

Element name: [DiagnosedOtherSpecifying](#)

Field	Description
Definition	Client's answer to the question "Have you ever been diagnosed with any of the following infectious diseases?" for the category of "Other." (F4.35)
Required field	No
Lookup table if available	N/A
Allowed values	Text string that allows a maximum of 250 characters
Allow multiple values	No
Occurrence	0-1 per client
XML example	<DiagnosedOtherSpecifying>gastric infection</DiagnosedOtherSpecifying>

Element name: [LastTeethCleaningId](#)

Field	Description
Definition	Client's answer to the question "How long ago did you last have your teeth cleaned by a dentist/hygienist?" (F4.36)
Required field	No
Lookup table if available	SixMonthIntrv_Lkup
Allowed values	1 = Less than 6 months ago 2 = 6 months to 1 year ago 3 = More than 1 year ago 4 = Never 5 = Don't know 6 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<LastTeethCleaningId>5</LastTeethCleaningId>

Element name: [WearSeatbeltFreqId](#)

Field	Description
Definition	Client's answer to the question "How often do you wear a seatbelt when you ride in a car, truck or van?" (F4.37)
Required field	No
Lookup table if available	FrequencyNsan_Lkup
Allowed values	1 = Never 2 = Seldom 3 = Always 4 = Not applicable (doesn't ride in car, truck or van) 5 = Don't know 6 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<WearSeatbeltFreqId>5</WearSeatbeltFreqId>

Element name: [FUHealthInfoList](#)

Field	Description
Definition	Staff selection in the Follow Up Section indicating the types of health information/education provided to the client. (F4.37)
Required field	No
Lookup table if available	HealthInfo_Lkup
Allowed values	1 = Keeping a healthy pregnancy weight including how much weight to gain during pregnancy 2 = Nutrition 3 = Exercise 4 = Importance of taking prenatal vitamins/folic acid vitamin 5 = Getting vaccines 6 = Getting flu shot 7 = Travel advisory 8 = Sexually transmitted infections 9 = Keeping teeth healthy 10 = Health risks during pregnancy 11 = Seat belt use during pregnancy
Allow multiple values	Yes
Occurrence	0-1 per client
XML example	<FUHealthInfoList> <FUHealthInfo> <HealthInfoId>2</HealthInfoId> </FUHealthInfo> </FUHealthInfoList>

Element name: [FUHealthInfoDate](#)

Field	Description
Definition	Date on which health information/education was provided to the client, if any. (F4.37)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<FUHealthInfoDate>1/1/2016</FUHealthInfoDate>

Element name: [FUHealthProvidedList](#)

Field	Description
Definition	Staff selection in the Follow Up section indicating the types of health services provided (nutritional counseling, immunizations, pain assessment). (F4.37)
Required field	No
Lookup table if available	HealthStatusProvided_Lkup
Allowed values	1 = Nutritional counseling 2 = Immunizations 3 = Pain assessment
Allow multiple values	Yes
Occurrence	0-1 per client
XML example	<FUHealthProvidedList> <FUHealthProvided> < HealthStatusProvidedId>1</HealthStatusProvidedId> </FUHealthProvided> </FUHealthProvidedList>

Element name: [FUHealthaProvidedOther](#)

Field	Description
Definition	Staff entry for "Please specify" when immunizations were selected as a type of service provided. (F4.37)
Required field	No
Lookup table if available	N/A
Allowed values	Text string that allows a maximum of 250 characters
Allow multiple values	No
Occurrence	0-1 per client
XML example	<FUHealthaProvidedOther>a</FUHealthaProvidedOther>

Element name: [FUHealthaProvidedDate](#)

Field	Description
Definition	Date on which the health service was provided, if any. (F4.37)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<FUHealthaProvidedDate>1/1/2016</FUHealthaProvidedDate>

Element name: [FUHealthReferredList](#)

Field	Description
Definition	Staff selection for type of health referral given to the client, if any. (F4.37)
Required field	No
Lookup table if available	HealthStatusReferred_Lkup
Allowed values	1 = Primary Care Provider 2 = Nutritionist 3 = Dentist 4 = Other
Allow multiple values	Yes
Occurrence	0-1 per client
XML example	<FUHealthReferredList> <FUHealthReferred> <HealthStatusReferredId>3</HealthStatusReferredId> </FUHealthReferred> </FUHealthReferredList>

Element name: [FUHealthReferredOther](#)

Field	Description
Definition	Staff entry for "Please specify" when "Other" was selected as a type of referral provided. (F4.37)
Required field	No
Lookup table if available	N/A
Allowed values	Text string that allows a maximum of 250 characters
Allow multiple values	No
Occurrence	0-1 per client
XML example	<FUHealthReferredOther>a</FUHealthReferredOther>

Element name: [FUHealthReferredDate](#)

Field	Description
Definition	Date on which the health referral was given to the client, if any. (F4.37)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<FUHealthReferredDate>1/1/2016</FUHealthReferredDate>

Element name: [LittleInterest](#)

Field	Description
Definition	Client's answer to the question "Over the past two weeks, how often have you experienced . . . Little interest or pleasure in doing things." (F4.38.1)
Required field	No
Lookup table if available	N/A
Allowed values	An integer with value between 0-3
Allow multiple values	No
Occurrence	0-1 per client
XML example	<LittleInterest>0</LittleInterest>

Element name: [Depressed](#)

Field	Description
Definition	Client's answer to the question "Over the past two weeks, how often have you experienced . . . Feeling down, depressed or hopeless." (F4.38.2)
Required field	No
Lookup table if available	N/A
Allowed values	An integer with value between 0-3
Allow multiple values	No
Occurrence	0-1 per client
XML example	<Depressed>0</Depressed>

Element name: [FUDepressionInfoList](#)

Field	Description
Definition	Staff selection indicating whether client was provided with information/education about post-partum depression or local resources for depression. (F4.38.2)
Required field	No
Lookup table if available	DepressionInfo_Lkup
Allowed values	1 = Postpartum depression or "Baby Blues" 2 = Local resources for depression
Allow multiple values	Yes
Occurrence	0-1 per client
XML example	<pre><FUDepressionInfoList> <FUDepressionInfo> <DepressionInfo>1</DepressionInfo> </FUDepressionInfo> <FUDepressionInfo> <DepressionInfo>2</DepressionInfo> </FUDepressionInfo> </FUDepressionInfoList></pre>

Element name: [FUDepressionInfoDate](#)

Field	Description
Definition	Date on which the client was given information/education about post-partum depression or local resources for depression, if any. (F4.38.2)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<FUDepressionInfoDate>1/1/2016</FUDepressionInfoDate>

Element name: [FUDepressionProvidedList](#)

Field	Description
Definition	Staff selection indicating whether client was provided with further assessment of counseling. (F4.38.2)
Required field	No
Lookup table if available	DepressionProvided_Lkup
Allowed values	1 = Further assessment using evidence-based tool such as the Edinburgh Postnatal Depression Scale (EPDS) 2 = Counseling
Allow multiple values	Yes
Occurrence	0-1 per client
XML example	<FUDepressionProvidedList> <FUDepressionProvided> <DepressionProvidedId>2</DepressionProvidedId> </FUDepressionProvided> </FUDepressionProvidedList>

Element name: [FUDepressionProvidedDate](#)

Field	Description
Definition	Date on which further assessment of counseling was provided, if any. (F4.38.2)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<FUDepressionProvidedDate>1/1/2016</FUDepressionProvidedDate>

Element name: [FUDepressionReferredList](#)

Field	Description
Definition	Staff selection indicating whether client was given mental health referral/type of referral given. (F4.38.2)
Required field	No
Lookup table if available	MentalConditionReferred_Lkup
Allowed values	1 = Mental Health Center 2 = Primary Care Provider 3 = Other
Allow multiple values	Yes
Occurrence	0-1 per client
XML example	<FUDepressionReferredList> <FUDepressionReferred> <DepressionReferredId>3</DepressionReferredId> </FUDepressionReferred> </FUDepressionReferredList>

Element name: [FUDepressionReferredOther](#)

Field	Description
Definition	Entry provided for "Please Specify" when "Other" was checked as the type of mental health referral provided. (F4.38.2)
Required field	No
Lookup table if available	N/A
Allowed values	Text string that allows a maximum of 250 characters
Allow multiple values	No
Occurrence	0-1 per client
XML example	<FUDepressionReferredOther>Local social support group</FUDepressionReferredOther>

Element name: [FUDepressionReferredDate](#)

Field	Description
Definition	Date on which mental health referral was provided, if any. (F4.38.2)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<FUDepressionReferredDate>1/1/2016</FUDepressionReferredDate>

Element name: [SubstanceUseAlcoholId](#)

Field	Description
Definition	Client's answer to the question: "In the past 12 months, how often have you used the following" for the category of Alcohol (4 or more drinks per day). (F4.39)
Required field	No
Lookup table if available	PastYearFreq_Lkup
Allowed values	1 = Never 2 = Once or Twice Monthly 3 = Weekly 4 = Daily or Almost Daily 5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<SubstanceUseAlcoholId>4</SubstanceUseAlcoholId>

Element name: [SubstanceUseTobaccold](#)

Field	Description
Definition	Client's answer to the question: "In the past 12 months, how often have you used the following" for the category of tobacco. (F4.39)
Required field	No
Lookup table if available	PastYearFreq_Lkup
Allowed values	1 = Never 2 = Once or Twice Monthly 3 = Weekly 4 = Daily or Almost Daily 5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<SubstanceUseTobaccold>1</SubstanceUseTobaccold>

Element name: [SubstanceUseMoodAlteringId](#)

Field	Description
Definition	Client's answer to the question: "In the past 12 months, how often have you used the following" for the category of mood altering drugs. (F4.39)
Required field	No
Lookup table if available	PastYearFreq_Lkup
Allowed values	1 = Never 2 = Once or Twice Monthly 3 = Weekly 4 = Daily or Almost Daily 5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<SubstanceUseMoodAlteringId>1</SubstanceUseMoodAlteringId>

Element name: [SubstanceUsePrescriptionDrugsForNonMedicalId](#)

Field	Description
Definition	Client's answer to the question: "In the past 12 months, how often have you used the following" for the category of prescription drugs for non-medical reasons.(F4.39)
Required field	No
Lookup table if available	PastYearFreq_Lkup
Allowed values	1 = Never 2 = Once or Twice Monthly 3 = Weekly 4 = Daily or Almost Daily 5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<SubstanceUsePrescriptionDrugsForNonMedicalId>1</SubstanceUsePrescriptionDrugsForNonMedicalId>

Element name: [SubstanceUseIllegalDrugsId](#)

Field	Description
Definition	Client's answer to the question: "In the past 12 months, how often have you used the following" for the category of illegal drugs. (F4.39)
Required field	No
Lookup table if available	PastYearFreq_Lkup
Allowed values	1 = Never 2 = Once or Twice Monthly 3 = Weekly 4 = Daily or Almost Daily 5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<SubstanceUseIllegalDrugsId>4</SubstanceUseIllegalDrugsId>

Element name: [CurrentSmokeld](#)

Field	Description
Definition	Client's answer to the question: "Do you currently smoke any cigarettes or use any tobacco products?" (F4.40)
Required field	No
Lookup table if available	YesNoDeclined_Lkup
Allowed values	1 = Yes 2 = No 3 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<CurrentSmokeld>3</CurrentSmokeld>

Element name: [HouseholdSmokingRuleId](#)

Field	Description
Definition	Client's answer to the question "Which of the following statements best describes the rules about smoking inside your home now?" (4.41)
Required field	No
Lookup table if available	HouseholdSmokingRule_Lkup
Allowed values	1 = No one is allowed to smoke anywhere inside my home 2 = Smoking is allowed in some rooms or at some times 3 = Smoking is permitted anywhere inside my home 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<HouseholdSmokingRuleId>2</HouseholdSmokingRuleId>

Element name: [AlcoholConsumptionId](#)

Field	Description
Definition	Client's answer to the question "Which of the following statements would you say best describes your current alcohol use, INCLUDING beer and wine coolers?" (F4.42)
Required field	No
Lookup table if available	AlcoholConsumption_Lkup
Allowed values	1 = I drink alcohol regularly now - about the same as before finding out I was pregnant 2 = I drink alcohol regularly now but I've cut down since I found out I was pregnant 3 = I drink alcohol every once in a while 4 = I have quit drinking alcohol since I found out I was pregnant 5 = I wasn't drinking alcohol around the time I found out I was pregnant and I don't currently drink 6 = Don't know 7 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<AlcoholConsumptionId>1</AlcoholConsumptionId>

Element name: [FUSubstanceUseInfoList](#)

Field	Description
Definition	Staff selection indicating whether client was provided with information on tobacco/tobacco cessation, alcohol, and/or drug use and what kind of information was provided. (F4.42)
Required field	No
Lookup table if available	SubstanceUseInfo_Lkup
Allowed values	1 = Potential effects on pregnancy of tobacco 2 = Potential effects on pregnancy of alcohol 3 = Potential effects on Pregnancy of drug use 4 = Tobacco cessation
Allow multiple values	Yes
Occurrence	0-1 per client
XML example	<FUSubstanceUseInfoList> <FUSubstanceUseInfo> <SubstanceUseInfoId>4</SubstanceUseInfoId> </FUSubstanceUseInfo> </FUSubstanceUseInfoList>

Element name: [FUSubstanceUseInfoDate](#)

Field	Description
Definition	Date on which information on tobacco/tobacco cessation, alcohol, and/or drug use was provided, if any. (F4.42)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<FUSubstanceUseInfoDate>1/1/2016</FUSubstanceUseInfoDate>

Element name: [FUSubstanceUseProvidedTNPList](#)

Field	Description
Definition	Types of further screening/assessment provided for tobacco/tobacco cessation, alcohol, and/or drug use, if any. (F4.42)
Required field	No
Lookup table if available	SubstanceUseProvidedTNP_Lkup
Allowed values	1 = TWEAK, T-ACE, or 4 Ps (for "Yes" to 1 or more days of heavy drinking[for women, 4 or more drinks per day]) 2 = NIDA-Modified ASSIST (for any use of illegal or prescription drug use for non-medical reasons) 3 = Provided Brief Intervention
Allow multiple values	Yes
Occurrence	0-1 per client
XML example	<FUSubstanceUseProvidedTNPList> <FUSubstanceUseProvidedTNP> <SubstanceUseProvidedTNPId>2</SubstanceUseProvidedTNPId> </FUSubstanceUseProvidedTNP> </FUSubstanceUseProvidedTNPList>

Element name: [FUSubstanceUseProvidedDate](#)

Field	Description
Definition	Date on which further screening/assessment was provided if any. (F4.42)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<FUSubstanceUseProvidedDate>1/1/2016</FUSubstanceUseProvidedDate>

Element name: [FUSubstanceUseReferredList](#)

Field	Description
Definition	Types of referrals provided (tobacco quit line, behavioral health, primary care, substance abuse treatment, other) if any. (F4.42)
Required field	No
Lookup table if available	SubstanceUseReferred_Lkup
Allowed values	1 = Tobacco Quit Line 2 = Behavioral Health Provider 3 = Primary Care Provider 4 = Substance abuse treatment program 5 = Other
Allow multiple values	Yes
Occurrence	0-1 per client
XML example	<FUSubstanceUseReferredList> <FUSubstanceUseReferred> <SubstanceUseReferredId>1</SubstanceUseReferredId> </FUSubstanceUseReferred> </FUSubstanceUseReferredList>

Element name: [FUSubstanceUseReferredOther](#)

Field	Description
Definition	Entry provided for "Please Specify" when "Other" was checked as the type of referral provided. (F4.42)
Required field	No
Lookup table if available	N/A
Allowed values	Text string that allows a maximum of 250 characters
Allow multiple values	No
Occurrence	0-1 per client
XML example	<FUSubstanceUseReferredOther>12 step program</FUSubstanceUseReferredOther>

Element name: [FUSubstanceUseReferredDate](#)

Field	Description
Definition	Date on which referral was provided, if any. (F4.42)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<FUSubstanceUseReferredDate>1/1/2016</FUSubstanceUseReferredDate>

Element name: [PersonalSafetySpouseThreatenId](#)

Field	Description
Definition	Client's response to the question "Did your husband or partner threaten or make you feel unsafe in some way?" (in the last 12 months). (F4.43.1)
Required field	No
Lookup table if available	YesNoDeclined_Lkup
Allowed values	1 = Yes 2 = No 3 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<PersonalSafetySpouseThreatenId>3</PersonalSafetySpouseThreatenId>

Element name: [PersonalSafetySpouseAngerId](#)

Field	Description
Definition	Client's response to the question "Were you frightened for your safety or your family's safety because of the anger or threats of your husband or partner?" (in the last 12 months). (F4.43.2)
Required field	No
Lookup table if available	YesNoDeclined_Lkup
Allowed values	1 = Yes 2 = No 3 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<PersonalSafetySpouseAngerId>2</PersonalSafetySpouseAngerId>

Element name: [PersonalSafetySpouseControlld](#)

Field	Description
Definition	Client's response to the question "Did your husband or partner try to control your daily activities, for example, control who you could talk to or where you could go?" (in the last 12 months). (F4.43.3)
Required field	No
Lookup table if available	YesNoDeclined_Lkup
Allowed values	1 = Yes 2 = No 3 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<PersonalSafetySpouseControlld>1</PersonalSafetySpouseControlld>

Element name: [PersonalSafetySpousePhysicalAbusedId](#)

Field	Description
Definition	Did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way? (F4.43.4)
Required field	No
Lookup table if available	YesNoDeclined_Lkup
Allowed values	1 = Yes 2 = No 3 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<PersonalSafetySpousePhysicalAbusedId>2</PersonalSafetySpousePhysicalAbusedId>

Element name: [PersonalSafetySpouseForceSexId](#)

Field	Description
Definition	Client's response to the question "Did your husband or partner force you to take part in touching or any sexual activity when you did not want to?" (in the last 12 months). (F4.43.5)
Required field	No
Lookup table if available	YesNoDeclined_Lkup
Allowed values	1 = Yes 2 = No 3 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<PersonalSafetySpouseForceSexId>2</PersonalSafetySpouseForceSexId>

Element name: [PersonalSafetySpousePhysicalAnyId](#)

Field	Description
Definition	Client's response to the question "Did anyone else physically hurt you in any way?" (in the last 12 months). (F4.43.6)
Required field	No
Lookup table if available	YesNoDeclined_Lkup
Allowed values	1 = Yes 2 = No 3 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<PersonalSafetySpousePhysicalAnyId>1</PersonalSafetySpousePhysicalAnyId>

Element name: [HaveGunId](#)

Field	Description
Definition	Client's answer to the question "Do you keep guns at home?"(F4.44)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<HaveGunId>3</HaveGunId>

Element name: [FUPersonalSafetyInfoList](#)

Field	Description
Definition	Staff selection indicating whether client was provided with information on domestic violence or gun safety, if any. (F4.44)
Required field	No
Lookup table if available	GunInfo_Lkup
Allowed values	1 = What to do if you have or someone you know has a partner that hurts them physically 2 = Gun safety
Allow multiple values	Yes
Occurrence	0-1 per client
XML example	<FUPersonalSafetyInfoList> <FUPersonalSafetyInfo> <GunInfoId>2</GunInfoId> </FUPersonalSafetyInfo> </FUPersonalSafetyInfoList>

Element name: [FUPersonalSafetyInfoDate](#)

Field	Description
Definition	Date on which client was provided with information on domestic violence or gun safety, if any. (F4.44)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<FUPersonalSafetyInfoDate>1/1/2016</FUPersonalSafetyInfoDate>

Element name: [FUPersonalSafetyReferred](#)

Field	Description
Definition	Staff selection indicating whether client was referred to a domestic violence counseling program. (F4.44)
Required field	No
Lookup table if available	N/A
Allowed values	true, false OR 1, 0
Allow multiple values	No
Occurrence	0-1 per client
XML example	<FUPersonalSafetyReferred>true</FUPersonalSafetyReferred>

Element name: [FUPersonalSafetyReferredProgram](#)

Field	Description
Definition	Name of the domestic violence program to which the client was referred, if applicable. (F4.44)
Required field	No
Lookup table if available	N/A
Allowed values	Text string that allows a maximum of 250 characters
Allow multiple values	No
Occurrence	0-1 per client
XML example	<FUPersonalSafetyReferredProgram>Betty Ann Krahnke Center</FUPersonalSafetyReferredProgram>

Element name: [FUPersonalSafetyReferredDate](#)

Field	Description
Definition	Date on which the client was referred to the local domestic violence program, if any. (F4.44)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<FUPersonalSafetyReferredDate>1/1/2016</FUPersonalSafetyReferredDate>

Element name: [StressFactorFamilySickId](#)

Field	Description
Definition	Client's response indicating whether (Yes/No) a close family member was very sick and had to go into the hospital in the past 12 months. (F4.45.1)
Required field	No
Lookup table if available	YesNoOnly_Lkup
Allowed values	1 = Yes 2 = No
Allow multiple values	No
Occurrence	0-1 per client
XML example	<StressFactorFamilySickId>1</StressFactorFamilySickId>

Element name: [StressFactorDivorcedId](#)

Field	Description
Definition	Client's response indicating whether (Yes/No) client was separated or divorced in the past 12 months. (F4.45.2)
Required field	No
Lookup table if available	YesNoOnly_Lkup
Allowed values	1 = Yes 2 = No
Allow multiple values	No
Occurrence	0-1 per client
XML example	<StressFactorDivorcedId>1</StressFactorDivorcedId>

Element name: [StressFactorRelocationId](#)

Field	Description
Definition	Client's response indicating whether (Yes/No) client moved to a new address in the past 12 months. (F4.45.3)
Required field	No
Lookup table if available	YesNoOnly_Lkup
Allowed values	1 = Yes 2 = No
Allow multiple values	No
Occurrence	0-1 per client
XML example	<StressFactorRelocationId>2</StressFactorRelocationId>

Element name: [StressFactorHomelessId](#)

Field	Description
Definition	Client's response indicating whether (Yes/No) was homeless or had to sleep outside, in a car or in a shelter in the past 12 months. F4.45.4)
Required field	No
Lookup table if available	YesNoOnly_Lkup
Allowed values	1 = Yes 2 = No
Allow multiple values	No
Occurrence	0-1 per client
XML example	<StressFactorHomelessId>1</StressFactorHomelessId>

Element name: [StressFactorSpouseLostJobId](#)

Field	Description
Definition	Client's response indicating whether (Yes/No) Client's husband or partner lost a job in the past 12 months. (F4.45.5)
Required field	No
Lookup table if available	YesNoOnly_Lkup
Allowed values	1 = Yes 2 = No
Allow multiple values	No
Occurrence	0-1 per client
XML example	<StressFactorSpouseLostJobId>1</StressFactorSpouseLostJobId>

Element name: [StressFactorLostJobId](#)

Field	Description
Definition	Client's response indicating whether (Yes/No) the client lost a job in the past 12 months (even though she wished to continue working). (F4.45.6)
Required field	No
Lookup table if available	YesNoOnly_Lkup
Allowed values	1 = Yes 2 = No
Allow multiple values	No
Occurrence	0-1 per client
XML example	<StressFactorLostJobId>1</StressFactorLostJobId>

Element name: [StressFactorPayoutId](#)

Field	Description
Definition	Client's response indicating whether (Yes/No) she, her husband or partner had a cut in hours or pay n the past 12 months. (F4.45.7)
Required field	No
Lookup table if available	YesNoOnly_Lkup
Allowed values	1 = Yes 2 = No
Allow multiple values	No
Occurrence	0-1 per client
XML example	<StressFactorPayoutId>1</StressFactorPayoutId>

Element name: [StressFactorSpouseApartId](#)

Field	Description
Definition	Client's response indicating whether (Yes/No) client was apart from her husband or partner due to military deployment or extended work-related travel in the past 12 months. (F4.45.8)
Required field	No
Lookup table if available	YesNoOnly_Lkup
Allowed values	1 = Yes 2 = No
Allow multiple values	No
Occurrence	0-1 per client
XML example	<StressFactorSpouseApartId>1</StressFactorSpouseApartId>

Element name: [StressFactorSpouseArgued](#)

Field	Description
Definition	Client's response indicating whether (Yes/No) whether she argued with her husband/partner more than usual in the past 12 months. (F4.45.9)
Required field	No
Lookup table if available	YesNoOnly_Lkup
Allowed values	1 = Yes 2 = No
Allow multiple values	No
Occurrence	0-1 per client
XML example	<StressFactorSpouseArgued>1</StressFactorSpouseArgued>

Element name: [StressFactorSpouseAgainstPregnancyId](#)

Field	Description
Definition	Client's response indicating whether (Yes/No) a husband or partner said he didn't want her to be pregnant in the past 12 months. (F4.45.10)
Required field	No
Lookup table if available	YesNoOnly_Lkup
Allowed values	1 = Yes 2 = No
Allow multiple values	No
Occurrence	0-1 per client
XML example	<StressFactorSpouseAgainstPregnancyId>1</StressFactorSpouseAgainstPregnancyId>

Element name: [StressFactorBillsId](#)

Field	Description
Definition	Client's response indicating whether (Yes/No) she had problems paying her rent, mortgage, or other bills in the past 12 months. (F4.45.11)
Required field	No
Lookup table if available	YesNoOnly_Lkup
Allowed values	1 = Yes 2 = No
Allow multiple values	No
Occurrence	0-1 per client
XML example	<StressFactorBillsId>2</StressFactorBillsId>

Element name: [StressFactorJailedId](#)

Field	Description
Definition	Client's response indicating whether (Yes/No) she or her husband/partner was jailed in the past 12 months. (F4.45.12)
Required field	No
Lookup table if available	YesNoOnly_Lkup
Allowed values	1 = Yes 2 = No
Allow multiple values	No
Occurrence	0-1 per client
XML example	<StressFactorJailedId>2</StressFactorJailedId>

Element name: [StressFactorRelativesDrinkingId](#)

Field	Description
Definition	Client's response indicating whether (Yes/No) someone close to her had a problem with drinking or drugs in the past 12 months. (F4.45.13)
Required field	No
Lookup table if available	YesNoOnly_Lkup
Allowed values	1 = Yes 2 = No
Allow multiple values	No
Occurrence	0-1 per client
XML example	<StressFactorRelativesDrinkingId>2</StressFactorRelativesDrinkingId>

Element name: [StressFactorRelativeDiedId](#)

Field	Description
Definition	Client's response indicating whether (Yes/No) someone very close to her died in the past 12 months. (F4.45.14)
Required field	No
Lookup table if available	YesNoOnly_Lkup
Allowed values	1 = Yes 2 = No
Allow multiple values	No
Occurrence	0-1 per client
XML example	<StressFactorRelativeDiedId>2</StressFactorRelativeDiedId>

Element name: [DiscriminationTreatedLessCourtesyId](#)

Field	Description
Definition	Client's response to the question: "In your day-to-day life, how often have any of the following things happened to you?" for the category of "You are treated with less courtesy or respect than other people." (F4.46.1)
Required field	No
Lookup table if available	DailyFreq_Lkup
Allowed values	1 = Almost every day 2 = At least once a week 3 = A few times a month 4 = A few times a year 5 = Less than once a year 6 = Never 7 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<DiscriminationTreatedLessCourtesyId>1</DiscriminationTreatedLessCourtesyId>

Element name: [DiscriminationReceivedPoorServiceId](#)

Field	Description
Definition	Client's response to the question: "In your day-to-day life, how often have any of the following things happened to you?" for the category of "You receive poorer service than other people at restaurants, stores, or social services." (F4.46.2)
Required field	No
Lookup table if available	DailyFreq_Lkup
Allowed values	1 = Almost every day 2 = At least once a week 3 = A few times a month 4 = A few times a year 5 = Less than once a year 6 = Never 7 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<DiscriminationReceivedPoorServiceId>7</DiscriminationReceivedPoorServiceId>

Element name: [DiscriminationOtherThinkNotSmartId](#)

Field	Description
Definition	Client's response to the question: "In your day-to-day life, how often have any of the following things happened to you?" for the category of "People act as if they think you are not smart." (F4.46.3)
Required field	No
Lookup table if available	DailyFreq_Lkup
Allowed values	1 = Almost every day 2 = At least once a week 3 = A few times a month 4 = A few times a year 5 = Less than once a year 6 = Never 7 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<DiscriminationOtherThinkNotSmartId>3</DiscriminationOtherThinkNotSmartId>

Element name: [DiscriminationOtherAfraidId](#)

Field	Description
Definition	Client's response to the question: "In your day-to-day life, how often have any of the following things happened to you?" for the category of "People act as if they are afraid of you." (F4.46.4)
Required field	No
Lookup table if available	DailyFreq_Lkup
Allowed values	1 = Almost every day 2 = At least once a week 3 = A few times a month 4 = A few times a year 5 = Less than once a year 6 = Never 7 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<DiscriminationOtherAfraidId>1</DiscriminationOtherAfraidId>

Element name: [DiscriminationOtherThreatenId](#)

Field	Description
Definition	Client's response to the question: "In your day-to-day life, how often have any of the following things happened to you?" for the category of "You are threatened or harassed." (F4.46.5)
Required field	No
Lookup table if available	DailyFreq_Lkup
Allowed values	1 = Almost every day 2 = At least once a week 3 = A few times a month 4 = A few times a year 5 = Less than once a year 6 = Never 7 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<DiscriminationOtherThreatenId>6</DiscriminationOtherThreatenId>

Element name: [DiscriminationReasonsForTreatmentId](#)

Field	Description
Definition	Client's response to the question: "What do you think is the main reason for these experiences?" (F4.47)
Required field	No
Lookup table if available	OtherReasonForTreatment_Lkup
Allowed values	1 = Your ancestry or national origins 2 = Your gender 3 = Your race 4 = Your age 5 = Your religion 6 = Your height 7 = Your weight 8 = Some other aspect of your physical appearance 9 = Your sexual orientation 10 = Your education or income level 11 = Your shade of skin color 12 = Physical Disability 13 = Other 14 = Don't know 15 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<DiscriminationReasonsForTreatmentId>13</DiscriminationReasonsForTreatmentId>

Element name: [DiscriminationOtherReasonsForTreatment](#)

Field	Description
Definition	Client's response to "Please Specify" when "Other" was checked as the reason for discrimination. (F4.47)
Required field	No
Lookup table if available	N/A
Allowed values	Text string that allows a maximum of 250 characters
Allow multiple values	No
Occurrence	0-1 per client
XML example	<DiscriminationOtherReasonsForTreatment>My profession</DiscriminationOtherReasonsForTreatment>

Element name: [FUStressInfo](#)

Field	Description
Definition	Staff selection indicating whether client was provided with information on resources for stress management. (F4.47)
Required field	No
Lookup table if available	N/A
Allowed values	true, false OR 1, 0
Allow multiple values	No
Occurrence	0-1 per client
XML example	<FUStressInfo>true</FUStressInfo>

Element name: [FUStressInfoDate](#)

Field	Description
Definition	Date on which client was provided with information on stress management, if any. (F4.47)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<FUStressInfoDate>1/1/2016</FUStressInfoDate>

Element name: [FUStressProvided](#)

Field	Description
Definition	Staff selection indicating whether client was provided with counseling on stress management. (F4.47)
Required field	No
Lookup table if available	N/A
Allowed values	true, false OR 1, 0
Allow multiple values	No
Occurrence	0-1 per client
XML example	<FUStressProvided>true</FUStressProvided>

Element name: [FUStressProvidedDate](#)

Field	Description
Definition	Date on which client was provided with counseling in stress management, if any. (F4.47)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<FUStressProvidedDate>1/1/2016</FUStressProvidedDate>

Element name: [FUStressReferredList](#)

Field	Description
Definition	Staff selection indicating whether client was referred for stress management services (mental health center, primary care provider, or other). (F4.47)
Required field	No
Lookup table if available	MentalConditionReferred_Lkup
Allowed values	1 = Mental Health Center 2 = Primary Care Provider 3 = Other
Allow multiple values	Yes
Occurrence	0-1 per client
XML example	<FUStressReferredList> <FUStressReferred> <MentalConditionReferredId>3</MentalConditionReferredId> </FUStressReferred> </FUStressReferredList>

Element name: [FUStressReferredOther](#)

Field	Description
Definition	Entry for "Please specify" when "Other" was selected as a category of referral provided. (F4.47)
Required field	No
Lookup table if available	N/A
Allowed values	Text string that allows a maximum of 250 characters
Allow multiple values	No
Occurrence	0-1 per client
XML example	<FUStressReferredOther>a</FUStressReferredOther>

Element name: [FUStressReferredDate](#)

Field	Description
Definition	Date on which client was referred to services for stress management, if any. (F4.47)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<FUStressReferredDate>1/1/2016</FUStressReferredDate>

Element name: [SupportTemporaryFinancialId](#)

Field	Description
Definition	Client's answer to the question "If you needed it, how often is someone available to . . . Provide temporary financial support?" (F4.48.1)
Required field	No
Lookup table if available	DecreaseFreq_Lkup
Allowed values	1 = All of the time 2 = Most of the time 3 = Some of the time 4 = A little of the time 5 = None of the time
Allow multiple values	No
Occurrence	0-1 per client
XML example	<SupportTemporaryFinancialId>5</SupportTemporaryFinancialId>

Element name: [SupportEnjoyableActivitiesId](#)

Field	Description
Definition	Client's answer to the question "If you needed it, how often is someone available to . . . Do something enjoyable with you?" (F4.48.2)
Required field	No
Lookup table if available	DecreaseFreq_Lkup
Allowed values	1 = All of the time 2 = Most of the time 3 = Some of the time 4 = A little of the time 5 = None of the time
Allow multiple values	No
Occurrence	0-1 per client
XML example	<SupportEnjoyableActivitiesId>1</SupportEnjoyableActivitiesId>

Element name: [SupportHelpChoresId](#)

Field	Description
Definition	Client's answer to the question "If you needed it, how often is someone available to . . . Help with daily chores?" (F4.48.3)
Required field	No
Lookup table if available	DecreaseFreq_Lkup
Allowed values	1 = All of the time 2 = Most of the time 3 = Some of the time 4 = A little of the time 5 = None of the time
Allow multiple values	No
Occurrence	0-1 per client
XML example	<SupportHelpChoresId>1</SupportHelpChoresId>

Element name: [SupportWhenSickId](#)

Field	Description
Definition	Client's answer to the question "If you needed it, how often is someone available to . . . Help you if you were sick?" (F4.48.4)
Required field	No
Lookup table if available	DecreaseFreq_Lkup
Allowed values	1 = All of the time 2 = Most of the time 3 = Some of the time 4 = A little of the time 5 = None of the time
Allow multiple values	No
Occurrence	0-1 per client
XML example	<SupportWhenSickId>5</SupportWhenSickId>

Element name: [SupportHelpPersonalIssuesId](#)

Field	Description
Definition	Client's answer to the question "If you needed it, how often is someone available to . . . Turn to for suggestions about how to deal with a personal problem?" (F4.48.5)
Required field	No
Lookup table if available	DecreaseFreq_Lkup
Allowed values	1 = All of the time 2 = Most of the time 3 = Some of the time 4 = A little of the time 5 = None of the time
Allow multiple values	No
Occurrence	0-1 per client
XML example	<SupportHelpPersonalIssuesId>5</SupportHelpPersonalIssuesId>

Element name: [FatherInvolvementId](#)

Field	Description
Definition	Client's selection indicating the degree of her partner's/the baby's father's involvement in the pregnancy. (F4.49)
Required field	No
Lookup table if available	FatherInvolvement_Lkup
Allowed values	1 = Involved in my pregnancy and supportive of me 2 = Involved but not supportive of me 3 = Aware that I'm pregnant but not involved 4 = Not aware that I'm pregnant 5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<FatherInvolvementId>3</FatherInvolvementId>

Element name: [FatherRoleList](#)

Field	Description
Definition	Client's answer to the question "What is your partner's or the father of your baby's role in your life?" (F4.49.1)
Required field	No
Lookup table if available	FatherRole_Lkup
Allowed values	1 = Partner or father of baby is deceased 2 = Partner or father of baby is incarcerated 3 = Assists with housework and/or runs errands (ex: grocery shopping) 4 = Attends prenatal appointments and/or childbirth classes 5 = Provides emotional support 6 = Provides financial support 7 = Partner or father of baby plays no role/is not involved 8 = Other 9 = Declined to answer
Allow multiple values	Yes
Occurrence	0-1 per client
XML example	<FatherRoleList> <FatherRole> <FatherRoleId>1</FatherRoleId> </FatherRole> </FatherRoleList>

Element name: [FatherRoleOtherSpecifying](#)

Field	Description
Definition	Client' answered "other" to the question "What is your partner's or the father of your baby's role in your life?" (F4.49.1)
Required field	No
Lookup table if available	N/A
Allowed values	Text string that allows a maximum of 250 characters
Allow multiple values	No
Occurrence	0-1 per client
XML example	<FatherRoleOtherSpecifying>Deployed</FatherRoleOtherSpecifying>

Element name: [FUSupportInfo](#)

Field	Description
Definition	Staff selection indicating whether client was provided with information on the importance of social support. (F4.49)
Required field	No
Lookup table if available	N/A
Allowed values	true, false OR 1, 0
Allow multiple values	No
Occurrence	0-1 per client
XML example	<FUSupportInfo>true</FUSupportInfo>

Element name: [FUSupportInfoDate](#)

Field	Description
Definition	Date on which client was provided with information about the importance of social support, if any. (F4.49)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<FUSupportInfoDate>1/1/2016</FUSupportInfoDate>

Element name: [FUSupportReferredList](#)

Field	Description
Definition	Staff selection indicating whether client was referred for sources of assistance with social support and what type of referral was made. (F4.49)
Required field	No
Lookup table if available	SupportReferred_Lkup
Allowed values	1 = Social Worker 2 = Parent help line 3 = Parent support group 4 = Other
Allow multiple values	Yes
Occurrence	0-1 per client
XML example	<FUSupportReferredList> <FUSupportReferred> <SupportReferredId>2</SupportReferredId> </FUSupportReferred> </FUSupportReferredList>

Element name: [FUSupportReferredOther](#)

Field	Description
Definition	Entry for "Please specify" when "Other" was selected as a category of referral provided. (F4.49)
Required field	No
Lookup table if available	N/A
Allowed values	Text string that allows a maximum of 250 characters
Allow multiple values	No
Occurrence	0-1 per client
XML example	<FUSupportReferredOther>Moms' Rap Group</FUSupportReferredOther>

Element name: [FUSupportReferredDate](#)

Field	Description
Definition	Date on which client was referred to sources of assistance with social support, if any. (F4.49)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<FUSupportReferredDate>1/1/2016</FUSupportReferredDate>

Element name: [PlanHaveChildrenId](#)

Field	Description
Definition	Client's answer to the question Client's answer to the question "Do you plan to have any more children after this baby is born?" (F4.50)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<PlanHaveChildrenId>4</PlanHaveChildrenId>

Element name: [PlanHaveChildrenCount](#)

Field	Description
Definition	Client's answer to the question "How many children would you like to have?" (F4.50.1)
Required field	No
Lookup table if available	N/A
Allowed values	An integer with value between 1-20
Allow multiple values	No
Occurrence	0-1 per client
XML example	<PlanHaveChildrenCount>1</PlanHaveChildrenCount>

Element name: [PlanHaveChildrenDRId](#)

Field	Description
Definition	Client's response to the question "How many child would you like to have?" if either "Don't know" or "Declined to answer" were selected. (F4.50.1)
Required field	No
Lookup table if available	DontknowRefused_Lkup
Allowed values	1 = Don't Know 2 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<PlanHaveChildrenDRId>2</PlanHaveChildrenDRId>

Element name: [WaitTimePregnantId](#)

Field	Description
Definition	Client's answer to the question "How long would you like to wait until you become pregnant?" (F4.50.2)
Required field	No
Lookup table if available	WaitTimePregnant_Lkup
Allowed values	1 = 1 year - 17 months 2 = 18 months to 2 years 3 = More than 2 years 4 = Don't know 5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<WaitTimePregnantId>3</WaitTimePregnantId>

Element name: [UseBirthControlsId](#)

Field	Description
Definition	Client's answer to the question "Do you and your partner have a method of birth control that you plan to use until you are ready to become pregnant again?"(F4.51)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<UseBirthControlsId>3</UseBirthControlsId>

Element name: [AbleToUseBirthControlId](#)

Field	Description
Definition	Client's answer to the question "How sure are you that you will be able to use this method without any problems?"(F4.51.1)
Required field	No
Lookup table if available	Confident_Lkup
Allowed values	1 = Not at all confident 2 = Somewhat confident 3 = Very confident 4 = Don't know 5 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<AbleToUseBirthControlId>5</AbleToUseBirthControlId>

Element name: [FUBirthControlInfo](#)

Field	Description
Definition	Staff selection indicating whether client was provided with information/education about birth control or family planning/birth spacing. (F4.51)
Required field	No
Lookup table if available	N/A
Allowed values	true, false OR 1, 0
Allow multiple values	No
Occurrence	0-1 per client
XML example	<FUBirthControlInfo>true</FUBirthControlInfo>

Element name: [FUBirthControlInfoDate](#)

Field	Description
Definition	Date on which information/education about birth control or family planning/birth spacing was provided, if any. (F4.51)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<FUBirthControlInfoDate>1/1/2016</FUBirthControlInfoDate>

Element name: [FUBirthControlProvidedList](#)

Field	Description
Definition	Staff selection indicating the type of birth control or family planning/birth spacing service provided, if any. (F4.51)
Required field	No
Lookup table if available	BirthControlProvided_Lkup
Allowed values	1 = Provided counseling about family planning 2 = Provided birth control
Allow multiple values	Yes
Occurrence	0-1 per client
XML example	<FUBirthControlProvidedList> <FUBirthControlProvided> <BirthControlProvidedId>1</BirthControlProvidedId> </FUBirthControlProvided> </FUBirthControlProvidedList>

Element name: [FUBirthControlProvidedDate](#)

Field	Description
Definition	Date on which the service for birth control or family planning/birth spacing was given, if applicable. (F4.51)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<FUBirthControlProvidedDate>1/1/2016</FUBirthControlProvidedDate>

Element name: [FUBirthControlReferredId](#)

Field	Description
Definition	Staff selection indicating the type of referral the client was given related to birth control.(F4.51)
Required field	No
Lookup table if available	BirthControlReferred_Lkup
Allowed values	1 = Primary Care Provider 2 = Planned Parenthood 3 = Other
Allow multiple values	No
Occurrence	0-1 per client
XML example	<FUBirthControlReferredId>1</FUBirthControlReferredId>

Element name: [FUOtherBirthControl](#)

Field	Description
Definition	Staff entry to specify the type of "Other" referral if "Other" was selected as a referral type for birth control or family planning/birth spacing. (F4.51)
Required field	No
Lookup table if available	N/A
Allowed values	Text string that allows a maximum of 250 characters
Allow multiple values	No
Occurrence	0-1 per client
XML example	<FUOtherBirthControl>Family Planning Ohio</FUOtherBirthControl>

Element name: [FUBirthControlReferredDate](#)

Field	Description
Definition	Date on which the referral for birth control was given, if any. (F4.51)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<FUBirthControlReferredDate>1/1/2016</FUBirthControlReferredDate>