

Healthy Start Monitoring and Evaluation Data System (HSMED)

# Data Dictionary and XML Schema Implementation Guide

## Healthy Start Screening Tool 6: Interconception and Parenting

Version 2.3

Version Date: March 7, 2017

Submitted to:



Health Resources and Services Administration  
Maternal and Child Health Bureau  
5600 Fishers Lane  
Rockville, MD 20857

Submitted by:



**DSFederal**  
CONNECTING THE DOTS

DSFederal, Inc.  
11900 Parklawn Drive, Suite #406  
Rockville, MD

### DISCLOSURE LEGEND

This document includes data that shall not be disclosed outside the government and shall not be duplicated, used, or disclosed in whole or in part for any purpose other than for which it was intended. The restriction does not limit the Government's right to use information contained in these data if they are obtained from another source without restriction. The data subject to this restriction are contained in sheets marked as restricted.

## Element Index

<b>Element name:</b> AdminDate .....	9
<b>Element name:</b> ChildTalkId.....	9
<b>Element name:</b> ChildUseArmLegsId .....	9
<b>Element name:</b> ChildUserHandsId.....	10
<b>Element name:</b> ChildLearningThingsId .....	10
<b>Element name:</b> ChildBehaveId .....	10
<b>Element name:</b> FUChildDevInfoList.....	11
<b>Element name:</b> FUChildDevInfoDate.....	11
<b>Element name:</b> FUChildDevProvided .....	11
<b>Element name:</b> FUChildDevProvidedDate.....	12
<b>Element name:</b> FUChildDevReferredList .....	12
<b>Element name:</b> FUChildDevReferredOther .....	12
<b>Element name:</b> FUChildDevReferredDate .....	13
<b>Element name:</b> HaveGunId.....	13
<b>Element name:</b> FUSafetyInfoList .....	14
<b>Element name:</b> FUSafetyInfoDate .....	14
<b>Element name:</b> FUSafetyProvidedList .....	15
<b>Element name:</b> FUSafetyProvidedDate .....	15
<b>Element name:</b> FUSafetyReferredList .....	16
<b>Element name:</b> FUSafetyReferredOrg .....	16
<b>Element name:</b> FULeadTesting .....	16
<b>Element name:</b> FUSafetyReferredDate .....	17
<b>Element name:</b> FUBabyCareInfoList.....	17
<b>Element name:</b> FUBabyCareInfoDate.....	17
<b>Element name:</b> FUBabyCareProvided .....	18
<b>Element name:</b> FUBabyCareProvidedDate.....	18
<b>Element name:</b> FUBabyCareVaccineList.....	18
<b>Element name:</b> FUBabyCareVaccineDate.....	19
<b>Element name:</b> FUBabyCareReferredList .....	19
<b>Element name:</b> FUBabyCareReferredDate .....	19
<b>Element name:</b> PregnantNowId .....	20
<b>Element name:</b> PlanHaveChildrenId.....	20
<b>Element name:</b> PlanHaveChildrenCount.....	20
<b>Element name:</b> PlanHaveChildrenDDId.....	21
<b>Element name:</b> LikePregnantNextYearId .....	21
<b>Element name:</b> WaitTimePregnantId .....	21
<b>Element name:</b> UseBirthControlsId.....	22
<b>Element name:</b> SatisfiedBirthControllId.....	22
<b>Element name:</b> FUBirthControlInfo.....	22
<b>Element name:</b> FUBirthControlInfoDate .....	23
<b>Element name:</b> FUBirthControlProvidedList .....	23
<b>Element name:</b> FUBirthControlProvidedDate .....	23
<b>Element name:</b> FUBirthControlReferredId.....	24
<b>Element name:</b> FUOtherBirthControl.....	24
<b>Element name:</b> FUBirthControlReferredDate .....	24
<b>Element name:</b> MaritalStatusId.....	25

<b>Element name:</b> EmploymentStatusId .....	25
<b>Element name:</b> HouseholdIncomeId .....	26
<b>Element name:</b> NumAdultsSupported .....	26
<b>Element name:</b> NumChildrenSupported .....	26
<b>Element name:</b> IncomeSupportedDRId .....	27
<b>Element name:</b> FoodAffordabilityId .....	27
<b>Element name:</b> Zipcode .....	27
<b>Element name:</b> ZipcodeDRId .....	28
<b>Element name:</b> HousingStatusId .....	28
<b>Element name:</b> HousingStatusOther .....	28
<b>Element name:</b> IsRegularHomeld .....	29
<b>Element name:</b> HasHousingarrangementId .....	29
<b>Element name:</b> HasHousingarrangementOther .....	29
<b>Element name:</b> HasHousingConcernId .....	30
<b>Element name:</b> ConcernHousingList .....	30
<b>Element name:</b> OtherLeaseViolation .....	31
<b>Element name:</b> OtherHousingConcern .....	31
<b>Element name:</b> ServiceChildcareVoucherId .....	31
<b>Element name:</b> ServiceElderlyDisableChildrenId .....	32
<b>Element name:</b> ServiceFoodStampsId .....	32
<b>Element name:</b> ServiceHeatingAssistancelId .....	32
<b>Element name:</b> ServiceImmigrationId .....	33
<b>Element name:</b> ServiceLegalId .....	33
<b>Element name:</b> ServicePublicHousingId .....	33
<b>Element name:</b> ServiceSection8VoucherId .....	34
<b>Element name:</b> ServiceSSDIId .....	34
<b>Element name:</b> ServiceSSIId .....	34
<b>Element name:</b> ServiceTAFDCId .....	35
<b>Element name:</b> ServiceTANFId .....	35
<b>Element name:</b> ServiceTribalHousingId .....	35
<b>Element name:</b> ServiceUtilityAssistancelId .....	36
<b>Element name:</b> ServiceWICId .....	36
<b>Element name:</b> ServiceOtherId .....	37
<b>Element name:</b> ServiceOtherSpecifying .....	37
<b>Element name:</b> HasOpenCaseChildProtectiveServicesId .....	37
<b>Element name:</b> FUServiceProvidedList .....	38
<b>Element name:</b> FUServiceProvidedOther .....	38
<b>Element name:</b> FUServiceProvidedDate .....	39
<b>Element name:</b> FUServiceReferralList .....	39
<b>Element name:</b> FUServiceReferralOther .....	40
<b>Element name:</b> FUServiceReferralDate .....	40
<b>Element name:</b> NeighborsHelpId .....	40
<b>Element name:</b> NeighborsWatchChildrenId .....	41
<b>Element name:</b> NeighborsAccountableId .....	41
<b>Element name:</b> ChildOutsideComfortableId .....	41
<b>Element name:</b> CommunityFeelSafeld .....	42
<b>Element name:</b> ParticipateCommunityActivitiesId .....	42
<b>Element name:</b> NeighborsGatheringId .....	43

<b>Element name:</b> HaveHealthProfessionalId .....	43
<b>Element name:</b> HaveSickCarePlaceId .....	44
<b>Element name:</b> SickCarePlaceId .....	44
<b>Element name:</b> HealthInsuranceTypesList .....	45
<b>Element name:</b> HealthInsuranceTypesOther .....	45
<b>Element name:</b> HavePreventiveCareLast12MonthsId .....	46
<b>Element name:</b> FUMedicalInfoList .....	46
<b>Element name:</b> FUMedicalInfoDate .....	47
<b>Element name:</b> FUMedicalProvided .....	47
<b>Element name:</b> FUMedicalProvidedDate .....	47
<b>Element name:</b> FUMedicalReferredList .....	48
<b>Element name:</b> FUMedicalReferredDate .....	48
<b>Element name:</b> PhysicalHealthStatusId .....	48
<b>Element name:</b> MentalHealthStatusId .....	49
<b>Element name:</b> HeightFeetMeasure .....	49
<b>Element name:</b> HeightInchesMeasure .....	49
<b>Element name:</b> HeightFeetInchesMeasureDRId .....	50
<b>Element name:</b> WeightMeasureNow .....	50
<b>Element name:</b> WeightMeasureNowDRId .....	50
<b>Element name:</b> postpartumcheckupId .....	51
<b>Element name:</b> postpartumweeks .....	51
<b>Element name:</b> DetectedAsthmaId .....	51
<b>Element name:</b> HaveAsthmaId .....	52
<b>Element name:</b> DetectedAutoimmuneDiseaseId .....	52
<b>Element name:</b> HaveAutoimmuneDiseaseId .....	52
<b>Element name:</b> DetectedCancerId .....	53
<b>Element name:</b> HasCancerId .....	53
<b>Element name:</b> DetectedCardiovascularDiseaseId .....	54
<b>Element name:</b> HaveCardiovascularDiseaseId .....	54
<b>Element name:</b> DetectedMentalHealthConditionsId .....	55
<b>Element name:</b> HaveMentalHealthConditionsId .....	55
<b>Element name:</b> DetectedDiabetesId .....	56
<b>Element name:</b> HaveDiabetesId .....	56
<b>Element name:</b> DetectedGestationalDiabetesId .....	56
<b>Element name:</b> HaveGestationalDiabetesId .....	57
<b>Element name:</b> DetectedEatingDisordersId .....	57
<b>Element name:</b> HaveEatingDisordersId .....	58
<b>Element name:</b> DetectedHighBloodPressureId .....	58
<b>Element name:</b> HaveHighBloodPressureId .....	59
<b>Element name:</b> DetectedAnemiaId .....	59
<b>Element name:</b> HaveAnemiaId .....	60
<b>Element name:</b> DetectedPKUId .....	60
<b>Element name:</b> HavePKUId .....	61
<b>Element name:</b> DetectedRenalDiseaseId .....	61
<b>Element name:</b> HaveRenalDiseaseId .....	61
<b>Element name:</b> DetectedEpilepsyId .....	62
<b>Element name:</b> HaveEpilepsyId .....	62
<b>Element name:</b> DetectedSickleCellId .....	63

<b>Element name:</b> HaveSickleCellId .....	63
<b>Element name:</b> DetectedThrombophiliaId .....	63
<b>Element name:</b> HaveThrombophiliaId .....	64
<b>Element name:</b> DetectedThyroidDiseaseId .....	64
<b>Element name:</b> HaveThyroidDiseaseId .....	65
<b>Element name:</b> OtherMedicalConditions .....	65
<b>Element name:</b> HaveOtherMedicalConditionsId .....	65
<b>Element name:</b> MedicalConditionsPast6MonthsList .....	66
<b>Element name:</b> HavingPainId .....	66
<b>Element name:</b> AreTakingPainMedicationsId .....	67
<b>Element name:</b> AreTakingBloodThinnersId .....	67
<b>Element name:</b> AreTakingMaleHormonesId .....	67
<b>Element name:</b> AreTakingAntibioticsId .....	68
<b>Element name:</b> AreTakingEpilepsyMedicationsId .....	68
<b>Element name:</b> AreTakingAcneMedicationsId .....	68
<b>Element name:</b> AreTakingHighBloodPressureMedicationsId .....	69
<b>Element name:</b> AreTakingHighCholesterolMedicationsId .....	69
<b>Element name:</b> AreTakingAntidepressantsId .....	69
<b>Element name:</b> ProviderKnowMedicationsId .....	70
<b>Element name:</b> VitaminPerWeekId .....	70
<b>Element name:</b> LastFluVaccinationId .....	71
<b>Element name:</b> ReceivedVaccinesMMRId .....	71
<b>Element name:</b> TestedForMMRId .....	71
<b>Element name:</b> ReceivedVaccinesHepatitisBId .....	72
<b>Element name:</b> ReceivedVaccines3ShotsGardasilId .....	72
<b>Element name:</b> HadChickenPoxOrShinglesId .....	72
<b>Element name:</b> ReceivedVaccines2DosesVaricellaId .....	73
<b>Element name:</b> ReceivedVaccinesTDAPId .....	73
<b>Element name:</b> LastTestedChlamydiaId .....	74
<b>Element name:</b> LastTestedGonorrheaId .....	74
<b>Element name:</b> LastTestedHerpesSimplexId .....	75
<b>Element name:</b> LastTestedHivId .....	75
<b>Element name:</b> LastTestedSyphilisId .....	76
<b>Element name:</b> LastTestedStdOtherId .....	76
<b>Element name:</b> LastTestedStdOtherSpecifying .....	77
<b>Element name:</b> DiagnosedToxoplasmosisId .....	77
<b>Element name:</b> DiagnosedTuberculosisId .....	77
<b>Element name:</b> DiagnosedCytomegalovirusId .....	78
<b>Element name:</b> DiagnosedHepatitisBCId .....	78
<b>Element name:</b> DiagnosedZikaId .....	78
<b>Element name:</b> DiagnosedChlamydiaId .....	79
<b>Element name:</b> DiagnosedGonorrheaId .....	79
<b>Element name:</b> DiagnosedHerpesSimplexId .....	79
<b>Element name:</b> DiagnosedHIVId .....	80
<b>Element name:</b> DiagnosedSyphilisId .....	80
<b>Element name:</b> DiagnosedOtherSpecifying .....	80
<b>Element name:</b> DiagnosedOtherId .....	81
<b>Element name:</b> LastTeethCleaningId .....	81

<b>Element name:</b> FUHealthStatusInfoList .....	82
<b>Element name:</b> FUHealthStatusInfoDate .....	82
<b>Element name:</b> FUHealthStatusProvidedList .....	83
<b>Element name:</b> FUHealthStatusProvidedOther .....	83
<b>Element name:</b> FUHealthStatusProvidedDate .....	83
<b>Element name:</b> FUHealthStatusReferredList.....	84
<b>Element name:</b> FUHealthStatusReferredOther.....	84
<b>Element name:</b> FUHealthStatusReferredDate .....	84
<b>Element name:</b> LittleInterest.....	85
<b>Element name:</b> Depressed .....	85
<b>Element name:</b> FUDepressionLocalResourceInfo .....	85
<b>Element name:</b> FUDepressionLocalResourceInfoDate.....	86
<b>Element name:</b> FUDepressionProvidedList .....	86
<b>Element name:</b> FUDepressionProvidedDate .....	86
<b>Element name:</b> FUDepressionReferredList .....	87
<b>Element name:</b> FUDepressionReferredOther .....	87
<b>Element name:</b> FUDepressionReferredDate .....	87
<b>Element name:</b> SubstanceUseAlcoholId.....	88
<b>Element name:</b> SubstanceUseTobaccoId .....	88
<b>Element name:</b> SubstanceUseMoodAlteringId .....	89
<b>Element name:</b> SubstanceUsePrescriptionDrugsForNonMedicalId.....	89
<b>Element name:</b> SubstanceUseIllegalDrugsId.....	90
<b>Element name:</b> HouseholdSmokingRuleId .....	90
<b>Element name:</b> FUSubstanceUseInfoList.....	91
<b>Element name:</b> FUSubstanceUseInfoDate .....	91
<b>Element name:</b> FUSubstanceUseProvidedANPList.....	92
<b>Element name:</b> FUSubstanceUseProvidedDate .....	92
<b>Element name:</b> FUSubstanceUseReferredList.....	93
<b>Element name:</b> FUSubstanceUseReferredOther.....	93
<b>Element name:</b> FUSubstanceUseReferredDate.....	93
<b>Element name:</b> PersonalSafetySpouseThreatenId.....	94
<b>Element name:</b> PersonalSafetySpouseAngerId .....	94
<b>Element name:</b> PersonalSafetySpouseControlId.....	94
<b>Element name:</b> PersonalSafetySpousePhysicalAbusedId.....	95
<b>Element name:</b> PersonalSafetySpouseForceSexId .....	95
<b>Element name:</b> PersonalSafetySpousePhysicalAnyId.....	95
<b>Element name:</b> FUPersonalSafetyPhysicalAbuseInfo.....	96
<b>Element name:</b> FUPersonalSafetyPhysicalAbuseInfoDate .....	96
<b>Element name:</b> FUPersonalSafetyDomesticViolencereferred .....	96
<b>Element name:</b> FUPersonalSafetyDomesticViolencereferredSpecifying .....	97
<b>Element name:</b> FUPersonalSafetyDomesticViolencereferredDate.....	97
<b>Element name:</b> StressFactorFamilySickId.....	97
<b>Element name:</b> StressFactorDivorcedId .....	98
<b>Element name:</b> StressFactorRelocationId .....	98
<b>Element name:</b> StressFactorHomelessId.....	98
<b>Element name:</b> StressFactorSpouseLostJobId.....	99
<b>Element name:</b> StressFactorLostJobId .....	99
<b>Element name:</b> StressFactorPaycutId.....	99

<b>Element name:</b> StressFactorSpouseApartId .....	100
<b>Element name:</b> StressFactorSpouseArgued .....	100
<b>Element name:</b> StressFactorSpouseAgainstPregnancyId .....	100
<b>Element name:</b> StressFactorBillsId .....	101
<b>Element name:</b> StressFactorJailedId .....	101
<b>Element name:</b> StressFactorRelativesDrinkingId .....	101
<b>Element name:</b> StressFactorRelativeDieId .....	102
<b>Element name:</b> DiscriminationTreatedLessCourtesyId .....	102
<b>Element name:</b> DiscriminationReceivedPoorServiceId .....	103
<b>Element name:</b> DiscriminationOtherThinkNotSmartId .....	103
<b>Element name:</b> DiscriminationOtherAfraidId .....	104
<b>Element name:</b> DiscriminationOtherThreatenId .....	104
<b>Element name:</b> DiscriminationReasonsForTreatmentId .....	105
<b>Element name:</b> OtherReasons .....	105
<b>Element name:</b> FUStressInfo .....	106
<b>Element name:</b> FUStressInfoDate .....	106
<b>Element name:</b> FUStressProvided .....	106
<b>Element name:</b> FUStressProvidedDate .....	107
<b>Element name:</b> FUStressReferredList .....	107
<b>Element name:</b> FUStressReferredOther .....	107
<b>Element name:</b> FUStressReferredDate .....	108
<b>Element name:</b> SupportTemporaryFinancialId .....	108
<b>Element name:</b> SupportEnjoyableActivitiesId .....	108
<b>Element name:</b> SupportHelpChoresId .....	109
<b>Element name:</b> SupportWhenSickId .....	109
<b>Element name:</b> SupportHelpPersonalIssuesId .....	110
<b>Element name:</b> SupportWatchChildId .....	110
<b>Element name:</b> ChildFatherInvolvementId .....	111
<b>Element name:</b> ChildFatherRoleList .....	111
<b>Element name:</b> ChildFatherRoleOtherSpecifying .....	112
<b>Element name:</b> FUSocialSupport .....	112
<b>Element name:</b> FUSocialSupportDate .....	112
<b>Element name:</b> FUSocialSupportReferredList .....	113
<b>Element name:</b> FUSocialSupportReferredOther .....	113
<b>Element name:</b> FUSocialSupportReferredDate .....	113
Child Elements .....	113
<b>Element name:</b> ChildBirthDate .....	114
<b>Element name:</b> ChildBirthDateDRId .....	114
<b>Element name:</b> ChildHealthId .....	114
<b>Element name:</b> EverBreastFeedId .....	115
<b>Element name:</b> BreastfeedNum .....	115
<b>Element name:</b> BreastfeedFreqId .....	115
<b>Element name:</b> BreastfeedDRId .....	116
<b>Element name:</b> TimesReadToChild .....	116
<b>Element name:</b> TimesReadToChildDRId .....	116
<b>Element name:</b> ChildSleepingPositionId .....	117
<b>Element name:</b> ChildSleepSameBedId .....	117
<b>Element name:</b> ChildSleepLocationId .....	118

**Element name:** LastChildInfantCarSeatId ..... 118

**Element name:** ChildTestedForLeadId ..... 119

**Element name:** ChildLeadConcernId ..... 119

**Element name:** HourWithSmokingPersonHours ..... 119

**Element name:** ChildHourWithSmokingPersonId ..... 120

**Element name:** HaveChildHealthProfessionalId ..... 120

**Element name:** HaveChildSickCarePlaceId ..... 121

**Element name:** ChildSickCarePlaceId ..... 121

**Element name:** ChildInsuranceList ..... 122

**Element name:** ChildInsuranceTypesOther ..... 122

**Element name:** LastChildVisitDate ..... 123

**Element name:** LastChildVisitDRId ..... 123

**Element name:** lastchildvisitvaccineld ..... 123



Element name: [AdminDate](#)

Field	Description
<b>Definition</b>	Date of Administration (F6)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Date with a format of mm/dd/yyyy
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<AdminDate>10/5/2016</AdminDate>

Element name: [ChildTalkId](#)

Field	Description
<b>Definition</b>	Client's answer to the question: "Are you or anyone else concerned about how your child talks, makes speech sounds, or understands?"(F6.4.1)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<ChildTalkId>3</ChildTalkId>

Element name: [ChildUseArmLegsId](#)

Field	Description
<b>Definition</b>	Client's answer to the question: 'Are you or anyone else concerned about how your child uses his or her arms or legs?' (F6.4.2)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<ChildUseArmLegsId>4</ChildUseArmLegsId>

Element name: [ChildUserHandslId](#)

Field	Description
<b>Definition</b>	Client's answer to the question: "Are you or anyone else concerned about how your child uses his or her hands or fingers to do things?" (F6.4.3)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<ChildUserHandslId>1</ChildUserHandslId>

Element name: [ChildLearningThingsId](#)

Field	Description
<b>Definition</b>	Client's answer to the question: "Are you or anyone else concerned about how your child is learning to do things for himself or herself?" (F6.4.4)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<ChildLearningThingsId>3</ChildLearningThingsId>

Element name: [ChildBehaveld](#)

Field	Description
<b>Definition</b>	Client's answer to the question: "Are you or anyone else concerned about how your child behaves or gets along with others?" (F6.4.5)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<ChildBehaveld>4</ChildBehaveld>

Element name: [FUChildDevInfoList](#)

Field	Description
<b>Definition</b>	Staff selection in the Child Health Status Follow Up table indicating whether the client was provided information/education about child development and parenting. (F6.4.5)
<b>Required field</b>	No
<b>Lookup table if available</b>	ChildDevInfo_Lkup
<b>Allowed values</b>	1 = Provided information/education about child development 2 = Provided information/education about parenting
<b>Allow multiple values</b>	Yes
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<pre>&lt;FUChildDevInfoList&gt;   &lt;FUChildDevInfo&gt;     &lt;ChildDevInfofold&gt;1&lt;/ChildDevInfofold&gt;   &lt;/FUChildDevInfo&gt;   &lt;FUChildDevInfo&gt;     &lt;ChildDevInfofold&gt;2&lt;/ChildDevInfofold&gt;   &lt;/FUChildDevInfo&gt; &lt;/FUChildDevInfoList&gt;</pre>

Element name: [FUChildDevInfoDate](#)

Field	Description
<b>Definition</b>	Date on which information on child development and parenting was provided. (F6.4.5)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Date with a format of mm/dd/yyyy
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUChildDevInfoDate>10/5/2016</FUChildDevInfoDate>

Element name: [FUChildDevProvided](#)

Field	Description
<b>Definition</b>	Staff selection on whether client was provided counseling on parenting. (F6.4.5)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	true, false OR 1, 0
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUChildDevProvided>true</FUChildDevProvided>

Element name: [FUChildDevProvidedDate](#)

Field	Description
<b>Definition</b>	Date on which the client was provided counseling about parenting. (F6.4.5)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Date with a format of mm/dd/yyyy
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUChildDevProvidedDate>10/5/2016</FUChildDevProvidedDate>

Element name: [FUChildDevReferredList](#)

Field	Description
<b>Definition</b>	Staff selections indicating which types of referrals were provided to the client. (F6.4.5)
<b>Required field</b>	No
<b>Lookup table if available</b>	ParentingReferred_Lkup
<b>Allowed values</b>	1 = Parent Information Resource Center 2 = Parent support group 3 = Parenting class 4 = Other
<b>Allow multiple values</b>	Yes
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUChildDevReferredList> <FUChildDevReferred> <ParentingReferredId>1</ParentingReferredId> </FUChildDevReferred> </FUChildDevReferredList>

Element name: [FUChildDevReferredOther](#)

Field	Description
<b>Definition</b>	Staff entry indicating the "Other" type of referral that was provided if the category of "Other" was selected. (F6.4.5)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Text string that allows a maximum of 250 characters
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUChildDevReferredOther>a</FUChildDevReferredOther>

Element name: [FUChildDevReferredDate](#)

Field	Description
Definition	Date on which client was provided with the specified referrals. (F6.4.5)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<FUChildDevReferredDate>10/5/2016</FUChildDevReferredDate>

Element name: [HaveGunId](#)

Field	Description
Definition	Client's answer to the question "Do you keep guns in your home?" (F6.11)
Required field	No
Lookup table if available	YesNo_Lkup
Allowed values	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
Allow multiple values	No
Occurrence	0-1 per client
XML example	<HaveGunId>3</HaveGunId>

Element name: [FUSafetyInfoList](#)

Field	Description
<b>Definition</b>	Staff selection in the Infant Safety Follow Up table indicating categories of infant-safety related information/education (safe sleep, car seat safety, and/or tobacco exposure) that were provided to the client, if any. (F6.11)
<b>Required field</b>	No
<b>Lookup table if available</b>	ChildSafetyInfo_Lkup
<b>Allowed values</b>	1 = Safe sleep positions 2 = Car seat safety (installation, placement in car, rear facing, checking weight and height limits) 3 = Lead poisoning 4 = Effects of tobacco exposure 5 = Gun Safety
<b>Allow multiple values</b>	Yes
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUSafetyInfoList> <FUSafetyInfo> <ChildSafetyInfo>1</ChildSafetyInfo> </FUSafetyInfo> </FUSafetyInfoList>

Element name: [FUSafetyInfoDate](#)

Field	Description
<b>Definition</b>	Date on which the client was provided the information/education on the selected categories of child safety. (F6.11)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Date with a format of mm/dd/yyyy
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUSafetyInfoDate>10/5/2016</FUSafetyInfoDate>

Element name: [FUSafetyProvidedList](#)

Field	Description
<b>Definition</b>	Staff selection indicating if safety related items or services (car seat and/or crib and/or lead testing) were provided to the client. (F6.11)
<b>Required field</b>	No
<b>Lookup table if available</b>	ParentingSafetyProvided_Lkup
<b>Allowed values</b>	1 = Crib 2 = Car seat 3 = Lead Testing
<b>Allow multiple values</b>	Yes
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUSafetyProvidedList> <FUSafetyProvided> <ParentingSafetyProvidedId>2</ParentingSafetyProvidedId> </FUSafetyProvided> </FUSafetyProvidedList>

Element name: [FUSafetyProvidedDate](#)

Field	Description
<b>Definition</b>	Date on which the client was provided with the selected safety services. (F6.11)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Date with a format of mm/dd/yyyy
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUSafetyProvidedDate>10/5/2016</FUSafetyProvidedDate>

Element name: [FUSafetyReferredList](#)

Field	Description
<b>Definition</b>	Staff selections indicating referrals provided to the client for child safety services. (F6.11)
<b>Required field</b>	No
<b>Lookup table if available</b>	SafetyReferred_Lkup
<b>Allowed values</b>	1 = Crib 2 = Crib assembly 3 = Car seat 4 = Car seat installation 5 = Car seat installment education
<b>Allow multiple values</b>	Yes
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUSafetyReferredList> <FUSafetyReferred> <SafetyReferredId>1</SafetyReferredId> </FUSafetyReferred> </FUSafetyReferredList>

Element name: [FUSafetyReferredOrg](#)

Field	Description
<b>Definition</b>	Entry specifying the name of the local organization providing services. (F6.11)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Text string that allows a maximum of 250 characters
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUSafetyReferredOrg>a</FUSafetyReferredOrg>

Element name: [FULeadTesting](#)

Field	Description
<b>Definition</b>	Entry specifying the primary care provider for lead testing. (F6.11)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Text string that allows a maximum of 250 characters
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FULeadTesting>a</FULeadTesting>



Element name: [FUSafetyReferredDate](#)

Field	Description
<b>Definition</b>	Date on which the client received lead testing services. (F6.11)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Date with a format of mm/dd/yyyy
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUSafetyReferredDate>10/5/2016</FUSafetyReferredDate>

Element name: [FUBabyCareInfoList](#)

Field	Description
<b>Definition</b>	Staff selection on whether client was provided information/education about child insurance and access to care. (F.6.15.1)
<b>Required field</b>	No
<b>Lookup table if available</b>	BabyCareInfo_Lkup
<b>Allowed values</b>	1 = Importance of regular visits to primary care provider 2 = Importance of receiving vaccines on schedule 3 = Medicaid eligibility
<b>Allow multiple values</b>	Yes
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUBabyCareInfoList> <FUBabyCareInfo> <BabyCareInfofold>3</BabyCareInfofold> </FUBabyCareInfo> </FUBabyCareInfoList>

Element name: [FUBabyCareInfoDate](#)

Field	Description
<b>Definition</b>	Date on which client was provided the selected information/education about child insurance and access to care. (F.6.15.1)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Date with a format of mm/dd/yyyy
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUBabyCareInfoDate>10/5/2016</FUBabyCareInfoDate>

Element name: [FUBabyCareProvided](#)

Field	Description
<b>Definition</b>	Staff selection on whether client is enrolled in Medicaid. (F.6.15.1)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	true, false OR 1, 0
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUBabyCareProvided>true</FUBabyCareProvided>

Element name: [FUBabyCareProvidedDate](#)

Field	Description
<b>Definition</b>	Date on which the client was enrolled in Medicaid. (F.6.15.1)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Date with a format of mm/dd/yyyy
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUBabyCareProvidedDate>10/5/2016</FUBabyCareProvidedDate>

Element name: [FUBabyCareVaccineList](#)

Field	Description
<b>Definition</b>	Staff selection on what vaccines were provided to the client. (F.6.15.1)
<b>Required field</b>	No
<b>Lookup table if available</b>	BabyCareVaccine_Lkup
<b>Allowed values</b>	1 = Hepatitis B 2 = Diphtheria, Tetanus, Pertussis (DTaP) 3 = Haemophilus influenza Type B (Hib) 4 = Pneumococcal 5 = Inactivated Poliovirus (IPV) 6 = Influenza (Flu) 7 = Measles, Mumps, Rubella (MMR) 8 = Varicella 9 = Hepatitis A
<b>Allow multiple values</b>	Yes
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUBabyCareVaccineList> <FUBabyCareVaccine> <BabyCareVaccineId>7</BabyCareVaccineId> </FUBabyCareVaccine> </FUBabyCareVaccineList>

Element name: [FUBabyCareVaccineDate](#)

Field	Description
<b>Definition</b>	Date on which the client was provided the selected vaccines. (F.6.15.1)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Date with a format of mm/dd/yyyy
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUBabyCareVaccineDate>10/5/2016</FUBabyCareVaccineDate>

Element name: [FUBabyCareReferredList](#)

Field	Description
<b>Definition</b>	Staff selections indicating referrals provided to the client for child insurance and access to care. (F.6.15.1)
<b>Required field</b>	No
<b>Lookup table if available</b>	BabyCareReferred_Lkup
<b>Allowed values</b>	1 = Medicaid enrollment 2 = Primary Care Provider 3 = Pediatrician
<b>Allow multiple values</b>	Yes
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUBabyCareReferredList> <FUBabyCareReferred> <BabyCareReferredId>3</BabyCareReferredId> </FUBabyCareReferred> </FUBabyCareReferredList>

Element name: [FUBabyCareReferredDate](#)

Field	Description
<b>Definition</b>	Date on which specified referrals were made. (F.6.15.1)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Date with a format of mm/dd/yyyy
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUBabyCareReferredDate>10/5/2016</FUBabyCareReferredDate>

Element name: [PregnantNowId](#)

Field	Description
<b>Definition</b>	Client's answer to the question "Are you pregnant now?" (F6.16)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<PregnantNowId>2</PregnantNowId>

Element name: [PlanHaveChildrenId](#)

Field	Description
<b>Definition</b>	Client's answer to the question "Do you plan to have any more children?" (F6.17)
<b>Required field</b>	No
<b>Lookup table if available</b>	PlanHaveChildren_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Unable to get pregnant 4 = Don't know 5 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<PlanHaveChildrenId>5</PlanHaveChildrenId>

Element name: [PlanHaveChildrenCount](#)

Field	Description
<b>Definition</b>	Client's answer to the question "How many children would you like to have?" (F6.17.1)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	An integer with value between 1-20
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<PlanHaveChildrenCount>2</PlanHaveChildrenCount>

Element name: [PlanHaveChildrenDDId](#)

Field	Description
<b>Definition</b>	Client's answer to the question "how many children would you like to have?" if the answer is "don't know" or "declined" (F6.17.1)
<b>Required field</b>	No
<b>Lookup table if available</b>	DontknowRefused_Lkup
<b>Allowed values</b>	1 = Don't Know 2 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<PlanHaveChildrenDDId>2</PlanHaveChildrenDDId>

Element name: [LikePregnantNextYearId](#)

Field	Description
<b>Definition</b>	Client's answer to the question "Would you like become pregnant in the next 12 months?" (F6.17.2)
<b>Required field</b>	No
<b>Lookup table if available</b>	LikePregnantYesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = I am ok either way 4 = Don't know 5 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<LikePregnantNextYearId>2</LikePregnantNextYearId>

Element name: [WaitTimePregnantId](#)

Field	Description
<b>Definition</b>	Client's answer to the question "How long would you like to wait until you become pregnant?" (F6.17.3)
<b>Required field</b>	No
<b>Lookup table if available</b>	WaitTimePregnant_Lkup
<b>Allowed values</b>	1 = 1 year - 17 months 2 = 18 months to 2 years 3 = More than 2 years 4 = Don't know 5 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<WaitTimePregnantId>1</WaitTimePregnantId>

Element name: [UseBirthControlsId](#)

Field	Description
<b>Definition</b>	Client's answer to the question "Are you currently using any form of contraception or birth control to either prevent pregnancy or prevent sexually transmitted infections?" (F6.18)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNoDeclined_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<UseBirthControlsId>1</UseBirthControlsId>

Element name: [SatisfiedBirthControlId](#)

Field	Description
<b>Definition</b>	Client's answer to the question "Are you satisfied with your birth control method?" (F6.18.1)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<SatisfiedBirthControlId>3</SatisfiedBirthControlId>

Element name: [FUBirthControlInfo](#)

Field	Description
<b>Definition</b>	Staff selection on whether the client was provided information/education about birth control of family planning/birth spacing as part of the follow up to the Reproductive Life Planning section of the tool. (F6.18.1)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	true, false OR 1, 0
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUBirthControlInfo>>true</FUBirthControlInfo>

Element name: [FUBirthControlInfoDate](#)

Field	Description
<b>Definition</b>	Date on which the client was provided information/education about birth control of family planning/birth spacing.(F6.18.1)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Date with a format of mm/dd/yyyy
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUBirthControlInfoDate>10/5/2016</FUBirthControlInfoDate>

Element name: [FUBirthControlProvidedList](#)

Field	Description
<b>Definition</b>	FU birth control provided. (F6.18.1)
<b>Required field</b>	No
<b>Lookup table if available</b>	BirthControlProvided_Lkup
<b>Allowed values</b>	1 = Provided counseling about family planning 2 = Provided birth control
<b>Allow multiple values</b>	Yes
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUBirthControlProvidedList> <FUBirthControlProvided> <BirthControlProvidedId>1</BirthControlProvidedId> </FUBirthControlProvided> </FUBirthControlProvidedList>

Element name: [FUBirthControlProvidedDate](#)

Field	Description
<b>Definition</b>	FU birth control provided date. (F6.18.1)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Date with a format of mm/dd/yyyy
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUBirthControlProvidedDate>10/5/2016</FUBirthControlProvidedDate> >

Element name: [FUBirthControlReferredId](#)

Field	Description
<b>Definition</b>	Staff selection indicating the type of referral the client was given related to birth control. (F6.18.1)
<b>Required field</b>	No
<b>Lookup table if available</b>	BirthControlReferred_Lkup
<b>Allowed values</b>	1= Primary Care Provider 2 = Planned Parenthood 3 = Other
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUBirthControlReferredId>1</FUBirthControlReferredId>

Element name: [FUOtherBirthControl](#)

Field	Description
<b>Definition</b>	Staff entry to specify the type of "Other" referral if "Other" was selected as a referral type for birth control or family planning/birth spacing. (F6.18.1)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Text string that allows a maximum of 250 characters
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUOtherBirthControl>Family Planning Ohio</FUOtherBirthControl>

Element name: [FUBirthControlReferredDate](#)

Field	Description
<b>Definition</b>	Date on which the referral for birth control was given, if any. (F6.18.1)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Date with a format of mm/dd/yyyy
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUBirthControlReferredDate>10/5/2016</FUBirthControlReferredDate> >



Element name: [MaritalStatusId](#)

Field	Description
<b>Definition</b>	Client's answer to the question "Are you currently married or living with a partner, separated, divorced, widowed, or were you never married?" (F6.19)
<b>Required field</b>	No
<b>Lookup table if available</b>	MaritalStatus_Lkup
<b>Allowed values</b>	1 = Married or living with partner 2 = Separated 3 = Divorced 4 = Widowed 5 = Never married 6 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<maritalstatusId>3</maritalstatusId>

Element name: [EmploymentStatusId](#)

Field	Description
<b>Definition</b>	Client's answer to the question "Are you currently..." in reference to multiple employment statuses provided (F6.20)
<b>Required field</b>	No
<b>Lookup table if available</b>	EmploymentStatus_Lkup
<b>Allowed values</b>	1 = Employed for wages 2 = Self-employed 3 = Out of work for 1 year or more 4 = Out of work for less than 1 year 5 = A Homemaker 6 = A Student 7 = Retired 8 = Unable to work 9 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<EmploymentStatusId>7</EmploymentStatusId>

Element name: [HouseholdIncomeId](#)

Field	Description
<b>Definition</b>	Client's answer to the question "What is your yearly total household income before taxes? Include your income, your husband's or partner's income, and any other income you may have received. All information will be kept private and will not affect any ser
<b>Required field</b>	No
<b>Lookup table if available</b>	HouseholdIncome_Lkup
<b>Allowed values</b>	1 = Less than \$10,000 2 = \$10,000 to less than \$15,000 3 = \$15,000 to less than \$20,000 4 = \$20,000 to less than \$25,000 5 = \$25,000 to less than \$35,000 6 = \$35,000 to less than \$50,000 7 = \$50,000 or more 8 = Don't know 9 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<HouseholdIncomeId>3</HouseholdIncomeId>

Element name: [NumAdultsSupported](#)

Field	Description
<b>Definition</b>	Client's answer to the question: "How many people are supported by this income?" for adults age 18 or older. (F6.22)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	An integer with value between 0-99
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<NumAdultsSupported>0</NumAdultsSupported>

Element name: [NumChildrenSupported](#)

Field	Description
<b>Definition</b>	Client's answer to the question: "How many people are supported by this income?" for children age 17 or under. (F6.22)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	An integer with value between 0-99
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<NumChildrenSupported>0</NumChildrenSupported>

Element name: [IncomeSupportedDRId](#)

Field	Description
<b>Definition</b>	For clients who answered "Don't Know or Declined to Answer" in response to "How many people are supported by this income?" (F6.22)
<b>Required field</b>	No
<b>Lookup table if available</b>	DontknowRefused_Lkup
<b>Allowed values</b>	1 = Don't Know 2 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<IncomeSupportedDRId>2</IncomeSupportedDRId>

Element name: [FoodAffordabilityId](#)

Field	Description
<b>Definition</b>	Client's answer to the question "The next question is about whether you were able to afford the food you need. Which of these statements best describes the food situation in your household IN THE PAST 12 MONTHS?" (F6.23)
<b>Required field</b>	No
<b>Lookup table if available</b>	FoodAffordability_Lkup
<b>Allowed values</b>	1 = We could always afford to eat good nutritious meals 2 = We could always afford enough to eat but not always the kinds of food we should eat 3 = Sometimes we could not afford enough to eat 4 = Often we could not afford enough to eat 5 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FoodAffordabilityId>3</FoodAffordabilityId>

Element name: [Zipcode](#)

Field	Description
<b>Definition</b>	Client's answer to the question: "What is the Zip Code where you live?" (F6.24)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	A 5-digit integer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<Zipcode>45321</Zipcode>

Element name: [ZipcodeDRId](#)

Field	Description
<b>Definition</b>	Client's answer to the question: "What is the Zip Code where you live?" if Don't Know or Declined to Answer were selected as the response. (F6.24)
<b>Required field</b>	No
<b>Lookup table if available</b>	DontknowRefused_Lkup
<b>Allowed values</b>	1 = Don't Know 2 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<ZipcodeDRId>1</ZipcodeDRId>

Element name: [HousingStatusId](#)

Field	Description
<b>Definition</b>	Client's answer to the question "Do you own a place, rent a place, live in public housing, stay with a family member, or are you homeless?" (F6.25)
<b>Required field</b>	No
<b>Lookup table if available</b>	HousingStatus_Lkup
<b>Allowed values</b>	1 = Owns or shares own home, condominium or apartment 2 = Rents or shares own home or apartment 3 = Lives in public housing (receives rental assistance, such as Section 8) 4 = Lives with parent or family member 5 = Homeless 6 = Some other arrangement 7 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<HousingStatusId>2</HousingStatusId>

Element name: [HousingStatusOther](#)

Field	Description
<b>Definition</b>	Client response to specify "Some other arrangement" when "Some other arrangement" was selected as a response to the question "Do you own a place, rent a place, live in public housing, stay with a family member, or are you homeless?" (F6.25)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Text string that allows a maximum of 250 characters
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<HousingStatusOther>a</HousingStatusOther>

Element name: [IsRegularHomeld](#)

Field	Description
<b>Definition</b>	Client's answer to the question "Is this place a regular place to stay? By "a regular place to stay" I am referring to a house, apartment, room, or other housing where you could stay 30 days in a row or more in the same place." (F6.25.1)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<IsRegularHomeld>4</IsRegularHomeld>

Element name: [HasHousingarrangementId](#)

Field	Description
<b>Definition</b>	Client's response to the question "Do you share housing with someone, live in an emergency or transition shelter, or have some other living arrangement?" (F6.25.2)
<b>Required field</b>	No
<b>Lookup table if available</b>	HasHousingarrangement_Lkup
<b>Allowed values</b>	1 = Homeless and shares housing with someone 2 = Lives in an emergency or transition shelter 3 = Some other arrangement 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<HasHousingarrangementId>2</HasHousingarrangementId>

Element name: [HasHousingarrangementOther](#)

Field	Description
<b>Definition</b>	Client response to specify "Some other arrangement" when "Some other arrangement" was selected as a response to the question "Do you share housing with someone, live in an emergency or transition shelter, or have some other living arrangement?" (F6.25.2)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Text string that allows a maximum of 250 characters
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<HasHousingarrangementOther>a</HasHousingarrangementOther>

Element name: [HasHousingConcernId](#)

Field	Description
<b>Definition</b>	Client's answer to the question: "Do you have any housing concerns?" (F6.26)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<HasHousingConcernId>4</HasHousingConcernId>

Element name: [ConcernHousingList](#)

Field	Description
<b>Definition</b>	Client's answer to the question: "What issues concern you about your housing situation?" (F6.26.1)
<b>Required field</b>	No
<b>Lookup table if available</b>	ConcernHousingSituation_Lkup
<b>Allowed values</b>	1 = Received an eviction notice 2 = Non-payment of rent or past due rent 3 = Unable to pay future rent because lost housing subsidy, job, or other income source 4 = Non-payment of utilities or utility shut-off 5 = Housekeeping concerns (failure to maintain cleanliness of the unit) 6 = Housing is or will be condemned 7 = Friend or family member being evicted or threatened with eviction 8 = Threat of abuse by partner, family member, or other 9 = Being discharged or service is being terminated 10 = Personal conflict with others 11 = Other health or safety concerns 12 = Other lease violation(s) 13 = Other 14 = Don't know 15 = Declined to answer
<b>Allow multiple values</b>	Yes
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<ConcernHousingList> <ConcernHousing> <ConcernHousingSituationId>8</ConcernHousingSituationId> </ConcernHousing> </ConcernHousingList>

Element name: [OtherLeaseViolation](#)

Field	Description
<b>Definition</b>	Client response to specify "Other lease violation(s)" when "Other lease violation(s)" was selected as a response to the question "What issues concern you about your housing situation?" (F6.26.1)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Text string that allows a maximum of 250 characters
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<OtherLeaseViolation>have unauthorized pet</OtherLeaseViolation>

Element name: [OtherHousingConcern](#)

Field	Description
<b>Definition</b>	Client response to specify "Other" when "Other" was selected as a response to the question "What issues concern you about your housing situation?" (F6.26.1)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Text string that allows a maximum of 250 characters
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<OtherHousingConcern>a</OtherHousingConcern>

Element name: [ServiceChildcareVoucherId](#)

Field	Description
<b>Definition</b>	Response selected by the client in the table of services for the service "Childcare voucher." (F6.27)
<b>Required field</b>	No
<b>Lookup table if available</b>	ServiceStatus_Lkup
<b>Allowed values</b>	1 = Receiving 2 = Have applied for 3 = Need 4 = Not applicable 5 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<ServiceChildcareVoucherId>3</ServiceChildcareVoucherId>

Element name: [ServiceElderlyDisableChildrenId](#)

Field	Description
<b>Definition</b>	Response selected by the client in the table of services for the service "Emergency Aid to the Elderly, Disabled, and Children (EAEDC)." (F6.27)
<b>Required field</b>	No
<b>Lookup table if available</b>	ServiceStatus_Lkup
<b>Allowed values</b>	1 = Receiving 2 = Have applied for 3 = Need 4 = Not applicable 5 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<ServiceElderlyDisableChildrenId>1</ServiceElderlyDisableChildrenId>

Element name: [ServiceFoodStampsId](#)

Field	Description
<b>Definition</b>	Response selected by the client in the table of services for the service "Food stamps/SNAP." (F6.27)
<b>Required field</b>	No
<b>Lookup table if available</b>	ServiceStatus_Lkup
<b>Allowed values</b>	1 = Receiving 2 = Have applied for 3 = Need 4 = Not applicable 5 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<ServiceFoodStampsId>3</ServiceFoodStampsId>

Element name: [ServiceHeatingAssistanceId](#)

Field	Description
<b>Definition</b>	Response selected by the client in the table of services for the service "Heating assistance." (F6.27)
<b>Required field</b>	No
<b>Lookup table if available</b>	ServiceStatus_Lkup
<b>Allowed values</b>	1 = Receiving 2 = Have applied for 3 = Need 4 = Not applicable 5 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<ServiceHeatingAssistanceId>1</ServiceHeatingAssistanceId>



Element name: [ServiceImmigrationId](#)

Field	Description
<b>Definition</b>	Response selected by the client in the table of services for the service "Immigration services." (F6.27)
<b>Required field</b>	No
<b>Lookup table if available</b>	ServiceStatus_Lkup
<b>Allowed values</b>	1 = Receiving 2 = Have applied for 3 = Need 4 = Not applicable 5 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<ServiceImmigrationId>4</ServiceImmigrationId>

Element name: [ServiceLegalId](#)

Field	Description
<b>Definition</b>	Response selected by the client in the table of services for the service "Legal Services." (F6.27)
<b>Required field</b>	No
<b>Lookup table if available</b>	ServiceStatus_Lkup
<b>Allowed values</b>	1 = Receiving 2 = Have applied for 3 = Need 4 = Not applicable 5 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<ServiceLegalId>2</ServiceLegalId>

Element name: [ServicePublicHousingId](#)

Field	Description
<b>Definition</b>	Response selected by the client in the table of services for the service "Public housing." (F6.27)
<b>Required field</b>	No
<b>Lookup table if available</b>	ServiceStatus_Lkup
<b>Allowed values</b>	1 = Receiving 2 = Have applied for 3 = Need 4 = Not applicable 5 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<ServicePublicHousingId>4</ServicePublicHousingId>

Element name: [ServiceSection8VoucherId](#)

Field	Description
<b>Definition</b>	Response selected by the client in the table of services for the service "Section 8 voucher." (F6.27)
<b>Required field</b>	No
<b>Lookup table if available</b>	ServiceStatus_Lkup
<b>Allowed values</b>	1 = Receiving 2 = Have applied for 3 = Need 4 = Not applicable 5 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<ServiceSection8VoucherId>2</ServiceSection8VoucherId>

Element name: [ServiceSSDIId](#)

Field	Description
<b>Definition</b>	Response selected by the client in the table of services for the service "Social Security Disability Insurance (SSDI)." (F6.27)
<b>Required field</b>	No
<b>Lookup table if available</b>	ServiceStatus_Lkup
<b>Allowed values</b>	1 = Receiving 2 = Have applied for 3 = Need 4 = Not applicable 5 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<ServiceSSDIId>6</ServiceSSDIId>

Element name: [ServiceSSIId](#)

Field	Description
<b>Definition</b>	Response selected by the client in the table of services for the service "Social Security Income (SSI)." (F6.27)
<b>Required field</b>	No
<b>Lookup table if available</b>	ServiceStatus_Lkup
<b>Allowed values</b>	1 = Receiving 2 = Have applied for 3 = Need 4 = Not applicable 5 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<ServiceSSIId>5</ServiceSSIId>

Element name: [ServiceTAFDCId](#)

Field	Description
<b>Definition</b>	Response selected by the client in the table of services for the service "Transitional Aid to Families with Dependent Children (TAFDC)." (F6.27)
<b>Required field</b>	No
<b>Lookup table if available</b>	ServiceStatus_Lkup
<b>Allowed values</b>	1 = Receiving 2 = Have applied for 3 = Need 4 = Not applicable 5 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<ServiceTAFDCId>2</ServiceTAFDCId>

Element name: [ServiceTANFId](#)

Field	Description
<b>Definition</b>	Response selected by the client in the table of services for the service "Temporary Aid to Needy Families (TANF)." (F6.27)
<b>Required field</b>	No
<b>Lookup table if available</b>	ServiceStatus_Lkup
<b>Allowed values</b>	1 = Receiving 2 = Have applied for 3 = Need 4 = Not applicable 5 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<ServiceTANFId>4</ServiceTANFId>

Element name: [ServiceTribalHousingId](#)

Field	Description
<b>Definition</b>	Response selected by the client in the table of services for the service "Tribal housing." (F6.27)
<b>Required field</b>	No
<b>Lookup table if available</b>	ServiceStatus_Lkup
<b>Allowed values</b>	1 = Receiving 2 = Have applied for 3 = Need 4 = Not applicable 5 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<ServiceTribalHousingId>1</ServiceTribalHousingId>

Element name: [ServiceUtilityAssistanceId](#)

Field	Description
<b>Definition</b>	Response selected by the client in the table of services for the service "Utility assistance." (F6.27)
<b>Required field</b>	No
<b>Lookup table if available</b>	ServiceStatus_Lkup
<b>Allowed values</b>	1 = Receiving 2 = Have applied for 3 = Need 4 = Not applicable 5 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<ServiceUtilityAssistanceId>4</ServiceUtilityAssistanceId>

Element name: [ServiceWICId](#)

Field	Description
<b>Definition</b>	Response selected by the client in the table of services for the service "Nutritional supplementation program for Women, Infants and Children (WIC)." (F6.27)
<b>Required field</b>	No
<b>Lookup table if available</b>	ServiceStatus_Lkup
<b>Allowed values</b>	1 = Receiving 2 = Have applied for 3 = Need 4 = Not applicable 5 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<ServiceWICId>6</ServiceWICId>

Element name: [ServiceOtherId](#)

Field	Description
<b>Definition</b>	Response indicated by the client in the table of services for "Other - Please specify." (F6.27)
<b>Required field</b>	No
<b>Lookup table if available</b>	ServiceStatus_Lkup
<b>Allowed values</b>	1 = Receiving 2 = Have applied for 3 = Need 4 = Not applicable 5 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<ServiceOtherId>1</ServiceOtherId>

Element name: [ServiceOtherSpecifying](#)

Field	Description
<b>Definition</b>	Response indicated by the client in the table of services for "Other - Please specify." (F6.27)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Text string that allows a maximum of 250 characters
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<ServiceOtherSpecifying>string</ServiceOtherSpecifying>

Element name: [HasOpenCaseChildProtectiveServicesId](#)

Field	Description
<b>Definition</b>	Client's response to the question "Do you currently have an open case with Child Protective Services?" (F6.28)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<HasOpenCaseChildProtectiveServicesId>3</HasOpenCaseChildProtectiveServicesId>

Element name: [FUServiceProvidedList](#)

Field	Description
<b>Definition</b>	Staff selection indicating which listed services the client was given information and/or education about. (Question 27, Follow Up table, Column 1).
<b>Required field</b>	No
<b>Lookup table if available</b>	ServiceType_Lkup
<b>Allowed values</b>	1 = Childcare voucher 2 = Emergency Aid to the Elderly, Disabled, and Children (EAEDC) 3 = Food stamps/SNAP 4 = Heating assistance 5 = Immigration services 6 = Legal services 7 = Public housing 8 = Section 8 Voucher 9 = Social Security Disability Insurance (SSDI) 10 = Social Security Income (SSI) 11 = Transitional Aid to Families with Dependent Children (TAFDC) 12 = Temporary Assistance to Needy Families (TANF) 13 = Tribal Housing 14 = Utility Assistance 15 = Nutrition Supplemental Program for Women Infants and Children (WIC) 16 = Other
<b>Allow multiple values</b>	Yes
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<pre>&lt;FUServiceProvidedList&gt;   &lt;FUServiceProvided&gt;     &lt;ServiceTypeId&gt;11&lt;/ServiceTypeId&gt;   &lt;/FUServiceProvided&gt; &lt;/FUServiceProvidedList&gt;</pre>

Element name: [FUServiceProvidedOther](#)

Field	Description
<b>Definition</b>	Entry provided for "Please Specify" when "Other" was checked in the list of services about which information and/or education was provided (Question 27, Follow Up Table, Column 1).
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Text string that allows a maximum of 250 characters
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUServiceProvidedOther>a</FUServiceProvidedOther>

Element name: [FUServiceProvidedDate](#)

Field	Description
<b>Definition</b>	Date on which information and/or education was provided to the client for services checked in Question 27, Follow Up Table, Column 1 (Date Field).
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Date with a format of mm/dd/yyyy
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUServiceProvidedDate>10/5/2016</FUServiceProvidedDate>

Element name: [FUServiceReferralList](#)

Field	Description
<b>Definition</b>	Staff selection indicating which listed services the client was given a referral for. (Question 27, Follow Up table, Column 2).
<b>Required field</b>	No
<b>Lookup table if available</b>	ServiceType_Lkup
<b>Allowed values</b>	1 = Childcare voucher 2 = Emergency Aid to the Elderly, Disabled, and Children (EAEDC) 3 = Food stamps/SNAP 4 = Heating assistance 5 = Immigration services 6 = Legal services 7 = Public housing 8 = Section 8 Voucher 9 = Social Security Disability Insurance (SSDI) 10 = Social Security Income (SSI) 11 = Transitional Aid to Families with Dependent Children (TAFDC) 12 = Temporary Assistance to Needy Families (TANF) 13 = Tribal Housing 14 = Utility Assistance 15 = Nutrition Supplemental Program for Women Infants and Children (WIC) 16 = Other
<b>Allow multiple values</b>	Yes
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<pre>           &lt;FUServiceReferralList&gt;             &lt;FUServiceReferral&gt;               &lt;ServiceTypeId&gt;8&lt;/ServiceTypeId&gt;             &lt;/FUServiceReferral&gt;           &lt;/FUServiceReferralList&gt;         </pre>

Element name: [FUServiceReferralOther](#)

Field	Description
<b>Definition</b>	Entry provided for "Please Specify" when "Other" was checked in the list of services about which referral was provided (Question 27, Follow Up Table, Column 2).
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Text string that allows a maximum of 250 characters
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUServiceReferralOther>a</FUServiceReferralOther>

Element name: [FUServiceReferralDate](#)

Field	Description
<b>Definition</b>	Date on which a referral was given to the client for services checked in Question 27, Follow Up Table, Column 2 (Date Field).
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Date with a format of mm/dd/yyyy
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUServiceReferralDate>10/5/2016</FUServiceReferralDate>

Element name: [NeighborsHelpId](#)

Field	Description
<b>Definition</b>	Client's selection indicating degree of agreement with statement, "People in this neighborhood or community help each other out." (F6.29.1)
<b>Required field</b>	No
<b>Lookup table if available</b>	Consensus_Lkup
<b>Allowed values</b>	1 = Agree 2 = Disagree 3 = Don't know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<NeighborsHelpId>1</NeighborsHelpId>



Element name: [NeighborsWatchChildrenId](#)

Field	Description
<b>Definition</b>	Client's selection indicating degree of agreement with statement "We watch out for each other's children in this neighborhood or community." (F6.29.2)
<b>Required field</b>	No
<b>Lookup table if available</b>	Consensus_Lkup
<b>Allowed values</b>	1 = Agree 2 = Disagree 3 = Don't know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<NeighborsWatchChildrenId>4</NeighborsWatchChildrenId>

Element name: [NeighborsAccountableId](#)

Field	Description
<b>Definition</b>	Client's selection indicating degree of agreement with statement "if my child was outside playing and got hurt, there are adults nearby who I trust to help." (F6.29.3)
<b>Required field</b>	No
<b>Lookup table if available</b>	Consensus_Lkup
<b>Allowed values</b>	1 = Agree 2 = Disagree 3 = Don't know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<NeighborsAccountableId>2</NeighborsAccountableId>

Element name: [ChildOutsideComfortableId](#)

Field	Description
<b>Definition</b>	Client's selection indicating degree of agreement with statement "I feel comfortable letting my child play outside alone." (F6.29.4)
<b>Required field</b>	No
<b>Lookup table if available</b>	Consensus_Lkup
<b>Allowed values</b>	1 = Agree 2 = Disagree 3 = Don't know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<ChildOutsideComfortableId>4</ChildOutsideComfortableId>

Element name: [CommunityFeelSafeld](#)

Field	Description
<b>Definition</b>	Client's answer to the question: "How often do you feel safe in your community or neighborhood?" (F6.30)
<b>Required field</b>	No
<b>Lookup table if available</b>	FrequencyNsua_Lkup
<b>Allowed values</b>	1 = Never 2 = Sometimes 3 = Usually 4 = Always 5 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<CommunityFeelSafeld>5</CommunityFeelSafeld>

Element name: [ParticipateCommunityActivitiesId](#)

Field	Description
<b>Definition</b>	Client's answer to the question: "How often do you participate in school, community, or neighborhood activities?"(F6.31)
<b>Required field</b>	No
<b>Lookup table if available</b>	FrequencyDwmln_Lkup
<b>Allowed values</b>	1 = Daily 2 = Weekly 3 = Monthly 4 = A few times a year 5 = Less than once a year 6 = Never 7 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<ParticipateCommunityActivitiesId>4</ParticipateCommunityActivitiesId >

Element name: [NeighborsGatheringId](#)

Field	Description
<b>Definition</b>	Client's answer to the question: "How often do you get together or talk with family, friends, or neighbors?" (F6.32)
<b>Required field</b>	No
<b>Lookup table if available</b>	FrequencyDwmln_Lkup
<b>Allowed values</b>	1 = Daily 2 = Weekly 3 = Monthly 4 = A few times a year 5 = Less than once a year 6 = Never 7 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<NeighborsGatheringId>7</NeighborsGatheringId>

Element name: [HaveHealthProfessionalId](#)

Field	Description
<b>Definition</b>	Client's answer to the question: "Do you have one or more persons you think of as your personal doctor or nurse?" (F6.33)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNoPerson_Lkup
<b>Allowed values</b>	1 = Yes, one person 2 = Yes, more than one person 3 = No 4 = Don't know 5 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<HaveHealthProfessionalId>3</HaveHealthProfessionalId>

Element name: [HaveSickCarePlaceld](#)

Field	Description
<b>Definition</b>	Client's answer to the question: "Is there a place that you usually go when you are sick or need advice about your health?" (F6.34)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNoPlace_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = There is more than one place 4 = Don't know 5 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<HaveSickCarePlaceld>1</HaveSickCarePlaceld>

Element name: [SickCarePlaceld](#)

Field	Description
<b>Definition</b>	Client's answer to the question: "What kind of place do you go to most often when you are sick or need advice about your health?" (F6.34.1)
<b>Required field</b>	No
<b>Lookup table if available</b>	HealthCareFacility_Lkup
<b>Allowed values</b>	1 = Doctor's Office 2 = Hospital Emergency Room 3 = Hospital Outpatient Department 4 = Clinic or Health Center 5 = Retail Store Clinic or Minute Clinic 6 = School (Nurse's Office, Athletic Trainer's Office) 7 = Some other place 8 = Don't know 9 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<SickCarePlaceld>1</SickCarePlaceld>

Element name: [HealthInsuranceTypesList](#)

Field	Description
<b>Definition</b>	Client's answer to the question: "Please tell me what kind of health insurance you have." (F6.35)
<b>Required field</b>	No
<b>Lookup table if available</b>	HealthInsuranceTypes_Lkup
<b>Allowed values</b>	1 = Private insurance through my job, or the job of my husband, partner or parents 2 = Insurance purchased directly from an insurance company 3 = Medicaid, Medical Assistance, or any kind of government assistance plan for those with low incomes or a disability 4 = TRICARE or other military health care 5 = Indian Health Service 6 = Other 7 = No insurance 8 = Don't know 9 = Declined to answer
<b>Allow multiple values</b>	Yes
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<pre>&lt;HealthInsuranceTypesList&gt;   &lt;HealthInsuranceTypes&gt;     &lt;HealthInsuranceTypesId&gt;6&lt;/HealthInsuranceTypesId&gt;   &lt;/HealthInsuranceTypes&gt; &lt;/HealthInsuranceTypesList&gt;</pre>

Element name: [HealthInsuranceTypesOther](#)

Field	Description
<b>Definition</b>	Detail provided by client when "Other" is selected as a type of insurance. (F6.35)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Text string that allows a maximum of 250 characters
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<pre>&lt;HealthInsuranceTypesOther&gt;a&lt;/HealthInsuranceTypesOther&gt;</pre>

Element name: [HavePreventiveCareLast12MonthsId](#)

Field	Description
<b>Definition</b>	Client's answer to the question: "During the past 12 months, did you see a doctor, nurse, or other health care worker for preventive medical care, such as a physical or well visit checkup?" (F6.36)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<HavePreventiveCareLast12MonthsId>3</HavePreventiveCareLast12MonthsId>

Element name: [FUMedicalInfoList](#)

Field	Description
<b>Definition</b>	Staff selection indicating whether client was provided information/education about importance of regular care and medical access as part of the follow up to the Medical Home and Access to Care section of the tool. (F6.36)
<b>Required field</b>	No
<b>Lookup table if available</b>	PreventativeCareInfo_Lkup
<b>Allowed values</b>	1 = Importance of regular preventative care 2 = Importance of having a regular provider/medical home 3 = Medicaid eligibility 4 = Birth spacing
<b>Allow multiple values</b>	Yes
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUMedicalInfoList> <FUMedicalInfo> <PreventativeCareInfo>1</PreventativeCareInfo> </FUMedicalInfo> </FUMedicalInfoList>

Element name: [FUMedicalInfoDate](#)

Field	Description
Definition	Date on which client was provided the selected information/education about importance of regular care and medical access. (F6.36)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<FUMedicalInfoDate>10/5/2016</FUMedicalInfoDate>

Element name: [FUMedicalProvided](#)

Field	Description
Definition	Staff selection indicating whether client is enrolled in Medicaid. (F6.36)
Required field	No
Lookup table if available	N/A
Allowed values	true, false OR 1, 0
Allow multiple values	No
Occurrence	0-1 per client
XML example	<FUMedicalProvided>>true</FUMedicalProvided>

Element name: [FUMedicalProvidedDate](#)

Field	Description
Definition	Date on which client was enrolled in Medicaid. (F6.36)
Required field	No
Lookup table if available	N/A
Allowed values	Date with a format of mm/dd/yyyy
Allow multiple values	No
Occurrence	0-1 per client
XML example	<FUMedicalProvidedDate>10/5/2016</FUMedicalProvidedDate>

Element name: [FUMedicalReferredList](#)

Field	Description
<b>Definition</b>	Staff selection indicating referrals provided to the client for Medicaid enrollment, OB/GYN provider, or Primary Care Provider. (F6.36)
<b>Required field</b>	No
<b>Lookup table if available</b>	MedicalReferred_Lkup
<b>Allowed values</b>	1 = Medicaid enrollment 2 = OB/GYN provider 3 = Primary Care Provider
<b>Allow multiple values</b>	Yes
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUMedicalReferredList> <FUMedicalReferred> <MedicalReferredId>1</MedicalReferredId> </FUMedicalReferred> </FUMedicalReferredList>

Element name: [FUMedicalReferredDate](#)

Field	Description
<b>Definition</b>	Date on which specified referrals were made. (F6.36)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Date with a format of mm/dd/yyyy
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUMedicalReferredDate>10/5/2016</FUMedicalReferredDate>

Element name: [PhysicalHealthStatusId](#)

Field	Description
<b>Definition</b>	Client's answer to the question: "In general, would you say that your overall health is excellent, very good, good, fair, or poor?" (F6.37)
<b>Required field</b>	No
<b>Lookup table if available</b>	HealthStatus_Lkup
<b>Allowed values</b>	1 = Excellent 2 = Very good 3 = Good 4 = Fair 5 = Poor 6 = Don't know 7 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<PhysicalHealthStatusId>7</PhysicalHealthStatusId>



Element name: [MentalHealthStatusId](#)

Field	Description
<b>Definition</b>	Client's answer to the question: "In general, would you say that your mental and emotional health is excellent, very good, good, fair, or poor?" (F6.38)
<b>Required field</b>	No
<b>Lookup table if available</b>	HealthStatus_Lkup
<b>Allowed values</b>	1 = Excellent 2 = Very good 3 = Good 4 = Fair 5 = Poor 6 = Don't know 7 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<MentalHealthStatusId>5</MentalHealthStatusId>

Element name: [HeightFeetMeasure](#)

Field	Description
<b>Definition</b>	Client's answer to the question: "How tall are you without shoes?" (Value provided for feet) (F6.39.1)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	An integer with value between 1-9
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<HeightFeetMeasure>5</HeightFeetMeasure>

Element name: [HeightInchesMeasure](#)

Field	Description
<b>Definition</b>	Client's answer to the question: "How tall are you without shoes?" (Value provided for inches) (F6.39.1)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	An integer with value between 0-99
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<HeightInchesMeasure>4</HeightInchesMeasure>

Element name: [HeightFeetInchesMeasureDRId](#)

Field	Description
<b>Definition</b>	When the client selected either "Don't Know" or "Declined to Answer" in response to Question 39.1, the value in this field indicates which of those responses (Don't Know or Declined to Answer) was selected. (F6.39.1)
<b>Required field</b>	No
<b>Lookup table if available</b>	DontknowRefused_Lkup
<b>Allowed values</b>	1 = Don't Know 2 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<HeightFeetInchesMeasureDRId>1</HeightFeetInchesMeasureDRId>

Element name: [WeightMeasureNow](#)

Field	Description
<b>Definition</b>	Client's answer to the question: "How much do you weigh?" (F6.39.2)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	A decimal value from 0-999.99
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<WeightMeasureNow>135</WeightMeasureNow>

Element name: [WeightMeasureNowDRId](#)

Field	Description
<b>Definition</b>	When the client selected either "Don't Know" or "Declined to Answer" in response to Question 36.2, the value in this field indicates which of those responses (Don't Know or Declined to Answer) was selected. (F6.39.2)
<b>Required field</b>	No
<b>Lookup table if available</b>	DontknowRefused_Lkup
<b>Allowed values</b>	1 = Don't Know 2 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<WeightMeasureNowDRId>1</WeightMeasureNowDRId>

Element name: [postpartumcheckupId](#)

Field	Description
<b>Definition</b>	Client's response to the question "Did you have a postpartum checkup after your child was born?" (F6.40)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNoDeclined_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Declined To Answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<postpartumcheckupId>1</postpartumcheckupId>

Element name: [postpartumweeks](#)

Field	Description
<b>Definition</b>	Client's response to the question "Approximately how many weeks postpartum did you have your postpartum checkup?" (F6.40.1)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	An integer with value between 0-99
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<postpartumweeks>0</postpartumweeks>

Element name: [DetectedAsthmaId](#)

Field	Description
<b>Definition</b>	In response to the question "Has a healthcare provider ever told you that you have any of the following medical conditions?" this field indicates the response selected by the client for "asthma." (F6.41)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<DetectedAsthmaId>4</DetectedAsthmaId>

Element name: [HaveAsthmaId](#)

Field	Description
<b>Definition</b>	Client's answer to the question: "Is this something you have currently?" This question is asked if the client selected "Yes" for asthma. (F6.41)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<HaveAsthmaId>2</HaveAsthmaId>

Element name: [DetectedAutoimmuneDiseaseId](#)

Field	Description
<b>Definition</b>	In response to the question "Has a healthcare provider ever told you that you have any of the following medical conditions?" this field indicates the response selected by the client for "autoimmune disease." (F6.41)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<DetectedAutoimmuneDiseaseId>3</DetectedAutoimmuneDiseaseId>

Element name: [HaveAutoimmuneDiseaseId](#)

Field	Description
<b>Definition</b>	Client's answer to the question: "Is this something you have currently?" This question is asked if the client selected "Yes" for autoimmune disease. (F6.41)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<HaveAutoimmuneDiseaseId>1</HaveAutoimmuneDiseaseId>

Element name: [DetectedCancerId](#)

Field	Description
<b>Definition</b>	In response to the question "Has a healthcare provider ever told you that you have any of the following medical conditions?" this field indicates the response selected by the client for "cancer." (F6.41)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<DetectedCancerId>2</DetectedCancerId>

Element name: [HasCancerId](#)

Field	Description
<b>Definition</b>	Client's answer to the question: "Is this something you have currently?" This question is asked if the client selected "Yes" for cancer. (F6.41)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<HasCancerId>3</HasCancerId>

Element name: [DetectedCardiovascularDiseaseId](#)

Field	Description
<b>Definition</b>	In response to the question "Has a healthcare provider ever told you that you have any of the following medical conditions?" this field indicates the response selected by the client for "cardiovascular disease." (F6.41)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<DetectedCardiovascularDiseaseId>4</DetectedCardiovascularDiseaseId>

Element name: [HaveCardiovascularDiseaseId](#)

Field	Description
<b>Definition</b>	Client's answer to the question: "Is this something you have currently?" This question is asked if the client selected "Yes" for cardiovascular disease. (F6.41)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<HaveCardiovascularDiseaseId>3</HaveCardiovascularDiseaseId>

Element name: [DetectedMentalHealthConditionsId](#)

Field	Description
<b>Definition</b>	In response to the question "Has a healthcare provider ever told you that you have any of the following medical conditions?" this field indicates the response selected by the client for "depression or other mental health conditions." (F6.41)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<DetectedMentalHealthConditionsId>1</DetectedMentalHealthConditionsId>

Element name: [HaveMentalHealthConditionsId](#)

Field	Description
<b>Definition</b>	Client's answer to the question: "Is this something you have currently?" This question is asked if the client selected "Yes" for depression or other mental health conditions. (F6.41)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<HaveMentalHealthConditionsId>1</HaveMentalHealthConditionsId>

Element name: [DetectedDiabetesId](#)

Field	Description
<b>Definition</b>	In response to the question "Has a healthcare provider ever told you that you have any of the following medical conditions?" this field indicates the response selected by the client for "diabetes." (F6.41)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<DetectedDiabetesId>2</DetectedDiabetesId>

Element name: [HaveDiabetesId](#)

Field	Description
<b>Definition</b>	Client's answer to the question: "Is this something you have currently?" This question is asked if the client selected "Yes" for diabetes. (F6.41)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<HaveDiabetesId>3</HaveDiabetesId>

Element name: [DetectedGestationalDiabetesId](#)

Field	Description
<b>Definition</b>	In response to the question: "Has a healthcare provider ever told you that you have any of the following medical conditions?" this field indicates the response selected by the client for "gestational diabetes" (F6.41)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<DetectedGestationalDiabetesId>1</DetectedGestationalDiabetesId>



Element name: [HaveGestationalDiabetesId](#)

Field	Description
<b>Definition</b>	Client's answer to the question: "Is this something you have currently?" This question is asked if the client selected "Yes" for gestational diabetes (F6.41)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<HaveGestationalDiabetesId>3</HaveGestationalDiabetesId>

Element name: [DetectedEatingDisordersId](#)

Field	Description
<b>Definition</b>	In response to the question "Has a healthcare provider ever told you that you have any of the following medical conditions?" this field indicates the response selected by the client for "eating disorders." (F6.41)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<DetectedEatingDisordersId>4</DetectedEatingDisordersId>

Element name: [HaveEatingDisordersId](#)

Field	Description
<b>Definition</b>	Client's answer to the question: "Is this something you have currently?" This question is asked if the client selected "Yes" for eating disorders. (F6.41)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<HaveEatingDisordersId>3</HaveEatingDisordersId>

Element name: [DetectedHighBloodPressureId](#)

Field	Description
<b>Definition</b>	In response to the question "Has a healthcare provider ever told you that you have any of the following medical conditions?" this field indicates the response selected by the client for "high blood pressure." (F6.41)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<DetectedHighBloodPressureId>4</DetectedHighBloodPressureId>

Element name: [HaveHighBloodPressureId](#)

Field	Description
<b>Definition</b>	Client's answer to the question: "Is this something you have currently?" This question is asked if the client selected "Yes" for high blood pressure. (F6.41)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<HaveHighBloodPressureId>2</HaveHighBloodPressureId>

Element name: [DetectedAnemiaId](#)

Field	Description
<b>Definition</b>	In response to the question "Has a healthcare provider ever told you that you have any of the following medical conditions?" this field indicates the response selected by the client for "Iron Deficiency Anemia." (F6.41)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<DetectedAnemiaId>1</DetectedAnemiaId>

Element name: [HaveAnemiaId](#)

Field	Description
<b>Definition</b>	Client's answer to the question: "Is this something you have currently?" This question is asked if the client selected "Yes" for Iron Deficiency Anemia. (F6.41)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<HaveAnemiaId>4</HaveAnemiaId>

Element name: [DetectedPKUID](#)

Field	Description
<b>Definition</b>	In response to the question "Has a healthcare provider ever told you that you have any of the following medical conditions?" this field indicates the response selected by the client for "PKU (phenylketonuria)." (F6.41)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<DetectedPKUID>4</DetectedPKUID>

Element name: [HavePKUID](#)

Field	Description
<b>Definition</b>	Client's answer to the question: "Is this something you have currently?" This question is asked if the client selected "Yes" for PKU (phenylketonuria). (F6.41)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<HavePKUID>4</HavePKUID>

Element name: [DetectedRenalDiseaseId](#)

Field	Description
<b>Definition</b>	In response to the question "Has a healthcare provider ever told you that you have any of the following medical conditions?" this field indicates the response selected by the client for "renal disease." (F6.41)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<DetectedRenalDiseaseId>4</DetectedRenalDiseaseId>

Element name: [HaveRenalDiseaseId](#)

Field	Description
<b>Definition</b>	Client's answer to the question: "Is this something you have currently?" This question is asked if the client selected "Yes" for renal disease. (F6.41)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<HaveRenalDiseaseId>1</HaveRenalDiseaseId>

Element name: [DetectedEpilepsyId](#)

Field	Description
<b>Definition</b>	In response to the question "Has a healthcare provider ever told you that you have any of the following medical conditions?" this field indicates the response selected by the client for "Seizure disorders (epilepsy)." (F6.41)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<DetectedEpilepsyId>1</DetectedEpilepsyId>

Element name: [HaveEpilepsyId](#)

Field	Description
<b>Definition</b>	Client's answer to the question: "Is this something you have currently?" This question is asked if the client selected "Yes" for seizure disorders (epilepsy). (F6.41)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<HaveEpilepsyId>4</HaveEpilepsyId>

Element name: [DetectedSickleCellId](#)

Field	Description
<b>Definition</b>	In response to the question "Has a healthcare provider ever told you that you have any of the following medical conditions?" this field indicates the response selected by the client for "sickle cell." (F6.41)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<DetectedSickleCellId>2</DetectedSickleCellId>

Element name: [HaveSickleCellId](#)

Field	Description
<b>Definition</b>	Client's answer to the question: "Is this something you have currently?" This question is asked if the client selected "Yes" for sickle cell. (F6.41)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<HaveSickleCellId>1</HaveSickleCellId>

Element name: [DetectedThrombophiliaId](#)

Field	Description
<b>Definition</b>	In response to the question "Has a healthcare provider ever told you that you have any of the following medical conditions?" this field indicates the response selected by the client for "Thrombophilia (blood clots)." (F6.41)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<DetectedThrombophiliaId>3</DetectedThrombophiliaId>

Element name: [HaveThrombophiliaId](#)

Field	Description
<b>Definition</b>	Client's answer to the question: "Is this something you have currently?" This question is asked if the client selected "Yes" for thrombophilia (blood clots). (F6.41)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<HaveThrombophiliaId>4</HaveThrombophiliaId>

Element name: [DetectedThyroidDiseaseId](#)

Field	Description
<b>Definition</b>	In response to the question "Has a healthcare provider ever told you that you have any of the following medical conditions?" this field indicates the response selected by the client for "Thyroid disease." (F6.41)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<DetectedThyroidDiseaseId>2</DetectedThyroidDiseaseId>



Element name: [HaveThyroidDiseaseId](#)

Field	Description
<b>Definition</b>	Client's answer to the question: "Is this something you have currently?" This question is asked if the client selected "Yes" for thyroid disease. (F6.41)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<HaveThyroidDiseaseId>1</HaveThyroidDiseaseId>

Element name: [OtherMedicalConditions](#)

Field	Description
<b>Definition</b>	In response to the question "Has a healthcare provider ever told you that you have any of the following medical conditions?" this field indicates the response provided by the client for "Other." (F6.41)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Text string that allows a maximum of 250 characters
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<<OtherMedicalConditions>Gastric Reflux</OtherMedicalConditions>

Element name: [HaveOtherMedicalConditionsId](#)

Field	Description
<b>Definition</b>	Client's answer to the question: "Is this something you have currently?" This question is asked if the client indicated other medical conditions. (F6.41)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<HaveOtherMedicalConditionsId>1</HaveOtherMedicalConditionsId>

Element name: [MedicalConditionsPast6MonthsList](#)

Field	Description
<b>Definition</b>	Client's answer to the question: "Please tell me which condition or conditions you were seen for by a healthcare provider in the past 6 months." (F6.41.1)
<b>Required field</b>	No
<b>Lookup table if available</b>	MedicalConditionsPast6Months_Lkup
<b>Allowed values</b>	1 = Asthma (Breathing problems/wheezing) 2 = Autoimmune disease (such as lupus (SLE), Rheumatoid Arthritis (RA)) 3 = Cancer 4 = Cardiovascular disease (Heart problems) 5 = Depression or other mental health conditions (anxiety, bipolar) 6 = Diabetes (High blood sugar) 7 = Eating disorders (Anorexia/bulimia) 8 = High Blood Pressure 9 = Iron Deficiency Anemia 10 = PKU (phenylketonuria) 11 = Renal disease (Kidney problems) 12 = Seizure disorders (Epilepsy) 13 = Sickle Cell 14 = Thrombophilia (Blood Clots) 15 = Thyroid disease - (Hypo/hyper-overactive or underactive thyroid)
<b>Allow multiple values</b>	Yes
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<pre>&lt;MedicalConditionsPast6MonthsList&gt;   &lt;MedicalConditionsPast6Months&gt;     &lt;MedicalConditionsPast6MonthsId&gt;8&lt;/MedicalConditionsPast6MonthsId&gt;   &lt;/MedicalConditionsPast6Months&gt; &lt;/MedicalConditionsPast6MonthsList&gt;</pre>

Element name: [HavingPainId](#)

Field	Description
<b>Definition</b>	Client's answer to the question: "Are you currently having any pain?" (F6.42)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNoDeclined_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<HavingPainId>3</HavingPainId>

Element name: [AreTakingPainMedicationsId](#)

Field	Description
<b>Definition</b>	Client's answer to the question "Are you taking any of the following medications?" for the category of "pain medications." (F6.43)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<AreTakingPainMedicationsId>1</AreTakingPainMedicationsId>

Element name: [AreTakingBloodThinnersId](#)

Field	Description
<b>Definition</b>	Client's answer to the question "Are you taking any of the following medications?" for the category of "blood thinners." (F6.43)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<AreTakingBloodThinnersId>3</AreTakingBloodThinnersId>

Element name: [AreTakingMaleHormonesId](#)

Field	Description
<b>Definition</b>	Client's answer to the question "Are you taking any of the following medications?" for the category of "male hormones." (F6.43)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<AreTakingMaleHormonesId>3</AreTakingMaleHormonesId>

Element name: [AreTakingAntibioticsId](#)

Field	Description
<b>Definition</b>	Client's answer to the question "Are you taking any of the following medications?" for the category of "antibiotics." (F6.43)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<AreTakingAntibioticsId>2</AreTakingAntibioticsId>

Element name: [AreTakingEpilepsyMedicationsId](#)

Field	Description
<b>Definition</b>	Client's answer to the question "Are you taking any of the following medications?" for the category of "seizure or epilepsy medications." (F6.43)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<AreTakingEpilepsyMedicationsId>4</AreTakingEpilepsyMedicationsId>

Element name: [AreTakingAcneMedicationsId](#)

Field	Description
<b>Definition</b>	Client's answer to the question "Are you taking any of the following medications?" for the category of "acne medications." (F6.43)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<AreTakingAcneMedicationsId>2</AreTakingAcneMedicationsId>

Element name: [AreTakingHighBloodPressureMedicationsId](#)

Field	Description
<b>Definition</b>	Client's answer to the question "Are you taking any of the following medications?" for the category of "high blood pressure medications." (F6.43)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<AreTakingHighBloodPressureMedicationsId>1</AreTakingHighBloodPressureMedicationsId>

Element name: [AreTakingHighCholesterolMedicationsId](#)

Field	Description
<b>Definition</b>	Client's answer to the question "Are you taking any of the following medications?" for the category of "high cholesterol medications." (F6.43)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<AreTakingHighCholesterolMedicationsId>3</AreTakingHighCholesterolMedicationsId>

Element name: [AreTakingAntidepressantsId](#)

Field	Description
<b>Definition</b>	Client's answer to the question "Are you taking any of the following medications?" for the category of "antidepressants." (F6.43)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<AreTakingAntidepressantsId>3</AreTakingAntidepressantsId>

Element name: [ProviderKnowMedicationsId](#)

Field	Description
<b>Definition</b>	Client's answer to the question "Does your provider know all the medications that you are taking?" (F6.44)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNoMedication_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Not taking any medications 4 = Don't Know 5 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<ProviderKnowMedicationsId>5</ProviderKnowMedicationsId>

Element name: [VitaminPerWeekId](#)

Field	Description
<b>Definition</b>	Client's answer to the question "During the past month, how many times a week did you take a multivitamin, a prenatal vitamin, or a folic acid vitamin?" (F6.45)
<b>Required field</b>	No
<b>Lookup table if available</b>	VitaminPerWeek_Lkup
<b>Allowed values</b>	1 = I did not take a multivitamin, prenatal vitamin or folic acid vitamin at all 2 = 1 to 3 times a week 3 = 4 to 6 times a week 4 = Every day of the week 5 = Don't know 6 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<VitaminPerWeekId>6</VitaminPerWeekId>

Element name: [LastFluVaccinationId](#)

Field	Description
<b>Definition</b>	Client's answer to the question "How long ago did you last have a flu vaccination?" (F6.46)
<b>Required field</b>	No
<b>Lookup table if available</b>	SixMonthIntrv_Lkup
<b>Allowed values</b>	1 = Less than 6 months ago 2 = 6 months to 1 year ago 3 = More than 1 year ago 4 = Never 5 = Don't know 6 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<LastFluVaccinationId>6</LastFluVaccinationId>

Element name: [ReceivedVaccinesMMRId](#)

Field	Description
<b>Definition</b>	Client's answer to the question "Have you ever received the following vaccines?" for the category of "MMR vaccine." (F6.47.1)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<ReceivedVaccinesMMRId>3</ReceivedVaccinesMMRId>

Element name: [TestedForMMRId](#)

Field	Description
<b>Definition</b>	Client's answer to the question "Have you been tested for immunity to rubella?" (asked if the client indicated that she has not received the MMR vaccine). (F6.47.1.1)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<TestedForMMRId>4</TestedForMMRId>

Element name: [ReceivedVaccinesHepatitisBId](#)

Field	Description
<b>Definition</b>	Client's answer to the question "Have you ever received the following vaccines?" for the category of Hepatitis B vaccine (3 doses). (F6.47.2)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<ReceivedVaccinesHepatitisBId>1</ReceivedVaccinesHepatitisBId>

Element name: [ReceivedVaccines3ShotsGardasilId](#)

Field	Description
<b>Definition</b>	Client's answer to the question "Have you ever received the following vaccines?" for the category of Gardasil (all three shots). (F6.47.3)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<ReceivedVaccines3ShotsGardasilId>4</ReceivedVaccines3ShotsGardasilId>

Element name: [HadChickenPoxOrShinglesId](#)

Field	Description
<b>Definition</b>	Client's answer to the question "Have you ever had chicken pox or shingles?" (F6.47.4)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<HadChickenPoxOrShinglesId>2</HadChickenPoxOrShinglesId>



Element name: [ReceivedVaccines2DosesVaricellald](#)

Field	Description
<b>Definition</b>	Client's answer to the question "Have you received 2 doses of the varicella vaccine?" (asked if the client indicated that she has not had chicken pox or shingles). (F6.47.4.1)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<ReceivedVaccines2DosesVaricellald>3</ReceivedVaccines2DosesVaricellald>

Element name: [ReceivedVaccinesTDAPId](#)

Field	Description
<b>Definition</b>	Client's answer to the question "In the last 10 years have you received Tdap (tetanus, diphtheria and pertussis)?" (F6.47.5)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<ReceivedVaccinesTDAPId>4</ReceivedVaccinesTDAPId>

Element name: [LastTestedChlamydiaId](#)

Field	Description
<b>Definition</b>	Client's answer to the question "When was the last time you were tested for sexually transmitted diseases or sexually transmitted infections?" for the category of "Chlamydia." (F6.48)
<b>Required field</b>	No
<b>Lookup table if available</b>	SixMonthIntrv_Lkup
<b>Allowed values</b>	1 = Less than 6 months ago 2 = 6 months to 1 year ago 3 = More than 1 year ago 4 = Never 5 = Don't know 6 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<LastTestedChlamydiaId>3</LastTestedChlamydiaId>

Element name: [LastTestedGonorrheald](#)

Field	Description
<b>Definition</b>	Client's answer to the question "When was the last time you were tested for sexually transmitted diseases or sexually transmitted infections?" for the category of "Gonorrhea." (F6.48)
<b>Required field</b>	No
<b>Lookup table if available</b>	SixMonthIntrv_Lkup
<b>Allowed values</b>	1 = Less than 6 months ago 2 = 6 months to 1 year ago 3 = More than 1 year ago 4 = Never 5 = Don't know 6 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<LastTestedGonorrheald>5</LastTestedGonorrheald>

Element name: [LastTestedHerpesSimplexId](#)

Field	Description
<b>Definition</b>	Client's answer to the question "When was the last time you were tested for sexually transmitted diseases or sexually transmitted infections?" for the category of "Herpes Simplex." (F6.48)
<b>Required field</b>	No
<b>Lookup table if available</b>	SixMonthIntrv_Lkup
<b>Allowed values</b>	1 = Less than 6 months ago 2 = 6 months to 1 year ago 3 = More than 1 year ago 4 = Never 5 = Don't know 6 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<LastTestedHerpesSimplexId>1</LastTestedHerpesSimplexId>

Element name: [LastTestedHivId](#)

Field	Description
<b>Definition</b>	Client's answer to the question "When was the last time you were tested for sexually transmitted diseases or sexually transmitted infections?" for the category of "HIV." (F6.48)
<b>Required field</b>	No
<b>Lookup table if available</b>	SixMonthIntrv_Lkup
<b>Allowed values</b>	1 = Less than 6 months ago 2 = 6 months to 1 year ago 3 = More than 1 year ago 4 = Never 5 = Don't know 6 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<LastTestedHivId>5</LastTestedHivId>

Element name: [LastTestedSyphilisId](#)

Field	Description
<b>Definition</b>	Client's answer to the question "When was the last time you were tested for sexually transmitted diseases or sexually transmitted infections?" for the category of "Syphilis." (F6.48)
<b>Required field</b>	No
<b>Lookup table if available</b>	SixMonthIntrv_Lkup
<b>Allowed values</b>	1 = Less than 6 months ago 2 = 6 months to 1 year ago 3 = More than 1 year ago 4 = Never 5 = Don't know 6 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<LastTestedSyphilisId>5</LastTestedSyphilisId>

Element name: [LastTestedStdOtherId](#)

Field	Description
<b>Definition</b>	Client's answer to the question "When was the last time you were tested for sexually transmitted diseases or sexually transmitted infections?" for the category of "Other." (F6.48)
<b>Required field</b>	No
<b>Lookup table if available</b>	SixMonthIntrv_Lkup
<b>Allowed values</b>	1 = Less than 6 months ago 2 = 6 months to 1 year ago 3 = More than 1 year ago 4 = Never 5 = Don't know 6 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<LastTestedStdOtherId>2</LastTestedStdOtherId>

Element name: [LastTestedStdOtherSpecifying](#)

Field	Description
<b>Definition</b>	Client's answer to the question "When was the last time you were tested for sexually transmitted diseases or sexually transmitted infections?" for the category of "Other." (F6.48)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Text string that allows a maximum of 250 characters
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<LastTestedStdOtherSpecifying>HPV</LastTestedStdOtherSpecifying>

Element name: [DiagnosedToxoplasmosisId](#)

Field	Description
<b>Definition</b>	Client's answer to the question "Have you ever been diagnosed with any of the following infectious diseases?" for the category of "Toxoplasmosis." (F6.49)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<DiagnosedToxoplasmosisId>3</DiagnosedToxoplasmosisId>

Element name: [DiagnosedTuberculosisId](#)

Field	Description
<b>Definition</b>	Client's answer to the question "Have you ever been diagnosed with any of the following infectious diseases?" for the category of "Tuberculosis." (F6.49)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<DiagnosedTuberculosisId>2</DiagnosedTuberculosisId>

Element name: [DiagnosedCytomegalovirusId](#)

Field	Description
<b>Definition</b>	Client's answer to the question "Have you ever been diagnosed with any of the following infectious diseases?" for the category of "Cytomegalovirus." (F6.49)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<DiagnosedCytomegalovirusId>1</DiagnosedCytomegalovirusId>

Element name: [DiagnosedHepatitisBCId](#)

Field	Description
<b>Definition</b>	Client's answer to the question "Have you ever been diagnosed with any of the following infectious diseases?" for the category of "Hepatitis B or C." (F6.49)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<DiagnosedHepatitisBCId>3</DiagnosedHepatitisBCId>

Element name: [DiagnosedZikaId](#)

Field	Description
<b>Definition</b>	Client's answer to the question "Have you ever been diagnosed with any of the following infectious diseases?" for the category of "Zika." (F6.49)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<DiagnosedZikaId>4</DiagnosedZikaId>

Element name: [DiagnosedChlamydiaId](#)

Field	Description
<b>Definition</b>	Client's answer to the question "Have you ever been diagnosed with any of the following infectious diseases?" for the category of "Chlamydia." (F6.49)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<DiagnosedChlamydiaId>1</DiagnosedChlamydiaId>

Element name: [DiagnosedGonorrheaId](#)

Field	Description
<b>Definition</b>	Client's answer to the question "Have you ever been diagnosed with any of the following infectious diseases?" for the category of "Gonorrhea." (F6.49)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<DiagnosedGonorrheaId>4</DiagnosedGonorrheaId>

Element name: [DiagnosedHerpesSimplexId](#)

Field	Description
<b>Definition</b>	Client's answer to the question "Have you ever been diagnosed with any of the following infectious diseases?" for the category of "Herpes Simplex." (F6.49)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<DiagnosedHerpesSimplexId>3</DiagnosedHerpesSimplexId>

Element name: [DiagnosedHIVId](#)

Field	Description
<b>Definition</b>	Client's answer to the question "Have you ever been diagnosed with any of the following infectious diseases?" for the category of "HIV." (F6.49)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<DiagnosedHIVId>1</DiagnosedHIVId>

Element name: [DiagnosedSyphilisId](#)

Field	Description
<b>Definition</b>	Client's answer to the question "Have you ever been diagnosed with any of the following infectious diseases?" for the category of "Syphilis." (F6.49)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<DiagnosedSyphilisId>4</DiagnosedSyphilisId>

Element name: [DiagnosedOtherSpecifying](#)

Field	Description
<b>Definition</b>	Client's answer to the question "Have you ever been diagnosed with any of the following infectious diseases?" for the category of "Other." (F6.49)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Text string that allows a maximum of 250 characters
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<DiagnosedOtherSpecifying>SPECIFY</DiagnosedOtherSpecifying>



Element name: [DiagnosedOtherId](#)

Field	Description
<b>Definition</b>	Client's answer to the question "Have you ever been diagnosed with any of the following infectious diseases?" for the category of "Other."(F6.49)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<DiagnosedOtherId>1</DiagnosedOtherId>

Element name: [LastTeethCleaningId](#)

Field	Description
<b>Definition</b>	Client's answer to the question "How long ago did you last have your teeth cleaned by a dentist/hygienist?" (F6.50)
<b>Required field</b>	No
<b>Lookup table if available</b>	SixMonthIntrv_Lkup
<b>Allowed values</b>	1 = Less than 6 months ago 2 = 6 months to 1 year ago 3 = More than 1 year ago 4 = Never 5 = Don't know 6 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<LastTeethCleaningId>2</LastTeethCleaningId>

Element name: [FUHealthStatusInfoList](#)

Field	Description
<b>Definition</b>	Staff selections indicating which categories of health information/education were provided to the client as a part of follow up in response to the "Maternal Health" section of the tool. (F6.50)
<b>Required field</b>	No
<b>Lookup table if available</b>	MaternalHealthInfo_Lkup
<b>Allowed values</b>	1 = Keeping a healthy weight such as through diet and exercise 2 = Getting vaccines 3 = Getting flu shot 4 = Sexually transmitted infections 5 = Keeping teeth healthy 6 = Health risks during pregnancy
<b>Allow multiple values</b>	Yes
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUHealthStatusInfoList> <FUHealthStatusInfo> <MaternalHealthInfofold>4</MaternalHealthInfofold> </FUHealthStatusInfo> </FUHealthStatusInfoList>

Element name: [FUHealthStatusInfoDate](#)

Field	Description
<b>Definition</b>	Date on which the client was provided the information/education for the specified health topics. (F6.50)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Date with a format of mm/dd/yyyy
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUHealthStatusInfoDate>10/5/2016</FUHealthStatusInfoDate>

Element name: [FUHealthStatusProvidedList](#)

Field	Description
<b>Definition</b>	Staff selections indicating which of the following were provided to the client as a part of follow up in response to the "Maternal Health" section of the tool: Nutritional Counseling, Immunizations, Pain Assessment. (F6.50)
<b>Required field</b>	No
<b>Lookup table if available</b>	HealthStatusProvided_Lkup
<b>Allowed values</b>	1 = Nutritional counseling 2 = Immunizations 3 = Pain assessment
<b>Allow multiple values</b>	Yes
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUHealthStatusProvidedList> <FUHealthStatusProvided> <HealthStatusProvidedId>3</HealthStatusProvidedId> </FUHealthStatusProvided> </FUHealthStatusProvidedList>

Element name: [FUHealthStatusProvidedOther](#)

Field	Description
<b>Definition</b>	Staff entry indicating the type of immunizations that were provided if "immunizations" was selected in the follow up section. (F6.50)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Text string that allows a maximum of 250 characters
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUHealthStatusProvidedOther>a</FUHealthStatusProvidedOther>

Element name: [FUHealthStatusProvidedDate](#)

Field	Description
<b>Definition</b>	Date on which the client was provided with services indicated (nutritional counseling, immunizations, pain assessment). (F6.50)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Date with a format of mm/dd/yyyy
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUHealthStatusProvidedDate>10/5/2016</FUHealthStatusProvidedDate>

Element name: [FUHealthStatusReferredList](#)

Field	Description
<b>Definition</b>	Staff selections indicating which types of referrals were provided to the client as a part of follow up in response to the "Maternal Health" section of the tool. (F6.50)
<b>Required field</b>	No
<b>Lookup table if available</b>	HealthStatusReferred_Lkup
<b>Allowed values</b>	1 = Primary Care Provider 2 = Nutritionist 3 = Dentist 4 = Other
<b>Allow multiple values</b>	Yes
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUHealthStatusReferredList> <FUHealthStatusReferred> <HealthStatusReferredId>4</HealthStatusReferredId> </FUHealthStatusReferred> </FUHealthStatusReferredList>

Element name: [FUHealthStatusReferredOther](#)

Field	Description
<b>Definition</b>	Staff entry indicating the "Other" type of referral that was provided if the category of "Other" was selected. (F6.50)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Text string that allows a maximum of 250 characters
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUHealthStatusReferredOther>a</FUHealthStatusReferredOther>

Element name: [FUHealthStatusReferredDate](#)

Field	Description
<b>Definition</b>	Date on which the client was provided with the specified referrals. (F6.50)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Date with a format of mm/dd/yyyy
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUHealthStatusReferredDate>10/5/2016</FUHealthStatusReferredDate>

Element name: [LittleInterest](#)

Field	Description
<b>Definition</b>	Client's answer to the question "Over the past two weeks, how often have you experienced any of the following?" for the category "Little interest or pleasure in doing things." (F6.51.1)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	An integer with value between 0-3
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<LittleInterest>0</LittleInterest>

Element name: [Depressed](#)

Field	Description
<b>Definition</b>	Client's answer to the question "Over the past two weeks, how often have you experienced any of the following?" for the category "Feeling down, depressed or hopeless." (F6.51.2)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	An integer with value between 0-3
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<Depressed>0</Depressed>

Element name: [FUDepressionLocalResourceInfo](#)

Field	Description
<b>Definition</b>	Staff selections indicating which categories of health information/education were provided to the client as a part of follow up in response to the "Mental Health" section of the tool. (F6.51.2)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	true, false OR 1, 0
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUDepressionLocalInfo>true</FUDepressionLocalInfo>

Element name: [FUDepressionLocalResourceInfoDate](#)

Field	Description
<b>Definition</b>	Date on which the client was provided the information/education about specified mental health resources. (F6.51.2)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Date with a format of mm/dd/yyyy
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUDepressionLocalInfoDate>1/1/2016</FUDepressionLocalInfoDate>

Element name: [FUDepressionProvidedList](#)

Field	Description
<b>Definition</b>	Staff selection indicating whether client was provided with further assessment of counseling. (F6.51.2)
<b>Required field</b>	No
<b>Lookup table if available</b>	DepressionProvided_Lkup
<b>Allowed values</b>	1 = Further assessment using evidence-based tool such as the Edinburgh Postnatal Depression Scale (EPDS) 2 = Counseling
<b>Allow multiple values</b>	Yes
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUDepressionProvidedList> <FUDepressionProvided> <DepressionProvidedId>3</DepressionProvidedId> </FUDepressionProvided> </FUDepressionProvidedList>

Element name: [FUDepressionProvidedDate](#)

Field	Description
<b>Definition</b>	Date on which further further assessment of counseling was provided, if any. (F6.51.2)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Date with a format of mm/dd/yyyy
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUDepressionScreeningDate>1/1/2016</FUDepressionScreeningDate>

Element name: [FUDepressionReferredList](#)

Field	Description
<b>Definition</b>	Staff selections indicating which types of referrals were provided to the client as a part of follow up in response to the "Mental Health" section of the tool. (F6.51.2)
<b>Required field</b>	No
<b>Lookup table if available</b>	MentalConditionReferred_Lkup
<b>Allowed values</b>	1 = Mental Health Center 2 = Primary Care Provider 3 = Other
<b>Allow multiple values</b>	Yes
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUDepressionReferredList> <FUDepressionReferred> <DepressionReferredId>3</DepressionReferredId> </FUDepressionReferred> </FUDepressionReferredList>

Element name: [FUDepressionReferredOther](#)

Field	Description
<b>Definition</b>	Staff entry indicating the "Other" type of referral that was provided if the category of "Other" was selected. (F6.51.2)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Text string that allows a maximum of 250 characters
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUDepressionReferredOther>Local social support group</FUDepressionReferredOther>

Element name: [FUDepressionReferredDate](#)

Field	Description
<b>Definition</b>	Date on which client was provided with the specified referrals. (F6.51.2)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Date with a format of mm/dd/yyyy
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUDepressionReferredDate>1/1/2016</FUDepressionReferredDate>

Element name: [SubstanceUseAlcoholId](#)

Field	Description
<b>Definition</b>	Client's answer to the question "In the past 12 months, how often have you used the following?" for the category of "Alcohol (4 or more drinks per day)." (F6.52)
<b>Required field</b>	No
<b>Lookup table if available</b>	PastYearFreq_Lkup
<b>Allowed values</b>	1 = Never 2 = Once or Twice Monthly 3 = Weekly 4 = Daily or Almost Daily 5 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<SubstanceUseAlcoholId>4</SubstanceUseAlcoholId>

Element name: [SubstanceUseTobaccoId](#)

Field	Description
<b>Definition</b>	Client's answer to the question "In the past 12 months, how often have you used the following?" for the category of "Tobacco Products." (F6.52)
<b>Required field</b>	No
<b>Lookup table if available</b>	PastYearFreq_Lkup
<b>Allowed values</b>	1 = Never 2 = Once or Twice Monthly 3 = Weekly 4 = Daily or Almost Daily 5 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<SubstanceUseTobaccoId>5</SubstanceUseTobaccoId>



Element name: [SubstanceUseMoodAlteringId](#)

Field	Description
<b>Definition</b>	Client's answer to the question "In the past 12 months, how often have you used the following?" for the category of "Mood-altering drugs." (F6.52)
<b>Required field</b>	No
<b>Lookup table if available</b>	PastYearFreq_Lkup
<b>Allowed values</b>	1 = Never 2 = Once or Twice Monthly 3 = Weekly 4 = Daily or Almost Daily 5 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<SubstanceUseMoodAlteringId>4</SubstanceUseMoodAlteringId>

Element name: [SubstanceUsePrescriptionDrugsForNonMedicalId](#)

Field	Description
<b>Definition</b>	Client's answer to the question "In the past 12 months, how often have you used the following?" for the category of "Prescription drugs for non-medical reasons." (F6.52)
<b>Required field</b>	No
<b>Lookup table if available</b>	PastYearFreq_Lkup
<b>Allowed values</b>	1 = Never 2 = Once or Twice Monthly 3 = Weekly 4 = Daily or Almost Daily 5 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<SubstanceUsePrescriptionDrugsForNonMedicalId>3</SubstanceUsePrescriptionDrugsForNonMedicalId>

Element name: [SubstanceUseIllegalDrugsId](#)

Field	Description
<b>Definition</b>	Client's answer to the question "In the past 12 months, how often have you used the following?" for the category of "Illegal drugs." (F6.52)
<b>Required field</b>	No
<b>Lookup table if available</b>	PastYearFreq_Lkup
<b>Allowed values</b>	1 = Never 2 = Once or Twice Monthly 3 = Weekly 4 = Daily or Almost Daily 5 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<SubstanceUseIllegalDrugsId>5</SubstanceUseIllegalDrugsId>

Element name: [HouseholdSmokingRuleId](#)

Field	Description
<b>Definition</b>	Client's answer to the question "Which of the following statements best describes the rules about smoking inside your home now?" (F6.53)
<b>Required field</b>	No
<b>Lookup table if available</b>	HouseholdSmokingRule_Lkup
<b>Allowed values</b>	1 = No one is allowed to smoke anywhere inside my home 2 = Smoking is allowed in some rooms or at some times 3 = Smoking is permitted anywhere inside my home 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<HouseholdSmokingRuleId>1</HouseholdSmokingRuleId>

Element name: [FUSubstanceUseInfoList](#)

Field	Description
<b>Definition</b>	Staff selections indicating which categories of substance abuse the client was provided information/education about as part of the follow up to the Substance Use section of the tool.(F6.53)
<b>Required field</b>	No
<b>Lookup table if available</b>	SubstanceUseInfo_Lkup
<b>Allowed values</b>	1 = Potential effects on pregnancy of tobacco 2 = Potential effects on pregnancy of alcohol 3 = Potential effects on Pregnancy of drug use 4 = Tobacco cessation
<b>Allow multiple values</b>	Yes
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUSubstanceUseInfoList> <FUSubstanceUseInfo> <SubstanceUseInfofold>4</SubstanceUseInfofold> </FUSubstanceUseInfo> </FUSubstanceUseInfoList>

Element name: [FUSubstanceUseInfoDate](#)

Field	Description
<b>Definition</b>	Date on which the client was provided the information/education about the substance abuse categories selected. (F6.53)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Date with a format of mm/dd/yyyy
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUSubstanceUseInfoDate>10/5/2016</FUSubstanceUseInfoDate>

Element name: [FUSubstanceUseProvidedANPList](#)

Field	Description
<b>Definition</b>	Staff selection indicating further assessment actions taken for substance abuse. (F6.53)
<b>Required field</b>	No
<b>Lookup table if available</b>	SubstanceUseProvidedANP_Lkup
<b>Allowed values</b>	1 = Assess, Advise an Assist for Alcohol Use Disorders (for "yes" to 1 or more days of heavy drinking [for women, 4 or ore drinks per day]) 2 = NIDA-Modified ASSIST (for any use of illegal or prescription drug use for non-medical reasons) 3 = Provided Brief Intervention
<b>Allow multiple values</b>	Yes
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUSubstanceUseProvidedANPList> <FUSubstanceUseProvidedANP> <SubstanceUseProvidedANPID>2</SubstanceUseProvidedANPID> </FUSubstanceUseProvidedANP> </FUSubstanceUseProvidedANPList>

Element name: [FUSubstanceUseProvidedDate](#)

Field	Description
<b>Definition</b>	Date on which specified further assessment actions were taken. (F6.53)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Date with a format of mm/dd/yyyy
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUSubstanceUseProvidedDate>10/5/2016</FUSubstanceUseProvidedDate>

Element name: [FUSubstanceUseReferredList](#)

Field	Description
<b>Definition</b>	Staff selections indicating referrals provided to the client for substance abuse as part of the follow up the Substance Use section of the tool. (F6.53)
<b>Required field</b>	No
<b>Lookup table if available</b>	SubstanceUseReferred_Lkup
<b>Allowed values</b>	1 = Tobacco Quit Line 2 = Behavioral Health Provider 3 = Primary Care Provider 4 = Substance abuse treatment program 5 = Other
<b>Allow multiple values</b>	Yes
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUSubstanceUseReferredList> <FUSubstanceUseReferred> <SubstanceUseReferredId>3</SubstanceUseReferredId> </FUSubstanceUseReferred> </FUSubstanceUseReferredList>

Element name: [FUSubstanceUseReferredOther](#)

Field	Description
<b>Definition</b>	Entry specifying "Other" type of referral provided. (F6.53)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Text string that allows a maximum of 250 characters
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUSubstanceUseReferredOther>12 step program</FUSubstanceUseReferredOther>

Element name: [FUSubstanceUseReferredDate](#)

Field	Description
<b>Definition</b>	Date on which specified referrals were made. (F6.53)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Date with a format of mm/dd/yyyy
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUSubstanceUseReferredDate>10/5/2016</FUSubstanceUseReferredDate>

Element name: [PersonalSafetySpouseThreatenId](#)

Field	Description
<b>Definition</b>	Client's answer to question "During the past 12 months . . . Did your husband or partner threaten or make you feel unsafe in some way?" (F6.54.1)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNoDeclined_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<PersonalSafetySpouseThreatenId>2</PersonalSafetySpouseThreatenId>

Element name: [PersonalSafetySpouseAngerId](#)

Field	Description
<b>Definition</b>	Client's answer to question "During the past 12 months . . . Were you frightened for your safety or your family's safety because of the anger or threats of your husband or partner?" (F6.54.2)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNoDeclined_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<PersonalSafetySpouseAngerId>1</PersonalSafetySpouseAngerId>

Element name: [PersonalSafetySpouseControllId](#)

Field	Description
<b>Definition</b>	Client's answer to question "During the past 12 months . . . Did your husband or partner try to control your daily activities, for example, control who you could talk to or where you could go?" (F6.54.3)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNoDeclined_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<PersonalSafetySpouseControllId>3</PersonalSafetySpouseControllId>

Element name: [PersonalSafetySpousePhysicalAbusedId](#)

Field	Description
<b>Definition</b>	Client's answer to question " Did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way?" (F6.54.4)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNoDeclined_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<PersonalSafetySpousePhysicalAbusedId>3</PersonalSafetySpousePhysicalAbusedId>

Element name: [PersonalSafetySpouseForceSexId](#)

Field	Description
<b>Definition</b>	Client's answer to question "During the past 12 months . . . Did your husband or partner force you to take part in touching or any sexual activity when you did not want to?" (F6.54.5)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNoDeclined_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<PersonalSafetySpouseForceSexId>1</PersonalSafetySpouseForceSexId>

Element name: [PersonalSafetySpousePhysicalAnyId](#)

Field	Description
<b>Definition</b>	Client's answer to question "During the past 12 months . . . Did anyone else physically hurt you in any way?" (F6.54.6)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNoDeclined_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<PersonalSafetySpousePhysicalAnyId>3</PersonalSafetySpousePhysicalAnyId>

Element name: [FUPersonalSafetyPhysicalAbuseInfo](#)

Field	Description
<b>Definition</b>	Staff selections indicating follow up information/education was provided related to personal abuses as part of the follow up to the Personal Safety section of the tool. (F6.54.6)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	true, false OR 1, 0
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUPersonalSafetyPhysicalAbuseInfo>true</FUPersonalSafetyPhysicalAbuseInfo>

Element name: [FUPersonalSafetyPhysicalAbuseInfoDate](#)

Field	Description
<b>Definition</b>	Date on which information was provided about personal abuses. (F6.54.6)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Date with a format of mm/dd/yyyy
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUPersonalSafetyPhysicalAbuseInfoDate>10/5/2016</FUPersonalSafetyPhysicalAbuseInfoDate>

Element name: [FUPersonalSafetyDomesticViolencereferred](#)

Field	Description
<b>Definition</b>	Staff selection indicating whether client was referred to a local domestic violence program. (F6.54.6)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	true, false OR 1, 0
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUPersonalSafetyDomesticViolencereferred>true</FUPersonalSafetyDomesticViolencereferred>



Element name: [FUPersonalSafetyDomesticViolencereferredSpecifying](#)

Field	Description
<b>Definition</b>	Name of the local domestic violence program to which the client was referred, if any. (F6.54.6)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Text string that allows a maximum of 250 characters
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUPersonalSafetyDomesticViolencereferredSpecifying>a</FUPersonalSafetyDomesticViolencereferredSpecifying>

Element name: [FUPersonalSafetyDomesticViolencereferredDate](#)

Field	Description
<b>Definition</b>	Date on which the client was referred to a local domestic violence program, if applicable.(F6.54.6)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Date with a format of mm/dd/yyyy
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUPersonalSafetyDomesticViolencereferredDate>10/5/2016</FUPersonalSafetyDomesticViolencereferredDate>

Element name: [StressFactorFamilySickId](#)

Field	Description
<b>Definition</b>	Client's response indicating whether the described stressor occurred in the last 12 months, for the category "A close family member was very sick and had to go into the hospital." (F6.55.1)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNoOnly_Lkup
<b>Allowed values</b>	1 = Yes 2 = No
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<StressFactorFamilySickId>2</StressFactorFamilySickId>

Element name: [StressFactorDivorcedId](#)

Field	Description
<b>Definition</b>	Client's response indicating whether the described stressor occurred in the last 12 months, for the category "I got separated or divorced from my husband or partner." (F6.55.2)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNoOnly_Lkup
<b>Allowed values</b>	1 = Yes 2 = No
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<StressFactorDivorcedId>1</StressFactorDivorcedId>

Element name: [StressFactorRelocationId](#)

Field	Description
<b>Definition</b>	Client's response indicating whether the described stressor occurred in the last 12 months, for the category "I moved to a new address." (F6.55.3)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNoOnly_Lkup
<b>Allowed values</b>	1 = Yes 2 = No
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<StressFactorRelocationId>1</StressFactorRelocationId>

Element name: [StressFactorHomelessId](#)

Field	Description
<b>Definition</b>	Client's response indicating whether the described stressor occurred in the last 12 months, for the category "I was homeless or had to sleep outside, in a car, or in a shelter." (F6.55.4)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNoOnly_Lkup
<b>Allowed values</b>	1 = Yes 2 = No
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<StressFactorHomelessId>2</StressFactorHomelessId>

Element name: [StressFactorSpouseLostJobId](#)

Field	Description
<b>Definition</b>	Client's response indicating whether the described stressor occurred in the last 12 months, for the category "My husband or partner lost his job." (F6.55.5)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNoOnly_Lkup
<b>Allowed values</b>	1 = Yes 2 = No
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<StressFactorSpouseLostJobId>2</StressFactorSpouseLostJobId>

Element name: [StressFactorLostJobId](#)

Field	Description
<b>Definition</b>	Client's response indicating whether the described stressor occurred in the last 12 months, for the category "I lost my job even though I wanted to go on working." (F6.55.6)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNoOnly_Lkup
<b>Allowed values</b>	1 = Yes 2 = No
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<StressFactorLostJobId>2</StressFactorLostJobId>

Element name: [StressFactorPayoutId](#)

Field	Description
<b>Definition</b>	Client's response indicating whether the described stressor occurred" in the last 12 months, for the category "My husband, partner, or I had a cut in work hours or pay." (F6.55.7)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNoOnly_Lkup
<b>Allowed values</b>	1 = Yes 2 = No
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<StressFactorPayoutId>2</StressFactorPayoutId>

Element name: [StressFactorSpouseApartId](#)

Field	Description
<b>Definition</b>	Client's response indicating whether the described stressor occurred in the last 12 months, for the category "I was apart from my husband or partner due to military deployment or extended work-related travel." (F6.55.8)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNoOnly_Lkup
<b>Allowed values</b>	1 = Yes 2 = No
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<StressFactorSpouseApartId>2</StressFactorSpouseApartId>

Element name: [StressFactorSpouseArgueId](#)

Field	Description
<b>Definition</b>	Client's response indicating whether the described stressor occurred in the last 12 months, for the category "I argued with my husband or partner more than usual." (F6.55.9)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNoOnly_Lkup
<b>Allowed values</b>	1 = Yes 2 = No
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<StressFactorSpouseArgueId>1</StressFactorSpouseArgueId>

Element name: [StressFactorSpouseAgainstPregnancyId](#)

Field	Description
<b>Definition</b>	Client's response indicating whether the described stressor occurred in the last 12 months, for the category "My husband or partner said he didn't want me to be pregnant." (F6.55.10)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNoOnly_Lkup
<b>Allowed values</b>	1 = Yes 2 = No
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<StressFactorSpouseAgainstPregnancyId>2</StressFactorSpouseAgainstPregnancyId>

Element name: [StressFactorBillsId](#)

Field	Description
<b>Definition</b>	Client's response indicating whether the described stressor occurred in the last 12 months, for the category "I had problems paying the rent, mortgage, or other bills." (F6.55.11)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNoOnly_Lkup
<b>Allowed values</b>	1 = Yes 2 = No
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<StressFactorBillsId>1</StressFactorBillsId>

Element name: [StressFactorJailedId](#)

Field	Description
<b>Definition</b>	Client's response indicating whether the described stressor occurred in the last 12 months, for the category "My husband, partner, or I went to jail." (F6.55.12)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNoOnly_Lkup
<b>Allowed values</b>	1 = Yes 2 = No
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<StressFactorJailedId>2</StressFactorJailedId>

Element name: [StressFactorRelativesDrinkingId](#)

Field	Description
<b>Definition</b>	Client's response indicating whether the described stressor occurred in the last 12 months, for the category "Someone very close to me had a problem with drinking or drugs." (F6.55.13)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNoOnly_Lkup
<b>Allowed values</b>	1 = Yes 2 = No
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<StressFactorRelativesDrinkingId>2</StressFactorRelativesDrinkingId>

Element name: [StressFactorRelativeDield](#)

Field	Description
<b>Definition</b>	Client's response indicating whether the described stressor occurred in the last 12 months, for the category "Someone very close to me died." (F6.55.14)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNoOnly_Lkup
<b>Allowed values</b>	1 = Yes 2 = No
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<StressFactorRelativeDield>1</StressFactorRelativeDield>

Element name: [DiscriminationTreatedLessCourtesyld](#)

Field	Description
<b>Definition</b>	Client's response to the question "In your day-to-day life, how often have any of the following things happened to you?" for the category "You are treated with less courtesy or respect than other people." (F6.56.1)
<b>Required field</b>	No
<b>Lookup table if available</b>	DailyFreq_Lkup
<b>Allowed values</b>	1 = Almost every day 2 = At least once a week 3 = A few times a month 4 = A few times a year 5 = Less than once a year 6 = Never 7 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<DiscriminationTreatedLessCourtesyld>1</DiscriminationTreatedLessCo urtesyld>

Element name: [DiscriminationReceivedPoorServiceId](#)

Field	Description
<b>Definition</b>	Client's response to the question "In your day-to-day life, how often have any of the following things happened to you?" for the category "You receive poorer service than other people at restaurants, stores, or social services."(F6.56.2)
<b>Required field</b>	No
<b>Lookup table if available</b>	DailyFreq_Lkup
<b>Allowed values</b>	1 = Almost every day 2 = At least once a week 3 = A few times a month 4 = A few times a year 5 = Less than once a year 6 = Never 7 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<DiscriminationReceivedPoorServiceId>3</DiscriminationReceivedPoorServiceId>

Element name: [DiscriminationOtherThinkNotSmartId](#)

Field	Description
<b>Definition</b>	Client's response to the question "In your day-to-day life, how often have any of the following things happened to you?" for the category "People act as if they think you are not smart." (F6.56.3)
<b>Required field</b>	No
<b>Lookup table if available</b>	DailyFreq_Lkup
<b>Allowed values</b>	1 = Almost every day 2 = At least once a week 3 = A few times a month 4 = A few times a year 5 = Less than once a year 6 = Never 7 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<DiscriminationOtherThinkNotSmartId>4</DiscriminationOtherThinkNotSmartId>

Element name: [DiscriminationOtherAfraidId](#)

Field	Description
<b>Definition</b>	Client's response to the question "In your day-to-day life, how often have any of the following things happened to you?" for the category "People act as if they are afraid of you." (F6.56.4)
<b>Required field</b>	No
<b>Lookup table if available</b>	DailyFreq_Lkup
<b>Allowed values</b>	1 = Almost every day 2 = At least once a week 3 = A few times a month 4 = A few times a year 5 = Less than once a year 6 = Never 7 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<DiscriminationOtherAfraidId>4</DiscriminationOtherAfraidId>

Element name: [DiscriminationOtherThreatenId](#)

Field	Description
<b>Definition</b>	Client's response to the question "In your day-to-day life, how often have any of the following things happened to you?" for the category "You are threatened or harassed." (F6.56.5)
<b>Required field</b>	No
<b>Lookup table if available</b>	DailyFreq_Lkup
<b>Allowed values</b>	1 = Almost every day 2 = At least once a week 3 = A few times a month 4 = A few times a year 5 = Less than once a year 6 = Never 7 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<DiscriminationOtherThreatenId>6</DiscriminationOtherThreatenId>



Element name: [DiscriminationReasonsForTreatmentId](#)

Field	Description
<b>Definition</b>	Client's answer to the question "What do you think is the main reason for these experiences?" (In reference to experiences of discrimination reported in response to question 38.) (F6.57)
<b>Required field</b>	No
<b>Lookup table if available</b>	OtherReasonForTreatment_Lkup
<b>Allowed values</b>	1 = Your ancestry or national origins 2 = Your gender 3 = Your race 4 = Your age 5 = Your religion 6 = Your height 7 = Your weight 8 = Some other aspect of your physical appearance 9 = Your sexual orientation 10 = Your education or income level 11 = Your shade of skin color 12 = Physical Disability 13 = Other 14 = Don't know 15 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<DiscriminationReasonsForTreatmentId>12</DiscriminationReasonsForTreatmentId>

Element name: [OtherReasons](#)

Field	Description
<b>Definition</b>	Client's response for "Other" to specify the type of "Other" reasons in she believes she has experienced discrimination. (F6.57)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Text string that allows a maximum of 250 characters
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<OtherReasons>a</OtherReasons>

Element name: [FUStressInfo](#)

Field	Description
<b>Definition</b>	Staff response indicating whether client was provided with information/education about resources for stress management as part of the follow up to the Stress and Discrimination section of the tool. (F6.57)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	true, false OR 1, 0
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUStressInfo>true</FUStressInfo>

Element name: [FUStressInfoDate](#)

Field	Description
<b>Definition</b>	Date on which information/education about resources for stress management was provided, if applicable. (F6.57)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Date with a format of mm/dd/yyyy
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUStressInfoDate>10/5/2016</FUStressInfoDate>

Element name: [FUStressProvided](#)

Field	Description
<b>Definition</b>	Staff response indicating whether client was provided with counseling on stress management. (F6.57)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	true, false OR 1, 0
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUStressProvided>true</FUStressProvided>

Element name: [FUStressProvidedDate](#)

Field	Description
<b>Definition</b>	Date on which counseling on stress management was provided, if applicable. (F6.57)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Date with a format of mm/dd/yyyy
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUStressProvidedDate>10/5/2016</FUStressProvidedDate>

Element name: [FUStressReferredList](#)

Field	Description
<b>Definition</b>	Staff selection indicating the type of referral the client was given related to stress management. (F6.57)
<b>Required field</b>	No
<b>Lookup table if available</b>	MentalConditionReferred_Lkup
<b>Allowed values</b>	1 = Mental Health Center 2 = Primary Care Provider 3 = Other
<b>Allow multiple values</b>	Yes
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUStressReferredList> <FUStressReferred> <MentalConditionReferredId>2</MentalConditionReferredId> </FUStressReferred> </FUStressReferredList>

Element name: [FUStressReferredOther](#)

Field	Description
<b>Definition</b>	The type of "Other" referral that was given to the client if "Other" was indicated as a referral type in the stress management section. (F6.57)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Text string that allows a maximum of 250 characters
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUStressReferredOther>a</FUStressReferredOther>

Element name: [FUStressReferredDate](#)

Field	Description
<b>Definition</b>	Date on which referrals related to stress management were made, if any. (F6.57)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Date with a format of mm/dd/yyyy
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUStressReferredDate>10/5/2016</FUStressReferredDate>

Element name: [SupportTemporaryFinancialId](#)

Field	Description
<b>Definition</b>	Client's response to the question "If you needed it, how often is someone available to..." for the category of "Provide temporary financial support." (F6.58.1)
<b>Required field</b>	No
<b>Lookup table if available</b>	DecreaseFreq_Lkup
<b>Allowed values</b>	1 = All of the time 2 = Most of the time 3 = Some of the time 4 = A little of the time 5 = None of the time
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<SupportTemporaryFinancialId>3</SupportTemporaryFinancialId>

Element name: [SupportEnjoyableActivitiesId](#)

Field	Description
<b>Definition</b>	Client's response to the question "If you needed it, how often is someone available to..." for the category of "Do something enjoyable with you." (F6.58.2)
<b>Required field</b>	No
<b>Lookup table if available</b>	DecreaseFreq_Lkup
<b>Allowed values</b>	1 = All of the time 2 = Most of the time 3 = Some of the time 4 = A little of the time 5 = None of the time
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<SupportEnjoyableActivitiesId>3</SupportEnjoyableActivitiesId>

Element name: [SupportHelpChoresId](#)

Field	Description
<b>Definition</b>	Client's response to the question "If you needed it, how often is someone available to... " for the category of "Help with daily chores." (F6.58.3)
<b>Required field</b>	No
<b>Lookup table if available</b>	DecreaseFreq_Lkup
<b>Allowed values</b>	1 = All of the time 2 = Most of the time 3 = Some of the time 4 = A little of the time 5 = None of the time
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<SupportHelpChoresId>2</SupportHelpChoresId>

Element name: [SupportWhenSickId](#)

Field	Description
<b>Definition</b>	Client's response to the question "If you needed it, how often is someone available to... " for the category of "Help you if you were sick." (F6.58.4)
<b>Required field</b>	No
<b>Lookup table if available</b>	DecreaseFreq_Lkup
<b>Allowed values</b>	1 = All of the time 2 = Most of the time 3 = Some of the time 4 = A little of the time 5 = None of the time
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<SupportWhenSickId>4</SupportWhenSickId>

Element name: [SupportHelpPersonalIssuesId](#)

Field	Description
<b>Definition</b>	Client's response to the question "If you needed it, how often is someone available to..." for the category of "Turn to for suggestions about how to deal with a personal problem." (F6.58.5)
<b>Required field</b>	No
<b>Lookup table if available</b>	DecreaseFreq_Lkup
<b>Allowed values</b>	1 = All of the time 2 = Most of the time 3 = Some of the time 4 = A little of the time 5 = None of the time
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<SupportHelpPersonalIssuesId>2</SupportHelpPersonalIssuesId>

Element name: [SupportWatchChildId](#)

Field	Description
<b>Definition</b>	Client's response to the question "If you needed it, how often is someone available to..." for the category of "Watch your child for you." (F6.58.5)
<b>Required field</b>	No
<b>Lookup table if available</b>	DecreaseFreq_Lkup
<b>Allowed values</b>	1 = All of the time 2 = Most of the time 3 = Some of the time 4 = A little of the time 5 = None of the time
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<SupportWatchChildId>5</SupportWatchChildId>

Element name: [ChildFatherInvolvementId](#)

Field	Description
<b>Definition</b>	Client's selection in response to the question: "Would you describe your partner or the father of your baby/babies as . . ." (F6.59)
<b>Required field</b>	No
<b>Lookup table if available</b>	ChildFatherInvolvement_Lkup
<b>Allowed values</b>	1 = Involved and supportive of me and my child/children 2 = Involved but not supportive of me or my child/children 3 = Not involved 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<ChildFatherInvolvementId>4</ChildFatherInvolvementId>

Element name: [ChildFatherRoleList](#)

Field	Description
<b>Definition</b>	Client's answer to the question: "What is your partner's or the father of your baby's /babies' role in your life?" (F6.59.1)
<b>Required field</b>	No
<b>Lookup table if available</b>	ChildFatherRole_Lkup
<b>Allowed values</b>	1 = Partner or father of child/children is deceased 2 = Partner or father of child/children is incarcerated 3 = Cares for child/children (feeding, bathing, etc.) 4 = Assists with housework and/or runs errands (ex: grocery shopping) 5 = Attends medical appointments and/or childbirth classes 6 = Provides emotional support 7 = Provides financial support 8 = Partner or father of child/children plays no role/is not involved 9 = Other 10 = Declined to answer
<b>Allow multiple values</b>	Yes
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<ChildFatherRoleList> <ChildFatherRole> <ChildFatherRoleId>1</ChildFatherRoleId> </ChildFatherRole> </ChildFatherRoleList>

Element name: [ChildFatherRoleOtherSpecifying](#)

Field	Description
<b>Definition</b>	Client' answered "other" to the question "What is your partner's or the father of your baby's role in your life?" (F6.59.1)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Text string that allows a maximum of 250 characters
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<ChildFatherRoleOtherSpecifying>Deployed</ChildFatherRoleOtherSpecifying>

Element name: [FUSocialSupport](#)

Field	Description
<b>Definition</b>	Staff selection in the Social Support/Father or Partner Involvement Follow Up table indicating whether information/education was provided to the client on the importance of social support. (F6.59.1)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	true, false OR 1, 0
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUSocialSupport>>true</FUSocialSupport>

Element name: [FUSocialSupportDate](#)

Field	Description
<b>Definition</b>	Date on which information/education about the importance of social support was provided to the client, if applicable. (F6.59.1)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Date with a format of mm/dd/yyyy
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUSocialSupportDate>10/5/2016</FUSocialSupportDate>



Element name: [FUSocialSupportReferredList](#)

Field	Description
<b>Definition</b>	Staff selection in the Social Support/Father or Partner Involvement Follow Up table indicating the types of social support-related referrals that were provided to the client, if any. (F6.59.1)
<b>Required field</b>	No
<b>Lookup table if available</b>	SocialSupportReferred_Lkup
<b>Allowed values</b>	1 = Social Worker 2 = Parent help line 3 = Parent support group 4 = Other
<b>Allow multiple values</b>	Yes
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUSocialSupportReferredList> <FUSocialSupportReferred> <SocialSupportReferredId>4</SocialSupportReferredId> </FUSocialSupportReferred> </FUSocialSupportReferredList>

Element name: [FUSocialSupportReferredOther](#)

Field	Description
<b>Definition</b>	Entry provided for "Please Specify" when "Other" was checked in the list of referrals provided to the client. (F6.59.1)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Text string that allows a maximum of 250 characters
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUSocialSupportReferredOther>a</FUSocialSupportReferredOther>

Element name: [FUSocialSupportReferredDate](#)

Field	Description
<b>Definition</b>	Date on which social support-related referrals were given to the client, if applicable. (F6.59.1)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Date with a format of mm/dd/yyyy
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-1 per client
<b>XML example</b>	<FUSocialSupportReferredDate>10/5/2016</FUSocialSupportReferredDate>

## Child Elements

The elements below describe multiple children (up to 4) for each client.

Element name: [ChildBirthDate](#)

Field	Description
<b>Definition</b>	Client's response to the question: "Please tell me dates of birth for any children older than 6 months and younger than 24 months old." (F6.1)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Date with a format of mm/dd/yyyy
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-4 per client
<b>XML example</b>	<ChildBirthDate>6/7/2016</ChildBirthDate>

Element name: [ChildBirthDateDRId](#)

Field	Description
<b>Definition</b>	Client's answer to the question "Please tell me dates of birth for any children older than 6 months and younger than 24 months old." if Don't Know or Declined to Answer were selected as the response. (F6.1)
<b>Required field</b>	No
<b>Lookup table if available</b>	DontknowRefused_Lkup
<b>Allowed values</b>	1 = Don't Know 2 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-4 per client
<b>XML example</b>	<ChildBirthDateDRId>2</ChildBirthDateDRId>

Element name: [ChildHealthId](#)

Field	Description
<b>Definition</b>	Client's answer to the question: "How would you describe this child's/these children's health?" (F6.1.1)
<b>Required field</b>	No
<b>Lookup table if available</b>	ChildHealth_Lkup
<b>Allowed values</b>	1 = Excellent 2 = Very Good 3 = Good 4 = Fair 5 = Poor 6 = Child is deceased
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-4 per client
<b>XML example</b>	<ChildHealthId>5</ChildHealthId>

Element name: [EverBreastFeedId](#)

Field	Description
<b>Definition</b>	Client's answer to the question: "How many days, weeks or months did you breastfeed or pump breast milk for your child/children?" (F6.2)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNoDeclined_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-4 per client
<b>XML example</b>	<EverBreastFeedId>1</EverBreastFeedId>

Element name: [BreastfeedNum](#)

Field	Description
<b>Definition</b>	The number (count) provided by the client in response to the question: "How many days, weeks or months did you breastfeed or pump breast milk for your baby/babies?" (One response per baby.) (F6.2.1)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	An integer with value between 0-999
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-4 per client
<b>XML example</b>	<BreastfeedNum>0</BreastfeedNum>

Element name: [BreastfeedFreqId](#)

Field	Description
<b>Definition</b>	The unit of measurement provided by the client for the time period of breast feeding (days, weeks, months). (One response per baby.) (F6.2.1)
<b>Required field</b>	No
<b>Lookup table if available</b>	DaysWeeksMonths_Lkup
<b>Allowed values</b>	1= Days 2 = Weeks 3 = Months
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-4 per client
<b>XML example</b>	<BreastfeedFreqId>3</BreastfeedFreqId>

Element name: [BreastfeedDRId](#)

Field	Description
<b>Definition</b>	Client's answer to the question: "How many days weeks or months breastfeed or pump milk for child" if Don't Know or Declined to Answer were selected as the response. (F6.2)
<b>Required field</b>	No
<b>Lookup table if available</b>	BreastFeedDR_Lkup
<b>Allowed values</b>	1 = Still/Currently breastfeeding 2 = Don't know 3 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-4 per client
<b>XML example</b>	<BreastfeedDRId>3</BreastfeedDRId>

Element name: [TimesReadToChild](#)

Field	Description
<b>Definition</b>	Client's answer to the question: "How many days you read to child during the past week" (F6.3)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	An integer with value between 0-7
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-4 per client
<b>XML example</b>	<TimesReadToChild>0</TimesReadToChild>

Element name: [TimesReadToChildDRId](#)

Field	Description
<b>Definition</b>	Client's answer to the question: "How many days you read to child during the past week" if Don't know or Declined to Answer were selected as the response. (F6.3)
<b>Required field</b>	No
<b>Lookup table if available</b>	DontknowRefused_Lkup
<b>Allowed values</b>	1 = Don't Know 2 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-4 per client
<b>XML example</b>	<TimesReadToChildDRId>2</TimesReadToChildDRId>

Element name: [ChildSleepingPositionId](#)

Field	Description
<b>Definition</b>	Client's answer to the question: "In which one position do you most often lie your baby/babies down to sleep now?" (F6.5)
<b>Required field</b>	No
<b>Lookup table if available</b>	ChildSleepingPos_Lkup
<b>Allowed values</b>	1 = On his or her side 2 = On his or her back 3 = On his or her stomach 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-4 per client
<b>XML example</b>	<ChildSleepingPositionId>1</ChildSleepingPositionId>

Element name: [ChildSleepSameBedId](#)

Field	Description
<b>Definition</b>	Client's answer to the question: "In the past 2 weeks, how often has your new child/have your new children slept alone in his or her/their own crib or bed? Would you say always, often, sometimes, rarely, or never?"(F6.6)
<b>Required field</b>	No
<b>Lookup table if available</b>	FrequencyAosrn_Lkup
<b>Allowed values</b>	1 = Always 2 = Often 3 = Sometimes 4 = Rarely 5 = Never 6 = Don't know 7 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-4 per client
<b>XML example</b>	<ChildSleepSameBedId>6</ChildSleepSameBedId>

Element name: [ChildSleepLocationId](#)

Field	Description
<b>Definition</b>	Client's response to question: "Please tell us how your child/children most often slept in the past 2 weeks." (F6.7)
<b>Required field</b>	No
<b>Lookup table if available</b>	ChildSleepLocation_Lkup
<b>Allowed values</b>	1 = In a crib, bassinet, or pack and play 2 = On a twin or larger mattress or bed 3 = On a couch, sofa, or armchair 4 = In an infant car seat or swing 5 = With a blanket 6 = With toys, cushions, or pillows, including nursing pillows 7 = With crib bumper pads (mesh or non-mesh) 8 = In a sleeping sack or wearable blanket
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-4 per client
<b>XML example</b>	<ChildSleepLocationId>6</ChildSleepLocationId>

Element name: [LastChildInfantCarSeatId](#)

Field	Description
<b>Definition</b>	Client's response to question: "When your child/children rides in a car, truck, or van, how often does he or she ride in an infant car seat? Would you say always, often, sometimes, rarely, or never?" (F6.8)
<b>Required field</b>	No
<b>Lookup table if available</b>	FrequencyAosrn_Lkup
<b>Allowed values</b>	1 = Always 2 = Often 3 = Sometimes 4 = Rarely 5 = Never 6 = Don't know 7 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-4 per client
<b>XML example</b>	<LastChildInfantCarSeatId>7</LastChildInfantCarSeatId>

Element name: [ChildTestedForLeadId](#)

Field	Description
<b>Definition</b>	Client's response to question: "Has your child / have your children been tested for lead?" (F6.9)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-4 per client
<b>XML example</b>	<ChildTestedForLeadId>1</ChildTestedForLeadId>

Element name: [ChildLeadConcernId](#)

Field	Description
<b>Definition</b>	Client's response to the question: "Did your child's lead levels concern the doctor?" if applicable (F6.9.1)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-4 per client
<b>XML example</b>	<ChildLeadConcernId>4</ChildLeadConcernId>

Element name: [HourWithSmokingPersonHours](#)

Field	Description
<b>Definition</b>	The number of hours provided by the client in response to question: "On average, how many hours per day is your child/are your children in the same room or vehicle with another person who is smoking?" (F6.10)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	An integer with value between 0-24
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-4 per client
<b>XML example</b>	<HourWithSmokingPersonHours>0</HourWithSmokingPersonHours>

Element name: [ChildHourWithSmokingPersonId](#)

Field	Description
<b>Definition</b>	The amount of time provided by the client in response to the question: "On average, how many hours per day is your child/are your children in the same room or vehicle with another person who is smoking?" if the answer is "Child spends less than one hour p
<b>Required field</b>	No
<b>Lookup table if available</b>	ChildSmokingInRoom_Lkup
<b>Allowed values</b>	1 = Child is never in a room or vehicle with someone who is smoking 2 = Child spends less than one hour per day in a room or vehicle with somebody who is smoking 3 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-4 per client
<b>XML example</b>	<ChildHourWithSmokingPersonId>2</ChildHourWithSmokingPersonId>

Element name: [HaveChildHealthProfessionalId](#)

Field	Description
<b>Definition</b>	Client's response to the question: "Do you have one or more persons you think of as your child's personal doctor or nurse?" (F6.12)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNoPerson_Lkup
<b>Allowed values</b>	1 = Yes, one person 2 = Yes, more than one person 3 = No 4 = Don't know 5 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-4 per client
<b>XML example</b>	<HaveChildHealthProfessionalId>3</HaveChildHealthProfessionalId>



Element name: [HaveChildSickCarePlaceId](#)

Field	Description
<b>Definition</b>	Client's response to the question: "Is there a place that your child USUALLY goes for care when he or she is sick or when you or another caregiver need advice about your child's health?" (F6.13)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNoPlace_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = There is more than one place 4 = Don't know 5 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-4 per client
<b>XML example</b>	<HaveChildSickCarePlaceId>4</HaveChildSickCarePlaceId>

Element name: [ChildSickCarePlaceId](#)

Field	Description
<b>Definition</b>	Client's response to the question: "What kind of place does your child go to most often when he or she is sick or you need advice about his or her health? Is it a doctor's office, emergency room, hospital outpatient department, clinic or some other place?"
<b>Required field</b>	No
<b>Lookup table if available</b>	HealthCareFacility_Lkup
<b>Allowed values</b>	1 = Doctor's Office 2 = Hospital Emergency Room 3 = Hospital Outpatient Department 4 = Clinic or Health Center 5 = Retail Store Clinic or Minute Clinic 6 = School (Nurse's Office, Athletic Trainer's Office) 7 = Some other place 8 = Don't know 9 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-4 per client
<b>XML example</b>	<ChildSickCarePlaceId>7</ChildSickCarePlaceId>

Element name: [ChildInsuranceList](#)

Field	Description
<b>Definition</b>	Client's response to the question: "Please tell me what kind of health insurance your child has:" (F6.14)
<b>Required field</b>	No
<b>Lookup table if available</b>	HealthInsuranceTypes_Lkup
<b>Allowed values</b>	1 = Private insurance through my job, or the job of my husband, partner or parents 2 = Insurance purchased directly from an insurance company 3 = Medicaid, Medical Assistance, or any kind of government assistance plan for those with low incomes or a disability 4 = TRICARE or other military health care 5 = Indian Health Service 6 = Other 7 = No insurance 8 = Don't know 9 = Declined to answer
<b>Allow multiple values</b>	Yes
<b>Occurrence</b>	0-4 per client
<b>XML example</b>	<pre>&lt;ChildInsuranceList&gt;   &lt;ChildInsurance&gt;     &lt;HealthInsuranceTypesId&gt;6&lt;/HealthInsuranceTypesId&gt;   &lt;/ChildInsurance&gt; &lt;/ChildInsuranceList&gt;</pre>

Element name: [ChildInsuranceTypesOther](#)

Field	Description
<b>Definition</b>	Client's response if the answer to the question: "Please tell me what kind of health insurance your child has:" is "Other, specify" (F6.14)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Text string that allows a maximum of 250 characters
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-4 per client
<b>XML example</b>	<pre>&lt;ChildInsuranceTypesOther&gt;a&lt;/ChildInsuranceTypesOther&gt;</pre>

Element name: [LastChildVisitDate](#)

Field	Description
<b>Definition</b>	Client's response to the question: "When was your child's last visit to a doctor, nurse, or other health provider for a well-child check-up?" (F6.15)
<b>Required field</b>	No
<b>Lookup table if available</b>	N/A
<b>Allowed values</b>	Date with a format of mm/dd/yyyy
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-4 per client
<b>XML example</b>	<LastChildVisitDate>10/5/2016</LastChildVisitDate>

Element name: [LastChildVisitDRId](#)

Field	Description
<b>Definition</b>	Client's response to the question: "When was your child's last visit to a doctor, nurse, or other health provider for a well-child check-up?" if "Don't Know" or "Declined to Answer" were selected as the response (F6.15)
<b>Required field</b>	No
<b>Lookup table if available</b>	DontKnowRefused_Lkup
<b>Allowed values</b>	1 = Don't Know 2 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-4 per client
<b>XML example</b>	<LastChildVisitDRId>1</LastChildVisitDRId>

Element name: [lastchildvisitvaccineld](#)

Field	Description
<b>Definition</b>	Client's response to the question: "Did your child receive age-appropriate vaccines during this visit?" (F6.15.1)
<b>Required field</b>	No
<b>Lookup table if available</b>	YesNo_Lkup
<b>Allowed values</b>	1 = Yes 2 = No 3 = Don't Know 4 = Declined to answer
<b>Allow multiple values</b>	No
<b>Occurrence</b>	0-4 per client
<b>XML example</b>	<lastchildvisitvaccineld>2</lastchildvisitvaccineld>